

**GROUNDWATER MONITORING REPORT
SECOND QUARTER 2003
CCL CUSTOM MANUFACTURING, INC.
1 HEGELER LANE
DANVILLE, ILLINOIS**

Prepared for:


CCL MANUFACTURING
Danville, Illinois

Prepared by:

GEOTECHNOLOGY, INC.
Collinsville, Illinois

Geotechnology Project No. 0665002.3521

June 27, 2003





ILLINOIS ENVIRONMENTAL PROTECTION AGENCY HAZARDOUS WASTE REPORTING FORM

This form must be used as a cover sheet for the notices and reports, identified below as required by: (1) a facility's RCRA interim status closure plan; (2) the RCRA interim status regulations; or (3) a facility's RCRA permit. All reports must be submitted to the Illinois EPA's Bureau of Land Permit Section. This form is for use by Hazardous Waste facilities only. Reporting for Solid Waste facilities should be submitted on a separate Solid Waste Reporting Form. All reports submitted to the Illinois EPA's Bureau of Land Permit Section must contain an original, plus a minimum of two copies.


Notes: (1) This form may NOT be used for any request to modify a permit, an approved closure plan or sampling/analysis procedures. Modification requests must be submitted separately in the form of a permit application or closure plan modification request.


(2) This form is not to be used with permit or closure plan modification requests. Your permit or closure plan will state whether the document you are submitting is required as a report or a modification request.

Facility Name:	CCL Custom Manufacturing	Site ID#:	1838040031
		Fed ID#:	ILD005141726

Check one of the following, identifying the contents of your submittal:

- | | | |
|--|---|--|
| <input type="checkbox"/> LPC-160 Forms | <input type="checkbox"/> Quarterly Groundwater Data | <input type="checkbox"/> Annual Groundwater Data |
| <input type="checkbox"/> Quarterly Leachate Data | <input type="checkbox"/> Semi-Annual Groundwater Data | <input type="checkbox"/> Annual Leachate Data |
| <input type="checkbox"/> Semi-Annual Leachate Data | | |
-
- | | | |
|--|------------------------------------|---|
| <input checked="" type="checkbox"/> Groundwater Data (without LPC-160 Forms) | <input type="checkbox"/> Quarterly | <input checked="" type="checkbox"/> Semi-Annual |
| | | <input type="checkbox"/> Annual |
-
- | | | |
|---|---|---|
| <input type="checkbox"/> Well Construction Forms or Boring Logs | <input type="checkbox"/> Well Survey Data | <input type="checkbox"/> Well Abandonment Forms |
|---|---|---|
-
- | |
|--|
| <input type="checkbox"/> Notice of Statistically Significant Evidence of Groundwater Contamination (35 Ill. Adm. Code 724.198) |
|--|
-
- | |
|---|
| <input type="checkbox"/> Notice of Exceedence of Groundwater Concentration Limit (35 Ill. Adm. Code 724.199(h)) |
|---|
-
- | |
|---|
| <input type="checkbox"/> Notice of Alternate Source or Error in Sampling Analysis or Evaluation of Groundwater (35 Ill. Adm. Code 724.199(i)) |
|---|
-
- | |
|---|
| <input type="checkbox"/> Gas Monitoring Reports |
|---|
-
- | | |
|--|--|
| <input type="checkbox"/> Other (identify): | |
|--|--|





GEOTECHNOLOGY, INC.

ENGINEERING AND ENVIRONMENTAL SERVICES
SAINT LOUIS • COLLINSVILLE • KANSAS CITY

June 27, 2003

0665002.3521

Ms. Yvonne Sherman
CCL Custom Manufacturing, Inc.
1 Hegeler Lane
Danville, Illinois 61832-8398

Re: Second Quarter 2003 Groundwater Monitoring Report
CCL Custom Manufacturing, Inc.
Danville, Illinois

Dear Ms. Sherman:

Geotechnology, Inc. is pleased to present this report for CCL Custom Manufacturing, Inc. summarizing the groundwater monitoring conducted during May 2003 at 1 Hegeler Lane in Danville, Illinois. Samples collected were submitted to Suburban Laboratories in Hillside, Illinois for analysis.

1.0 INTRODUCTION

1.1 Site Description. The site is a product packaging facility located at 1 Hegeler Lane in Danville, Illinois owned and operated by CCL Custom Manufacturing, Inc. (CCL) as shown in Plate 1. The site includes many structures as well as open fields, a borrow pit ("Lake Harry"), and wooded areas. Farm fields are to the south and west of the site. To the north and east is primarily residential property.

1.2 Background. Past operations on the facility included six surface impoundments used to manage production wastewater. The impoundments were closed in 1990 and post-closure groundwater monitoring has been conducted since that time. Eighteen wells were sampled in the first and third quarters for volatile organic compounds and field parameters. In the second and fourth quarters, eighteen wells were sampled for total organic carbon and total organic halogens (TOC and TOX) concentrations, and nine wells were sampled for volatile organic concentrations. During the sampling events, the forty-three wells are gauged for depth to water and depth to bottom of the well.

In a letter dated January 10, 2003, the Illinois Environmental Protection Agency (IEPA) approved sampling downgradient monitoring wells MW3B, MW3E, and MW7, and upgradient monitoring well MW4 on a semi-annual basis for select volatile organic parameters. In addition, monitoring wells MW7A, MW8, MW9A, and MW5D are sampled on a semi-annual basis for corrective measures regulated by the USEPA. A letter dated March 4, 2003, from the IEPA removed the requirement to sample total organic carbon/total organic halides (TOC/TOX) on a semi-annual basis.

1.3 Project Description. Geotechnology, Inc. collected 20 groundwater samples at the requested locations at each site, in general accordance with the Sampling and Analysis Plan prepared by CCL. In addition to these samples, one duplicate, two field blanks, and two trip blanks were collected. The sampling and analyses were conducted to assist in the evaluation of existing environmental conditions in designated areas of the site.

2.0 FIELD SAMPLING ACTIVITIES

2.1 Groundwater Sampling. On May 19 and 20, 2003, Geotechnology, Inc. gauged forty-three site monitoring wells to determine the depth to water and total depth of the monitoring wells using an electronic water level indicator. Eighteen of the monitoring wells were then purged using new, disposable bailers and new, clean string. An air stripper well (AS-1) and an interceptor well (IPS-2) were also sampled. The weather was cloudy and cool during the sampling event.

New nitrile or latex gloves were donned before purging each of the monitoring wells. Geotechnology purged a minimum of three well volumes from the monitoring wells, or until appreciable water was not observed in the well casings. According to CCL personnel, the air stripper tank constantly purges itself. The air stripper tank was turned off immediately before sampling and turned back on immediately after sampling. The condition of monitoring wells, including their protective covers, surface pads, well riser pipes, and well caps, were evaluated prior to purging. Locations of the monitoring wells are shown on Plate 2.

Wet well IPS-2 was turned off for approximately 3 hours on May 20, 2003, to allow the well to purge. The IPS-2 well requires approximately three hours to purge three volumes. Samples were collected from IPS-2 after the purge period was complete.

New nitrile or latex gloves were donned before sampling the monitoring wells. Groundwater that was recovered but not used for sampling was disposed of at CCL's wastewater treatment site, as directed by CCL personnel. All disposable materials, including plastic packaging, used bailers, string, and gloves were placed in a waste disposal bin, as directed by CCL personnel. The monitoring wells were capped and locked after sample collection.

Groundwater samples were collected from the 20 purged wells using individual disposable bailers and new, clean string. The groundwater samples were transferred into laboratory provided sample containers, labeled and placed in a cooler with ice. An additional bailer of groundwater was collected and field measurements of temperature, specific conductance, and pH were recorded. The groundwater samples were submitted using standard chain-of-custody procedures to Suburban Laboratories in Hillside, Illinois for analysis of volatile organic compounds using USEPA Method 8260. Groundwater and well elevations are shown in Table 1. Field measurements are summarized in Table 2. The laboratory analytical data is

CCL Manufacturing

June 27, 2003

Page 3

0665002.3521

provided in Appendix A. In addition, the data for monitoring wells MW-3B (G110), MW-3E (G111), MW-4 (G104), and MW-7 (G107) are provided in electronic format for upload into the STORET database.

The following attachments are part of and complete this letter report:

- | | |
|------------|---|
| Table 1 | - Groundwater Gauging Data and Well Elevations |
| Table 2 | - Groundwater Field Measurements |
| Plate 1 | - Site Location and Topography |
| Plate 2 | - Plan of Site and Monitoring Well Locations |
| Appendix A | - Analytical Laboratory Report and Chain of Custody |
| Appendix B | - Field Well Gauging Logs |
| Appendix C | - STORET Data for 3B (G110), 3E (G111), 4(G104), and 7 (G107) |
| Appendix D | - Limitations of Report |

We appreciate the opportunity to be of assistance. Please call the undersigned at (618) 345-4811 if you have any questions.

Sincerely,

GEOTECHNOLOGY, INC.



Andrew J. Limmer, P.G.
Project Manager

AJP/AJL:ajp/jrh



Amanda J. Pond, E.I.T.
Staff Engineer




TABLE 1
CCL MANUFACTURING
1 HEGELER LANE
DANVILLE, ILLINOIS

0665002.3521

2nd QUARTER 2003 GROUNDWATER AND WELL ELEVATIONS

Well Number	Reference Point Elevation ¹ (feet)	Depth to Water (feet)	Ground-Water Elevation ² (feet)	Depth of Well (feet)	Well Bottom Elevation ³ (feet)	Water Column Length (feet)	Well Diameter (inches)	Well Volume ⁴ (gallons)
MW-1	653.90	6.5	647.40	15.00	638.90	8.5	2	1.4
MW-1A	653.91	13.47	640.44	22.43	631.48	8.96	2	1.4
MW-1B	654.25	7.51	646.74	17.14	637.11	9.63	2	1.5
MW-R2	654.37	10.03	644.34	20.75	633.62	10.72	2	1.7
MW-3	653.40	6.42	646.98	21.56	631.84	15.14	2	2.4
MW-3A	653.50	5.25	648.25	18.28	635.22	13.03	2	2.1
MW-3B	651.62	4.75	646.87	19.85	631.77	15.1	2	2.4
MW-3C	653.33	8.56	644.77	18.05	635.28	9.49	2	1.5
PZ-3D	655.57	8.87	646.70	17.55	638.02	8.68	2	1.4
MW-3E	653.57	7.30	646.27	20.80	632.77	13.5	2	2.2
MW-3F	652.35	8.95	643.40	19.90	632.45	10.95	2	1.8
MW-3G	651.63	7.15	644.48	19.60	632.03	12.45	2	2.0
MW-3H	653.57	7.6	645.97	20.53	633.04	12.93	2	2.1
MW-3I	656.50	3.93	652.57	21.80	634.70	17.87	2	2.9
MW-3J	653.01	10.67	642.34	19.95	633.06	9.28	2	1.5
MW-3K	652.31	5.39	646.92	19.15	633.16	13.76	2	2.2
MW-3L	651.49	5.5	645.99	22.00	629.49	16.5	2	2.6
MW-4	663.20	5.1	658.10	19.55	643.65	14.45	2	2.3
MW-4A	662.03	6.55	655.48	22.00	640.03	15.45	2	2.5
MW-4B	658.59	8.3	650.29	22.43	636.16	14.13	2	2.3
MW-4C	662.54	8.32	654.22	18.78	643.76	10.46	2	1.7
PZ-4D	660.51	7.14	653.37	24.27	636.24	17.13	2	2.7
PZ-4E	661.31	8.84	652.47	24.62	636.69	15.78	2	2.5
PZ-4F	656.21	5.36	650.85	20.11	636.10	14.75	2	2.4
PZ-4G	655.48	9.40	646.08	20.14	635.34	10.74	2	1.7
PZ-4H	657.23	12.89	644.34	21.52	635.71	8.63	2	1.4
MW-5	662.50	9	653.50	18.47	644.03	9.47	2	1.5
MW-5A	661.63	3.15*	-	-	-	-	2	-
MW-5B	659.59	5.94	653.65	20.11	639.48	14.17	2	2.3
MW-5C	659.77	6.43	653.34	18.96	640.81	12.53	2	2.0
MW-5D	656.97	6.95	650.02	16.99	639.98	10.04	2	1.6
MW-5E	661.25	8.8	652.45	27.23	634.02	18.43	2	2.9
MW-5F	656.86	7.12	649.74	16.94	639.92	9.82	2	1.6
MW-5G	659.49	8.42	651.07	21.81	637.68	13.39	2	2.1
MW-6	658.09	3.74	654.35	19.45	638.64	15.71	2	2.5
MW-7	651.26	4.1	647.16	16.84	634.42	12.74	2	2.0
MW-7A	650.30	10.83	639.47	20.80	629.50	9.97	2	1.6
MW-8	654.67	12.6	642.07	22.93	631.74	10.33	2	1.7
MW-9	659.25	12.87	646.38	20.67	638.58	7.8	2	1.2
MW-9A	653.08	8.40	644.68	17.25	635.83	8.85	2	1.4
MW-9B	657.79	7.58	650.21	20.60	637.19	13.02	2	2.1
MW-9C	656.18	6.88	649.30	19.85	636.33	12.97	2	2.1
MW-20	652.54	13.54	639.00	109.80	542.74	96.26	4	62.6

Sample Date: May 19-20, 2003

Notes:

1 = Ground surface elevation and reference point elevation provided by CCL personnel

2 = Groundwater elevation obtained by subtracting the depth to water from the reference point elevation

3 = Well bottom elevation obtained by subtracting the depth of the well from the reference point elevation


4 = Well casing volume = $7.5 * \pi * R^2$, where R = well casing radius and $\pi = 3.141593$

* Well was damaged - unable to sample

TABLE 2
CCL MANUFACTURING
1 HEGELER LANE
DANVILLE, ILLINOIS
2nd QUARTER 2003 FIELD MEASUREMENTS

0665002.3521

Monitoring Well	Sample Date	pH	Temperature (°C)	Specific Conductivity (mS/cm)
MW-3B	05/19/2003	7.36	14.5	0.642
MW-3E	05/19/2003	7.23	12.3	0.516
MW-3F	05/19/2003	6.89	11.3	1.834
MW-3K	05/19/2003	7.38	12.3	0.634
MW-3L	05/19/2003	7.3	12.1	0.676
MW-4	05/19/2003	7.17	16.8	0.947
MW-4A	05/20/2003	7.2	12.3	0.596
MW-4B	05/20/2003	7.18	12.6	1.088
MW-5	05/19/2003	6.39	11.9	2.51
MW-5B	05/19/2003	6.89	12.7	2.96
MW-5D	05/19/2003	6.93	15.5	0.526
MW-5E	05/19/2003	7.28	13.9	3.14
MW-7	05/20/2003	7.35	11.7	1.095
MW-7A	05/20/2003	7.34	11.3	1.967
MW-8	05/20/2003	6.94	12.6	1.137
MW-9A	05/20/2003	7.29	12.6	1.181
MW-9B	05/20/2003	7.62	12.5	0.893
MW-9C	05/19/2003	7.29	13.8	1.393



NOTE

Plan adapted from 7.5 minute U.S.G.S.
maps for Danville SW, Illinois and
Danville SE, Illinois-Indiana Quadrangles,
last revised in 1978.

0 1000 2000 4000
SCALE IN FEET

Drawn By: WAH	Ck'd By: <i>JF</i>	App'd By: AR
Date: 5-21-03	Date: 6/21/03	Date: 6/21/03



GEOTECHNOLOGY INC.
ENGINEERING AND ENVIRONMENTAL SERVICES
ST. LOUIS - COLLINSVILLE - KANSAS CITY

CCL Manufacturing
Danville, Illinois


**SITE LOCATION
AND TOPOGRAPHY**


Project Number
0665002.3520

PLATE 1

APPENDIX A

ANALYTICAL LABORATORY REPORT AND CHAIN OF CUSTODY





SUBURBAN LABORATORIES, Inc.

4140 Litt Drive · Hillside, Illinois 60162-1183
Tel. (708) 544-3260 · Toll Free (800) 783-LABS · Fax (708) 544-8587
www.SuburbanLabs.com



June 04, 2003

Andrew Limmer-Geotechnology
CCL Custom Mfg., Inc.
1 West Hegeler Ln.
Danville, IL 618328398
Tel: (217) 442-1400
Fax: (217) 442-9290

Project Name: CCL-Danville 2nd Quarter ground water monitori

Workorder #: **03050819**

Dear Andrew Limmer-Geotechnology,

Suburban Laboratories, Inc. received 25 samples on 5/22/03 9:00:00 AM for the analyses presented in the following report.

There were no problems with the analyses and all the data for the associated QC met EPA, or laboratory specifications except where noted in the case narrative.

This final report of laboratory analysis consists of this cover letter, case narrative, analytical report, dates report, and any accompanying documentation including, but not limited to, chain of custody records, raw data, and letters of explanation or reliance. This report may not be reproduced, except in full, without the prior written approval of Suburban Laboratories, Inc.

If you have any questions regarding these test results, please call your customer service representative at (708) 544-3260.

Sincerely,

Mike Chung

Data Review Manager

CC: ERH



SUBURBAN LABORATORIES, Inc.

4140 Litt Drive · Hillside, Illinois 60162-1183
Tel. (708) 544-3260 · Toll Free (800) 783-LABS · Fax (708) 544-8587
www.SuburbanLabs.com



Client ID: CCL Custom Mfg., Inc.

Workorder Name: CCL-Danville 2nd Quarter ground water monitoring

Workorder #: 03050819

COC #: 22502

Temp Upon Receipt: 10.5 °C

CASE NARRATIVE

Date: Wednesday, June 04, 2003

PO #: 256730-000

QC Level: LEVEL I

General Comments:

- All results reported in wet weight unless otherwise indicated. (dry = Dry Weight)
- Sample results relate only to the analytes of interest tested and to sample as received by the laboratory.
- Environmental compliance sample results meet the requirements of Part 186 unless otherwise indicated.
- Accreditation by the State of Illinois is not an endorsement or a guarantee of the validity of data generated. For more information about the laboratories' scope of accreditation, please contact Suburban or the Agency.
- MDL: Method Detection Limit. The minimum concentration of an analyte that can be measured and reported with a 99% confidence that analyte is greater than zero.
- PQL: Practical Quantitation Limit. The lowest concentration that can be reliably achieved within specified requirements of precision and accuracy during routine laboratory operating conditions. The PQL is generally 3 times the MDL.
- DF: Dilution Factor

Data Qualifiers:

J: The analyte was positively identified; the associated numerical value is the approximate concentration of the analyte in the sample.

JJ: The analyte was not detected above the reported detection limit. However, the reported limits approximate and may or may not represent the actual limits of detection and quantitation necessary to accurately and precisely measure the analyte in the sample.

I: Result is Invalid; CS: Compound Screened; TNTC: Too Numerous to Count

Method References:

E: USEPA Methods for the Determination of Inorganic Substances in Environmental Samples; Methods for Chemical Analysis of Water and Wastes; Methods for Organic Chemical Analysis of Municipal and Industrial Wastewater, 40CFR136 App A; Methods for the Determination of Metals in Environmental Samples; Methods for the Determination of Organic Compounds in Drinking Water

SW: USEPA, Test Methods for Evaluating Solid Waste, SW-846, 3rd Ed, includes Updates I-III

M: APHA, Standard Methods for the Examination of Water and Wastewater, 18th & 19th Ed.

D: ASTM, Annual Book of Standards F: NAS, Food Chemicals Codex (FCC), 4th Edition

B: US FDA Bacteriological Analytical Manual (BAM) 8th Edition, 1995

USP: US Pharmacopoeia, 24th Revision, 2000

Project Specific Comments:



Suburban Laboratories, Inc.

4140 Litt Drive Hillside, IL 60162 (708) 544-3260

Laboratory Results

Client ID: CCL Custom Mfg., Inc.

Workorder #: 03050819

Workorder Name: CCL-Danville 2nd Quarter ground water monito

Date: Wednesday, June 04, 2003

Lab Sample #: 03050819-01A

Collection Date: 5/19/03 10:20:00 AM

Client Sample ID: MW-3B

Received Date: 5/22/03 9:00:00 AM

Matrix: GROUNDWATER

Analyses	Result	Qual	MDL	PQL	Units	DF	Date Analyzed
VOLATILE ORGANIC COMPOUNDS			Method:	SW8260B			Analyst: BK
1,1,1-Trichloroethane	ND		0.222	1.00	µg/L	1	6/1/03 6:13 pm
1,1,2,2-Tetrachloroethane	ND		0.331	1.00	µg/L	1	6/1/03 6:13 pm
1,1,2-Trichloroethane	ND		0.692	1.00	µg/L	1	6/1/03 6:13 pm
1,1-Dichloroethane	ND		0.240	1.00	µg/L	1	6/1/03 6:13 pm
1,1-Dichloroethene	ND		0.514	1.00	µg/L	1	6/1/03 6:13 pm
1,2-Dibromo-3-chloropropane	ND		1.00	1.00	µg/L	1	6/1/03 6:13 pm
1,2-Dichlorobenzene	ND		0.301	1.00	µg/L	1	6/1/03 6:13 pm
1,2-Dichloroethane	ND		0.292	1.00	µg/L	1	6/1/03 6:13 pm
1,2-Dichloropropane	ND		0.449	1.00	µg/L	1	6/1/03 6:13 pm
1,3-Dichlorobenzene	ND		0.304	1.00	µg/L	1	6/1/03 6:13 pm
1,4-Dichlorobenzene	ND		0.354	1.00	µg/L	1	6/1/03 6:13 pm
2-Butanone	ND		1.51	5.00	µg/L	1	6/1/03 6:13 pm
2-Chloroethyl vinyl ether	ND		0.448	1.00	µg/L	1	6/1/03 6:13 pm
2-Hexanone	ND		0.745	1.00	µg/L	1	6/1/03 6:13 pm
4-Methyl-2-pentanone	ND		0.610	5.00	µg/L	1	6/1/03 6:13 pm
Acetone	ND		2.96	5.00	µg/L	1	6/1/03 6:13 pm
Acrolein	ND		1.71	5.00	µg/L	1	6/1/03 6:13 pm
Acrylonitrile	ND		1.03	5.00	µg/L	1	6/1/03 6:13 pm
Benzene	ND		0.317	1.00	µg/L	1	6/1/03 6:13 pm
Bromodichloromethane	ND		0.202	1.00	µg/L	1	6/1/03 6:13 pm
Bromoform	ND		0.501	1.00	µg/L	1	6/1/03 6:13 pm
Bromomethane	ND		2.45	5.00	µg/L	1	6/1/03 6:13 pm
Carbon disulfide	ND		0.398	1.00	µg/L	1	6/1/03 6:13 pm
Carbon tetrachloride	ND		0.383	1.00	µg/L	1	6/1/03 6:13 pm
Chlorobenzene	ND		0.361	1.00	µg/L	1	6/1/03 6:13 pm
Chloroethane	ND		4.02	1.00	µg/L	1	6/1/03 6:13 pm

Qualifiers:
ND - Not Detected at the Method Detection Limit
J - Estimated or analyte detected below quantitation limit
B - Analyte detected in the associated Method Blank
* - Value exceeds Maximum Contaminant Level
c - Analyte not included in our scope of accreditation

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
E - Value above quantitation range
H - Analysis run past method holding time
DF - Dilution Factor

MDL-Certified
Fraction2003



Suburban Laboratories, Inc.

4140 Litt Drive Hillside, IL 60162 (708) 544-3260

Laboratory Results

Client ID:	CCL Custom Mfg., Inc.	Workorder #: 03050819					
Workorder Name:	CCL-Danville 2nd Quarter ground water monitor					Date: Wednesday, June 04, 2003	
Chloroform	ND	0.224	1.00	µg/L	1	6/1/03 6:13 pm	
Chloromethane	ND	1.10	5.00	µg/L	1	6/1/03 6:13 pm	
cis-1,2-Dichloroethene	ND	0.286	1.00	µg/L	1	6/1/03 6:13 pm	
cis-1,3-Dichloropropene	ND	0.291	1.00	µg/L	1	6/1/03 6:13 pm	
Dibromochloromethane	ND	0.342	1.00	µg/L	1	6/1/03 6:13 pm	
Dichlorodifluoromethane	ND	0.672	1.00	µg/L	1	6/1/03 6:13 pm	
Ethylbenzene	ND	0.376	1.00	µg/L	1	6/1/03 6:13 pm	
m,p-Xylene	ND	0.852	2.00	µg/L	1	6/1/03 6:13 pm	
Methyl tert-butyl ether	ND	0.262	1.00	µg/L	1	6/1/03 6:13 pm	
Methylene chloride	ND	0.394	5.00	µg/L	1	6/1/03 6:13 pm	
o-Xylene	ND	0.545	1.00	µg/L	1	6/1/03 6:13 pm	
Styrene	ND	0.339	1.00	µg/L	1	6/1/03 6:13 pm	
Tetrachloroethene	ND	0.803	1.00	µg/L	1	6/1/03 6:13 pm	
Toluene	ND	0.383	1.00	µg/L	1	6/1/03 6:13 pm	
trans-1,2-Dichloroethene	ND	0.542	1.00	µg/L	1	6/1/03 6:13 pm	
trans-1,3-Dichloropropene	ND	0.350	1.00	µg/L	1	6/1/03 6:13 pm	
Trichloroethene	ND	0.518	1.00	µg/L	1	6/1/03 6:13 pm	
Trichlorofluoromethane	ND	0.337	1.00	µg/L	1	6/1/03 6:13 pm	
Vinyl chloride	ND	0.423	1.00	µg/L	1	6/1/03 6:13 pm	
Surr: 4-Bromofluorobenzene	96.3	0	67.9-119	%REC	1	6/1/03 6:13 pm	
Surr: Dibromofluoromethane	94.0	0	62.3-122	%REC	1	6/1/03 6:13 pm	
Surr: Toluene-d8	102	0	68.2-119	%REC	1	6/1/03 6:13 pm	
VOCS, EXTENDED ANALYTE LIST		Method:	SW8260B		Analyst:	BK	
1,4-Dioxane	ND	4.86	14.6	µg/L	1	6/1/03 6:13 pm	
Dimethoxymethane	ND	c	5.00	µg/L	1	6/1/03 6:13 pm	
n-Butanol	ND	c	5.00	25.0	µg/L	1	6/1/03 6:13 pm

Qualifiers:

ND - Not Detected at the Method Detection Limit
J - Estimated or analyte detected below quantitation limit
B - Analyte detected in the associated Method Blank
* - Value exceeds Maximum Contaminant Level
c - Analyte not included in our scope of accreditation

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
E - Value above quantitation range
H - Analysis run past method holding time
DF - Dilution Factor



Suburban Laboratories, Inc.

4140 Litt Drive Hillside, IL 60162 (708) 544-3260

Laboratory Results

Client ID: CCL Custom Mfg., Inc.

Workorder #: 03050819

Workorder Name: CCL-Danville 2nd Quarter ground water monito

Date: Wednesday, June 04, 2003

Lab Sample #: 03050819-02A

Collection Date: 5/19/03 12:30:00 PM

Client Sample ID: MW-3F

Received Date: 5/22/03 9:00:00 AM

Matrix: GROUNDWATER

Analyses	Result	Qual	MDL	PQL	Units	DF	Date Analyzed
VOLATILE ORGANIC COMPOUNDS			Method:	SW8260B			Analyst: BK
1,1,1-Trichloroethane	2,220		22.2	100	µg/L	100	6/1/03 8:30 pm
1,1,2,2-Tetrachloroethane	ND		33.1	100	µg/L	100	6/1/03 8:30 pm
1,1,2-Trichloroethane	ND		69.2	100	µg/L	100	6/1/03 8:30 pm
1,1-Dichloroethane	1,630		24.0	100	µg/L	100	6/1/03 8:30 pm
1,1-Dichloroethene	317		51.4	100	µg/L	100	6/1/03 8:30 pm
1,2-Dibromo-3-chloropropane	ND		100	100	µg/L	100	6/1/03 8:30 pm
1,2-Dichlorobenzene	ND		30.1	100	µg/L	100	6/1/03 8:30 pm
1,2-Dichloroethane	ND		29.2	100	µg/L	100	6/1/03 8:30 pm
1,2-Dichloropropane	ND		44.9	100	µg/L	100	6/1/03 8:30 pm
1,3-Dichlorobenzene	ND		30.4	100	µg/L	100	6/1/03 8:30 pm
1,4-Dichlorobenzene	ND		35.4	100	µg/L	100	6/1/03 8:30 pm
2-Butanone	ND		151	500	µg/L	100	6/1/03 8:30 pm
2-Chloroethyl vinyl ether	ND		44.8	100	µg/L	100	6/1/03 8:30 pm
2-Hexanone	ND		74.5	100	µg/L	100	6/1/03 8:30 pm
4-Methyl-2-pentanone	ND		61.0	500	µg/L	100	6/1/03 8:30 pm
Acetone	ND		296	500	µg/L	100	6/1/03 8:30 pm
Acrolein	ND		171	500	µg/L	100	6/1/03 8:30 pm
Acrylonitrile	ND		103	500	µg/L	100	6/1/03 8:30 pm
Benzene	ND		31.7	100	µg/L	100	6/1/03 8:30 pm
Bromodichloromethane	ND		20.2	100	µg/L	100	6/1/03 8:30 pm
Bromoform	ND		50.1	100	µg/L	100	6/1/03 8:30 pm
Bromomethane	ND		245	500	µg/L	100	6/1/03 8:30 pm
Carbon disulfide	ND		39.8	100	µg/L	100	6/1/03 8:30 pm
Carbon tetrachloride	ND		38.3	100	µg/L	100	6/1/03 8:30 pm
Chlorobenzene	ND		36.1	100	µg/L	100	6/1/03 8:30 pm
Chloroethane	ND		402	100	µg/L	100	6/1/03 8:30 pm

Qualifiers:
 ND - Not Detected at the Method Detection Limit
 J - Estimated or analyte detected below quantitation limit
 B - Analyte detected in the associated Method Blank
 * - Value exceeds Maximum Contaminant Level
 c - Analyte not included in our scope of accreditation

S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 E - Value above quantitation range
 H - Analysis run past method holding time
 DF - Dilution Factor

MDL-Certified
Practice2003



Suburban Laboratories, Inc.

4140 Litt Drive Hillside, IL 60162 (708) 544-3260

Laboratory Results

Client ID: CCL Custom Mfg., Inc.

Workorder #: 03050819

Workorder Name: CCL-Danville 2nd Quarter ground water monito

Date: Wednesday, June 04, 2003

Chloroform	ND	22.4	100	µg/L	100	6/1/03 8:30 pm
Chloromethane	ND	110	500	µg/L	100	6/1/03 8:30 pm
cis-1,2-Dichloroethene	3,440	28.6	100	µg/L	100	6/1/03 8:30 pm
cis-1,3-Dichloropropene	ND	29.1	100	µg/L	100	6/1/03 8:30 pm
Dibromochloromethane	ND	34.2	100	µg/L	100	6/1/03 8:30 pm
Dichlorodifluoromethane	ND	67.2	100	µg/L	100	6/1/03 8:30 pm
Ethylbenzene	ND	37.6	100	µg/L	100	6/1/03 8:30 pm
m,p-Xylene	ND	85.2	200	µg/L	100	6/1/03 8:30 pm
Methyl tert-butyl ether	ND	26.2	100	µg/L	100	6/1/03 8:30 pm
Methylene chloride	ND	39.4	500	µg/L	100	6/1/03 8:30 pm
o-Xylene	ND	54.5	100	µg/L	100	6/1/03 8:30 pm
Styrene	ND	33.9	100	µg/L	100	6/1/03 8:30 pm
Tetrachloroethene	175	80.3	100	µg/L	100	6/1/03 8:30 pm
Toluene	ND	38.3	100	µg/L	100	6/1/03 8:30 pm
trans-1,2-Dichloroethene	ND	54.2	100	µg/L	100	6/1/03 8:30 pm
trans-1,3-Dichloropropene	ND	35.0	100	µg/L	100	6/1/03 8:30 pm
Trichloroethene	773	51.8	100	µg/L	100	6/1/03 8:30 pm
Trichlorofluoromethane	280	33.7	100	µg/L	100	6/1/03 8:30 pm
Vinyl chloride	242	42.3	100	µg/L	100	6/1/03 8:30 pm
Surr: 4-Bromofluorobenzene	97.5	0	67.9-119	%REC	100	6/1/03 8:30 pm
Surr: Dibromofluoromethane	94.4	0	62.3-122	%REC	100	6/1/03 8:30 pm
Surr: Toluene-d8	103	0	68.2-119	%REC	100	6/1/03 8:30 pm

VOCS, EXTENDED ANALYTE LIST

Method: SW8260B Analyst: BK

1,4-Dioxane	ND	486	1,460	µg/L	100	6/1/03 8:30 pm	
Dimethoxymethane	ND	c	500	1,500	µg/L	100	6/1/03 8:30 pm
n-Butanol	ND	c	500	2,500	µg/L	100	6/1/03 8:30 pm

Qualifiers:

ND - Not Detected at the Method Detection Limit
J - Estimated or analyte detected below quantitation limit
B - Analyte detected in the associated Method Blank
* - Value exceeds Maximum Contaminant Level
c - Analyte not included in our scope of accreditation

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
E - Value above quantitation range
H - Analysis run past method holding time
DF - Dilution Factor



Suburban Laboratories, Inc.

4140 Litt Drive Hillside, IL 60162 (708) 544-3260

Laboratory Results

Client ID: CCL Custom Mfg., Inc.

Workorder #: 03050819

Workorder Name: CCL-Danville 2nd Quarter ground water monito

Date: Wednesday, June 04, 2003

Lab Sample #: 03050819-03A

Collection Date: 5/19/03 12:30:00 PM

Client Sample ID: MW-3F (DUP)

Received Date: 5/22/03 9:00:00 AM

Matrix: GROUNDWATER

Analyses	Result	Qual	MDL	PQL	Units	DF	Date Analyzed
VOLATILE ORGANIC COMPOUNDS			Method:	SW8260B			Analyst: BK
1,1,1-Trichloroethane	2,190		22.2	100	µg/L	100	6/1/03 9:06 pm
1,1,2,2-Tetrachloroethane	ND		33.1	100	µg/L	100	6/1/03 9:06 pm
1,1,2-Trichloroethane	ND		69.2	100	µg/L	100	6/1/03 9:06 pm
1,1-Dichloroethane	1,610		24.0	100	µg/L	100	6/1/03 9:06 pm
1,1-Dichloroethene	306		51.4	100	µg/L	100	6/1/03 9:06 pm
1,2-Dibromo-3-chloropropane	ND		100	100	µg/L	100	6/1/03 9:06 pm
1,2-Dichlorobenzene	ND		30.1	100	µg/L	100	6/1/03 9:06 pm
1,2-Dichloroethane	ND		29.2	100	µg/L	100	6/1/03 9:06 pm
1,2-Dichloropropane	ND		44.9	100	µg/L	100	6/1/03 9:06 pm
1,3-Dichlorobenzene	ND		30.4	100	µg/L	100	6/1/03 9:06 pm
1,4-Dichlorobenzene	ND		35.4	100	µg/L	100	6/1/03 9:06 pm
2-Butanone	ND		151	500	µg/L	100	6/1/03 9:06 pm
2-Chloroethyl vinyl ether	ND		44.8	100	µg/L	100	6/1/03 9:06 pm
2-Hexanone	ND		74.5	100	µg/L	100	6/1/03 9:06 pm
4-Methyl-2-pentanone	ND		61.0	500	µg/L	100	6/1/03 9:06 pm
Acetone	ND		296	500	µg/L	100	6/1/03 9:06 pm
Acrolein	ND		171	500	µg/L	100	6/1/03 9:06 pm
Acrylonitrile	ND		103	500	µg/L	100	6/1/03 9:06 pm
Benzene	ND		31.7	100	µg/L	100	6/1/03 9:06 pm
Bromodichloromethane	ND		20.2	100	µg/L	100	6/1/03 9:06 pm
Bromoform	ND		50.1	100	µg/L	100	6/1/03 9:06 pm
Bromomethane	ND		245	500	µg/L	100	6/1/03 9:06 pm
Carbon disulfide	ND		39.8	100	µg/L	100	6/1/03 9:06 pm
Carbon tetrachloride	ND		38.3	100	µg/L	100	6/1/03 9:06 pm
Chlorobenzene	ND		36.1	100	µg/L	100	6/1/03 9:06 pm
Chloroethane	ND		402	100	µg/L	100	6/1/03 9:06 pm

Qualifiers:
 ND - Not Detected at the Method Detection Limit
 J - Estimated or analyte detected below quantitation limit
 B - Analyte detected in the associated Method Blank
 * - Value exceeds Maximum Contaminant Level
 c - Analyte not included in our scope of accreditation

S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 E - Value above quantitation range
 H - Analysis run past method holding time
 DF - Dilution Factor

MDL-Certified
Practices2003



Suburban Laboratories, Inc.

4140 Litt Drive Hillside, IL 60162 (708) 544-3260

Laboratory Results

Client ID:	CCL Custom Mfg., Inc.	Workorder #:	03050819				
Workorder Name:	CCL-Danville 2nd Quarter ground water monito				Date:	Wednesday, June 04, 2003	
Chloroform	ND	22.4	100	µg/L	100	6/1/03 9:06 pm	
Chloromethane	ND	110	500	µg/L	100	6/1/03 9:06 pm	
cis-1,2-Dichloroethene	3,390	28.6	100	µg/L	100	6/1/03 9:06 pm	
cis-1,3-Dichloropropene	ND	29.1	100	µg/L	100	6/1/03 9:06 pm	
Dibromochloromethane	ND	34.2	100	µg/L	100	6/1/03 9:06 pm	
Dichlorodifluoromethane	ND	67.2	100	µg/L	100	6/1/03 9:06 pm	
Ethylbenzene	ND	37.6	100	µg/L	100	6/1/03 9:06 pm	
m,p-Xylene	ND	85.2	200	µg/L	100	6/1/03 9:06 pm	
Methyl tert-butyl ether	ND	26.2	100	µg/L	100	6/1/03 9:06 pm	
Methylene chloride	ND	39.4	500	µg/L	100	6/1/03 9:06 pm	
o-Xylene	ND	54.5	100	µg/L	100	6/1/03 9:06 pm	
Styrene	ND	33.9	100	µg/L	100	6/1/03 9:06 pm	
Tetrachloroethene	176	80.3	100	µg/L	100	6/1/03 9:06 pm	
Toluene	ND	38.3	100	µg/L	100	6/1/03 9:06 pm	
trans-1,2-Dichloroethene	ND	54.2	100	µg/L	100	6/1/03 9:06 pm	
trans-1,3-Dichloropropene	ND	35.0	100	µg/L	100	6/1/03 9:06 pm	
Trichloroethene	788	51.8	100	µg/L	100	6/1/03 9:06 pm	
Trichlorofluoromethane	253	33.7	100	µg/L	100	6/1/03 9:06 pm	
Vinyl chloride	257	42.3	100	µg/L	100	6/1/03 9:06 pm	
Surr: 4-Bromofluorobenzene	98.8	0	67.9-119	%REC	100	6/1/03 9:06 pm	
Surr: Dibromofluoromethane	93.7	0	62.3-122	%REC	100	6/1/03 9:06 pm	
Surr: Toluene-d8	104	0	68.2-119	%REC	100	6/1/03 9:06 pm	
VOCS, EXTENDED ANALYTE LIST		Method:	SW8260B		Analyst:	BK	
1,4-Dioxane	ND	486	1,460	µg/L	100	6/1/03 9:06 pm	
Dimethoxymethane	ND	c	500	1,500	µg/L	100	6/1/03 9:06 pm
n-Butanol	ND	c	500	2,500	µg/L	100	6/1/03 9:06 pm



Qualifiers:
 ND - Not Detected at the Method Detection Limit
 J - Estimated or analyte detected below quantitation limit
 B - Analyte detected in the associated Method Blank
 * - Value exceeds Maximum Contaminant Level
 c - Analyte not included in our scope of accreditation

S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 E - Value above quantitation range
 H - Analysis run past method holding time
 DF - Dilution Factor



Suburban Laboratories, Inc.

4140 Litt Drive Hillside, IL 60162 (708) 544-3260

Laboratory Results

Client ID: CCL Custom Mfg., Inc.

Workorder #: 03050819

Workorder Name: CCL-Danville 2nd Quarter ground water monito

Date: Wednesday, June 04, 2003

Lab Sample #: 03050819-04A

Collection Date: 5/19/03 10:45:00 AM

Client Sample ID: MW-3E

Received Date: 5/22/03 9:00:00 AM

Matrix: GROUNDWATER

Analyses	Result	Qual	MDL	PQL	Units	DF	Date Analyzed
VOLATILE ORGANIC COMPOUNDS			Method:	SW8260B			Analyst: BK
1,1,1-Trichloroethane	ND		0.222	1.00	µg/L	1	6/2/03 2:08 pm
1,1,2,2-Tetrachloroethane	ND		0.331	1.00	µg/L	1	6/2/03 2:08 pm
1,1,2-Trichloroethane	ND		0.692	1.00	µg/L	1	6/2/03 2:08 pm
1,1-Dichloroethane	ND		0.240	1.00	µg/L	1	6/2/03 2:08 pm
1,1-Dichloroethene	ND		0.514	1.00	µg/L	1	6/2/03 2:08 pm
1,2-Dibromo-3-chloropropane	ND		1.00	1.00	µg/L	1	6/2/03 2:08 pm
1,2-Dichlorobenzene	ND		0.301	1.00	µg/L	1	6/2/03 2:08 pm
1,2-Dichloroethane	ND		0.292	1.00	µg/L	1	6/2/03 2:08 pm
1,2-Dichloropropane	ND		0.449	1.00	µg/L	1	6/2/03 2:08 pm
1,3-Dichlorobenzene	ND		0.304	1.00	µg/L	1	6/2/03 2:08 pm
1,4-Dichlorobenzene	ND		0.354	1.00	µg/L	1	6/2/03 2:08 pm
2-Butanone	ND		1.51	5.00	µg/L	1	6/2/03 2:08 pm
2-Chloroethyl vinyl ether	ND		0.448	1.00	µg/L	1	6/2/03 2:08 pm
2-Hexanone	ND		0.745	1.00	µg/L	1	6/2/03 2:08 pm
4-Methyl-2-pentanone	ND		0.610	5.00	µg/L	1	6/2/03 2:08 pm
Acetone	ND		2.96	5.00	µg/L	1	6/2/03 2:08 pm
Acrolein	ND		1.71	5.00	µg/L	1	6/2/03 2:08 pm
Acrylonitrile	ND		1.03	5.00	µg/L	1	6/2/03 2:08 pm
Benzene	ND		0.317	1.00	µg/L	1	6/2/03 2:08 pm
Bromodichloromethane	ND		0.202	1.00	µg/L	1	6/2/03 2:08 pm
Bromoform	ND		0.501	1.00	µg/L	1	6/2/03 2:08 pm
Bromomethane	ND		2.45	5.00	µg/L	1	6/2/03 2:08 pm
Carbon disulfide	ND		0.398	1.00	µg/L	1	6/2/03 2:08 pm
Carbon tetrachloride	ND		0.383	1.00	µg/L	1	6/2/03 2:08 pm
Chlorobenzene	ND		0.361	1.00	µg/L	1	6/2/03 2:08 pm
Chloroethane	ND		4.02	1.00	µg/L	1	6/2/03 2:08 pm

Qualifiers: ND - Not Detected at the Method Detection Limit

S - Spike Recovery outside accepted recovery limits

J - Estimated or analyte detected below quantitation limit

R - RPD outside accepted recovery limits

B - Analyte detected in the associated Method Blank

E - Value above quantitation range

* - Value exceeds Maximum Contaminant Level

H - Analysis run past method holding time

c - Analyte not included in our scope of accreditation

DF - Dilution Factor



Suburban Laboratories, Inc.

4140 Litt Drive Hillside, IL 60162 (708) 544-3260

Laboratory Results

Client ID: CCL Custom Mfg., Inc. **Workorder #:** 03050819
Workorder Name: CCL-Danville 2nd Quarter ground water monito **Date:** Wednesday, June 04, 2003

Chloroform	ND	0.224	1.00	µg/L	1	6/2/03 2:08 pm	
Chloromethane	ND	1.10	5.00	µg/L	1	6/2/03 2:08 pm	
cis-1,2-Dichloroethene	ND	0.286	1.00	µg/L	1	6/2/03 2:08 pm	
cis-1,3-Dichloropropene	ND	0.291	1.00	µg/L	1	6/2/03 2:08 pm	
Dibromochloromethane	ND	0.342	1.00	µg/L	1	6/2/03 2:08 pm	
Dichlorodifluoromethane	ND	0.672	1.00	µg/L	1	6/2/03 2:08 pm	
Ethylbenzene	ND	0.376	1.00	µg/L	1	6/2/03 2:08 pm	
m,p-Xylene	ND	0.852	2.00	µg/L	1	6/2/03 2:08 pm	
Methyl tert-butyl ether	ND	0.262	1.00	µg/L	1	6/2/03 2:08 pm	
Methylene chloride	ND	0.394	5.00	µg/L	1	6/2/03 2:08 pm	
o-Xylene	ND	0.545	1.00	µg/L	1	6/2/03 2:08 pm	
Styrene	ND	0.339	1.00	µg/L	1	6/2/03 2:08 pm	
Tetrachloroethene	ND	0.803	1.00	µg/L	1	6/2/03 2:08 pm	
Toluene	ND	0.383	1.00	µg/L	1	6/2/03 2:08 pm	
trans-1,2-Dichloroethene	ND	0.542	1.00	µg/L	1	6/2/03 2:08 pm	
trans-1,3-Dichloropropene	ND	0.350	1.00	µg/L	1	6/2/03 2:08 pm	
Trichloroethene	ND	0.518	1.00	µg/L	1	6/2/03 2:08 pm	
Trichlorofluoromethane	ND	0.337	1.00	µg/L	1	6/2/03 2:08 pm	
Vinyl chloride	ND	0.423	1.00	µg/L	1	6/2/03 2:08 pm	
Surr: 4-Bromofluorobenzene	94.6	0	67.9-119	%REC	1	6/2/03 2:08 pm	
Surr: Dibromofluoromethane	93.1	0	62.3-122	%REC	1	6/2/03 2:08 pm	
Surr: Toluene-d8	101	0	68.2-119	%REC	1	6/2/03 2:08 pm	
VOCS, EXTENDED ANALYTE LIST		Method:	SW8260B		Analyst:	BK	
1,4-Dioxane	ND	4.86	14.6	µg/L	1	6/2/03 2:08 pm	
Dimethoxymethane	ND	c	5.00	15.0	µg/L	1	6/2/03 2:08 pm
n-Butanol	ND	c	5.00	25.0	µg/L	1	6/2/03 2:08 pm

Qualifiers:

ND - Not Detected at the Method Detection Limit
J - Estimated or analyte detected below quantitation limit
B - Analyte detected in the associated Method Blank
* - Value exceeds Maximum Contaminant Level
c - Analyte not included in our scope of accreditation

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
E - Value above quantitation range
H - Analysis run past method holding time
DF - Dilution Factor



Suburban Laboratories, Inc.

4140 Litt Drive Hillside, IL 60162 (708) 544-3260

Laboratory Results

Client ID: CCL Custom Mfg., Inc.

Workorder #: 03050819

Workorder Name: CCL-Danville 2nd Quarter ground water monito

Date: Wednesday, June 04, 2003

Lab Sample #: 03050819-05A

Collection Date: 5/19/03 11:30:00 AM

Client Sample ID: MW-3K

Received Date: 5/22/03 9:00:00 AM

Matrix: GROUNDWATER

Analyses	Result	Qual	MDL	PQL	Units	DF	Date Analyzed
VOLATILE ORGANIC COMPOUNDS			Method:	SW8260B			Analyst: BK
1,1,1-Trichloroethane	ND		0.222	1.00	µg/L	1	5/30/03 4:45 pm
1,1,2,2-Tetrachloroethane	ND		0.331	1.00	µg/L	1	5/30/03 4:45 pm
1,1,2-Trichloroethane	ND		0.692	1.00	µg/L	1	5/30/03 4:45 pm
1,1-Dichloroethane	ND		0.240	1.00	µg/L	1	5/30/03 4:45 pm
1,1-Dichloroethene	ND		0.514	1.00	µg/L	1	5/30/03 4:45 pm
1,2-Dibromo-3-chloropropane	ND		1.00	1.00	µg/L	1	5/30/03 4:45 pm
1,2-Dichlorobenzene	ND		0.301	1.00	µg/L	1	5/30/03 4:45 pm
1,2-Dichloroethane	ND		0.292	1.00	µg/L	1	5/30/03 4:45 pm
1,2-Dichloropropane	ND		0.449	1.00	µg/L	1	5/30/03 4:45 pm
1,3-Dichlorobenzene	ND		0.304	1.00	µg/L	1	5/30/03 4:45 pm
1,4-Dichlorobenzene	ND		0.354	1.00	µg/L	1	5/30/03 4:45 pm
2-Butanone	ND		1.51	5.00	µg/L	1	5/30/03 4:45 pm
2-Chloroethyl vinyl ether	ND		0.448	1.00	µg/L	1	5/30/03 4:45 pm
2-Hexanone	ND		0.745	1.00	µg/L	1	5/30/03 4:45 pm
4-Methyl-2-pentanone	ND		0.610	5.00	µg/L	1	5/30/03 4:45 pm
Acetone	ND		2.96	5.00	µg/L	1	5/30/03 4:45 pm
Acrolein	ND		1.71	5.00	µg/L	1	5/30/03 4:45 pm
Acrylonitrile	ND		1.03	5.00	µg/L	1	5/30/03 4:45 pm
Benzene	ND		0.317	1.00	µg/L	1	5/30/03 4:45 pm
Bromodichloromethane	ND		0.202	1.00	µg/L	1	5/30/03 4:45 pm
Bromoform	ND		0.501	1.00	µg/L	1	5/30/03 4:45 pm
Bromomethane	ND		2.45	5.00	µg/L	1	5/30/03 4:45 pm
Carbon disulfide	ND		0.398	1.00	µg/L	1	5/30/03 4:45 pm
Carbon tetrachloride	ND		0.383	1.00	µg/L	1	5/30/03 4:45 pm
Chlorobenzene	ND		0.361	1.00	µg/L	1	5/30/03 4:45 pm
Chloroethane	ND		4.02	1.00	µg/L	1	5/30/03 4:45 pm

Qualifiers: ND - Not Detected at the Method Detection Limit

S - Spike Recovery outside accepted recovery limits

MDL-Certified
Practices2003

R - RPD outside accepted recovery limits

J - Estimated or analyte detected below quantitation limit

E - Value above quantitation range

B - Analyte detected in the associated Method Blank

H - Analysis run past method holding time

* - Value exceeds Maximum Contaminant Level

DF - Dilution Factor

c - Analyte not included in our scope of accreditation



Suburban Laboratories, Inc.

4140 Litt Drive Hillside, IL 60162 (708) 544-3260

Laboratory Results

Client ID: CCL Custom Mfg., Inc. **Workorder #:** 03050819
Workorder Name: CCL-Danville 2nd Quarter ground water monito **Date:** Wednesday, June 04, 2003

Chloroform	ND	0.224	1.00	µg/L	1	5/30/03 4:45 pm
Chloromethane	ND	1.10	5.00	µg/L	1	5/30/03 4:45 pm
cis-1,2-Dichloroethene	ND	0.286	1.00	µg/L	1	5/30/03 4:45 pm
cis-1,3-Dichloropropene	ND	0.291	1.00	µg/L	1	5/30/03 4:45 pm
Dibromochloromethane	ND	0.342	1.00	µg/L	1	5/30/03 4:45 pm
Dichlorodifluoromethane	ND	0.672	1.00	µg/L	1	5/30/03 4:45 pm
Ethylbenzene	ND	0.376	1.00	µg/L	1	5/30/03 4:45 pm
m,p-Xylene	ND	0.852	2.00	µg/L	1	5/30/03 4:45 pm
Methyl tert-butyl ether	ND	0.262	1.00	µg/L	1	5/30/03 4:45 pm
Methylene chloride	ND	0.394	5.00	µg/L	1	5/30/03 4:45 pm
o-Xylene	ND	0.545	1.00	µg/L	1	5/30/03 4:45 pm
Styrene	ND	0.339	1.00	µg/L	1	5/30/03 4:45 pm
Tetrachloroethene	ND	0.803	1.00	µg/L	1	5/30/03 4:45 pm
Toluene	ND	0.383	1.00	µg/L	1	5/30/03 4:45 pm
trans-1,2-Dichloroethene	ND	0.542	1.00	µg/L	1	5/30/03 4:45 pm
trans-1,3-Dichloropropene	ND	0.350	1.00	µg/L	1	5/30/03 4:45 pm
Trichloroethene	ND	0.518	1.00	µg/L	1	5/30/03 4:45 pm
Trichlorofluoromethane	ND	0.337	1.00	µg/L	1	5/30/03 4:45 pm
Vinyl chloride	ND	0.423	1.00	µg/L	1	5/30/03 4:45 pm
Surr: 4-Bromofluorobenzene	95.4	0	67.9-119	%REC	1	5/30/03 4:45 pm
Surr: Dibromofluoromethane	91.4	0	62.3-122	%REC	1	5/30/03 4:45 pm
Surr: Toluene-d8	101	0	68.2-119	%REC	1	5/30/03 4:45 pm

VOCS, EXTENDED ANALYTE LIST

1,4-Dioxane	ND	Method:	SW8260B	Analyst:	BK
Dimethoxymethane	ND	c	4.86	14.6	µg/L
n-Butanol	ND	c	5.00	15.0	µg/L

Qualifiers:

ND - Not Detected at the Method Detection Limit
J - Estimated or analyte detected below quantitation limit
B - Analyte detected in the associated Method Blank
* - Value exceeds Maximum Contaminant Level
c - Analyte not included in our scope of accreditation

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
E - Value above quantitation range
H - Analysis run past method holding time
DF - Dilution Factor

MDL-Certified
Fraction2003



Suburban Laboratories, Inc.

4140 Litt Drive Hillside, IL 60162 (708) 544-3260

Laboratory Results

Client ID: CCL Custom Mfg., Inc.

Workorder #: 03050819

Workorder Name: CCL-Danville 2nd Quarter ground water monito

Date: Wednesday, June 04, 2003

Lab Sample #: 03050819-06A	Collection Date: 5/19/03 11:50:00 AM
Client Sample ID: MW-3L	Received Date: 5/22/03 9:00:00 AM
Matrix: GROUNDWATER	

Analyses	Result	Qual	MDL	PQL	Units	DF	Date Analyzed
VOLATILE ORGANIC COMPOUNDS							
1,1,1-Trichloroethane	ND		0.222	1.00	µg/L	1	5/30/03 5:19 pm
1,1,2,2-Tetrachloroethane	ND		0.331	1.00	µg/L	1	5/30/03 5:19 pm
1,1,2-Trichloroethane	ND		0.692	1.00	µg/L	1	5/30/03 5:19 pm
1,1-Dichloroethane	ND		0.240	1.00	µg/L	1	5/30/03 5:19 pm
1,1-Dichloroethene	ND		0.514	1.00	µg/L	1	5/30/03 5:19 pm
1,2-Dibromo-3-chloropropane	ND		1.00	1.00	µg/L	1	5/30/03 5:19 pm
1,2-Dichlorobenzene	ND		0.301	1.00	µg/L	1	5/30/03 5:19 pm
1,2-Dichloroethane	ND		0.292	1.00	µg/L	1	5/30/03 5:19 pm
1,2-Dichloropropane	ND		0.449	1.00	µg/L	1	5/30/03 5:19 pm
1,3-Dichlorobenzene	ND		0.304	1.00	µg/L	1	5/30/03 5:19 pm
1,4-Dichlorobenzene	ND		0.354	1.00	µg/L	1	5/30/03 5:19 pm
2-Butanone	ND		1.51	5.00	µg/L	1	5/30/03 5:19 pm
2-Chloroethyl vinyl ether	ND		0.448	1.00	µg/L	1	5/30/03 5:19 pm
2-Hexanone	ND		0.745	1.00	µg/L	1	5/30/03 5:19 pm
4-Methyl-2-pentanone	ND		0.610	5.00	µg/L	1	5/30/03 5:19 pm
Acetone	ND		2.96	5.00	µg/L	1	5/30/03 5:19 pm
Acrolein	ND		1.71	5.00	µg/L	1	5/30/03 5:19 pm
Acrylonitrile	ND		1.03	5.00	µg/L	1	5/30/03 5:19 pm
Benzene	ND		0.317	1.00	µg/L	1	5/30/03 5:19 pm
Bromodichloromethane	ND		0.202	1.00	µg/L	1	5/30/03 5:19 pm
Bromoform	ND		0.501	1.00	µg/L	1	5/30/03 5:19 pm
Bromomethane	ND		2.45	5.00	µg/L	1	5/30/03 5:19 pm
Carbon disulfide	ND		0.398	1.00	µg/L	1	5/30/03 5:19 pm
Carbon tetrachloride	ND		0.383	1.00	µg/L	1	5/30/03 5:19 pm
Chlorobenzene	ND		0.361	1.00	µg/L	1	5/30/03 5:19 pm
Chloroethane	ND		4.02	1.00	µg/L	1	5/30/03 5:19 pm

Qualifiers:

ND - Not Detected at the Method Detection Limit

S - Spike Recovery outside accepted recovery limits

J - Estimated or analyte detected below quantitation limit

R - RPD outside accepted recovery limits

B - Analyte detected in the associated Method Blank

E - Value above quantitation range

* - Value exceeds Maximum Contaminant Level

H - Analysis run past method holding time

c - Analyte not included in our scope of accreditation

DF - Dilution Factor

MDL-Certified
Printed 2003



Suburban Laboratories, Inc.

4140 Litt Drive Hillside, IL 60162 (708) 544-3260

Laboratory Results

Client ID: CCL Custom Mfg., Inc.

Workorder #: 03050819

Workorder Name: CCL-Danville 2nd Quarter ground water monito

Date: Wednesday, June 04, 2003

Chloroform	ND	0.224	1.00	µg/L	1	5/30/03 5:19 pm
Chloromethane	ND	1.10	5.00	µg/L	1	5/30/03 5:19 pm
cis-1,2-Dichloroethene	ND	0.286	1.00	µg/L	1	5/30/03 5:19 pm
cis-1,3-Dichloropropene	ND	0.291	1.00	µg/L	1	5/30/03 5:19 pm
Dibromochloromethane	ND	0.342	1.00	µg/L	1	5/30/03 5:19 pm
Dichlorodifluoromethane	ND	0.672	1.00	µg/L	1	5/30/03 5:19 pm
Ethylbenzene	ND	0.376	1.00	µg/L	1	5/30/03 5:19 pm
m,p-Xylene	ND	0.852	2.00	µg/L	1	5/30/03 5:19 pm
Methyl tert-butyl ether	ND	0.262	1.00	µg/L	1	5/30/03 5:19 pm
Methylene chloride	ND	0.394	5.00	µg/L	1	5/30/03 5:19 pm
o-Xylene	ND	0.545	1.00	µg/L	1	5/30/03 5:19 pm
Styrene	ND	0.339	1.00	µg/L	1	5/30/03 5:19 pm
Tetrachloroethene	ND	0.803	1.00	µg/L	1	5/30/03 5:19 pm
Toluene	ND	0.383	1.00	µg/L	1	5/30/03 5:19 pm
trans-1,2-Dichloroethene	ND	0.542	1.00	µg/L	1	5/30/03 5:19 pm
trans-1,3-Dichloropropene	ND	0.350	1.00	µg/L	1	5/30/03 5:19 pm
Trichloroethene	ND	0.518	1.00	µg/L	1	5/30/03 5:19 pm
Trichlorofluoromethane	ND	0.337	1.00	µg/L	1	5/30/03 5:19 pm
Vinyl chloride	ND	0.423	1.00	µg/L	1	5/30/03 5:19 pm
Surr: 4-Bromofluorobenzene	94.6	0	67.9-119	%REC	1	5/30/03 5:19 pm
Surr: Dibromofluoromethane	91.0	0	62.3-122	%REC	1	5/30/03 5:19 pm
Surr: Toluene-d8	101	0	68.2-119	%REC	1	5/30/03 5:19 pm

VOCS, EXTENDED ANALYTE LIST

1,4-Dioxane	ND	Method: SW8260B	Analyst: BK
Dimethoxymethane	ND	c 4.86	14.6 µg/L 5/30/03 5:19 pm
n-Butanol	ND	c 5.00	15.0 µg/L 5/30/03 5:19 pm
		c 5.00	25.0 µg/L 5/30/03 5:19 pm

Qualifiers:

ND - Not Detected at the Method Detection Limit
J - Estimated or analyte detected below quantitation limit
B - Analyte detected in the associated Method Blank
* - Value exceeds Maximum Contaminant Level
c - Analyte not included in our scope of accreditation

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
E - Value above quantitation range
H - Analysis run past method holding time
DF - Dilution Factor

MDL-Continuous
Practice2003



Suburban Laboratories, Inc.

4140 Litt Drive Hillside, IL 60162 (708) 544-3260

Laboratory Results

Client ID: CCL Custom Mfg., Inc.

Workorder #: 03050819

Workorder Name: CCL-Danville 2nd Quarter ground water monito

Date: Wednesday, June 04, 2003

Lab Sample #: 03050819-07A	Collection Date: 5/19/03 2:55:00 PM
Client Sample ID: MW-4	Received Date: 5/22/03 9:00:00 AM
Matrix: GROUNDWATER	

Analyses	Result	Qual	MDL	PQL	Units	DF	Date Analyzed
VOLATILE ORGANIC COMPOUNDS			Method:	SW8260B			Analyst: BK
1,1,1-Trichloroethane	ND		0.222	1.00	µg/L	1	5/30/03 5:52 pm
1,1,2,2-Tetrachloroethane	ND		0.331	1.00	µg/L	1	5/30/03 5:52 pm
1,1,2-Trichloroethane	ND		0.692	1.00	µg/L	1	5/30/03 5:52 pm
1,1-Dichloroethane	ND		0.240	1.00	µg/L	1	5/30/03 5:52 pm
1,1-Dichloroethene	ND		0.514	1.00	µg/L	1	5/30/03 5:52 pm
1,2-Dibromo-3-chloropropane	ND		1.00	1.00	µg/L	1	5/30/03 5:52 pm
1,2-Dichlorobenzene	ND		0.301	1.00	µg/L	1	5/30/03 5:52 pm
1,2-Dichloroethane	ND		0.292	1.00	µg/L	1	5/30/03 5:52 pm
1,2-Dichloropropane	ND		0.449	1.00	µg/L	1	5/30/03 5:52 pm
1,3-Dichlorobenzene	ND		0.304	1.00	µg/L	1	5/30/03 5:52 pm
1,4-Dichlorobenzene	ND		0.354	1.00	µg/L	1	5/30/03 5:52 pm
2-Butanone	ND		1.51	5.00	µg/L	1	5/30/03 5:52 pm
2-Chloroethyl vinyl ether	ND		0.448	1.00	µg/L	1	5/30/03 5:52 pm
2-Hexanone	ND		0.745	1.00	µg/L	1	5/30/03 5:52 pm
4-Methyl-2-pentanone	ND		0.610	5.00	µg/L	1	5/30/03 5:52 pm
Acetone	ND		2.96	5.00	µg/L	1	5/30/03 5:52 pm
Acrolein	ND		1.71	5.00	µg/L	1	5/30/03 5:52 pm
Acrylonitrile	ND		1.03	5.00	µg/L	1	5/30/03 5:52 pm
Benzene	ND		0.317	1.00	µg/L	1	5/30/03 5:52 pm
Bromodichloromethane	ND		0.202	1.00	µg/L	1	5/30/03 5:52 pm
Bromoform	ND		0.501	1.00	µg/L	1	5/30/03 5:52 pm
Bromomethane	ND		2.45	5.00	µg/L	1	5/30/03 5:52 pm
Carbon disulfide	ND		0.398	1.00	µg/L	1	5/30/03 5:52 pm
Carbon tetrachloride	ND		0.383	1.00	µg/L	1	5/30/03 5:52 pm
Chlorobenzene	ND		0.361	1.00	µg/L	1	5/30/03 5:52 pm
Chloroethane	ND		4.02	1.00	µg/L	1	5/30/03 5:52 pm

Qualifiers:
ND - Not Detected at the Method Detection Limit
J - Estimated or analyte detected below quantitation limit
B - Analyte detected in the associated Method Blank
* - Value exceeds Maximum Contaminant Level
c - Analyte not included in our scope of accreditation

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
E - Value above quantitation range
H - Analysis run past method holding time
DF - Dilution Factor

MDL-Certified
Fraction2003



Suburban Laboratories, Inc.

4140 Litt Drive Hillside, IL 60162 (708) 544-3260

Laboratory Results

Client ID:	CCL Custom Mfg., Inc.	Workorder #: 03050819					
Workorder Name:	CCL-Danville 2nd Quarter ground water monito	Date: Wednesday, June 04, 2003					
Chloroform	ND	0.224	1.00	µg/L	1	5/30/03 5:52 pm	
Chloromethane	ND	1.10	5.00	µg/L	1	5/30/03 5:52 pm	
cis-1,2-Dichloroethene	1.61	0.286	1.00	µg/L	1	5/30/03 5:52 pm	
cis-1,3-Dichloropropene	ND	0.291	1.00	µg/L	1	5/30/03 5:52 pm	
Dibromochloromethane	ND	0.342	1.00	µg/L	1	5/30/03 5:52 pm	
Dichlorodifluoromethane	ND	0.672	1.00	µg/L	1	5/30/03 5:52 pm	
Ethylbenzene	ND	0.376	1.00	µg/L	1	5/30/03 5:52 pm	
m,p-Xylene	ND	0.852	2.00	µg/L	1	5/30/03 5:52 pm	
Methyl tert-butyl ether	ND	0.262	1.00	µg/L	1	5/30/03 5:52 pm	
Methylene chloride	ND	0.394	5.00	µg/L	1	5/30/03 5:52 pm	
o-Xylene	ND	0.545	1.00	µg/L	1	5/30/03 5:52 pm	
Styrene	ND	0.339	1.00	µg/L	1	5/30/03 5:52 pm	
Tetrachloroethene	ND	0.803	1.00	µg/L	1	5/30/03 5:52 pm	
Toluene	ND	0.383	1.00	µg/L	1	5/30/03 5:52 pm	
trans-1,2-Dichloroethene	ND	0.542	1.00	µg/L	1	5/30/03 5:52 pm	
trans-1,3-Dichloropropene	ND	0.350	1.00	µg/L	1	5/30/03 5:52 pm	
Trichloroethene	ND	0.518	1.00	µg/L	1	5/30/03 5:52 pm	
Trichlorofluoromethane	1.00	0.337	1.00	µg/L	1	5/30/03 5:52 pm	
Vinyl chloride	ND	0.423	1.00	µg/L	1	5/30/03 5:52 pm	
Surr: 4-Bromofluorobenzene	94.8	0	67.9-119	%REC	1	5/30/03 5:52 pm	
Surr: Dibromofluoromethane	93.0	0	62.3-122	%REC	1	5/30/03 5:52 pm	
Surr: Toluene-d8	104	0	68.2-119	%REC	1	5/30/03 5:52 pm	
VOCS, EXTENDED ANALYTE LIST		Method:	SW8260B		Analyst:	BK	
1,4-Dioxane	ND	4.86	14.6	µg/L	1	5/30/03 5:52 pm	
Dimethoxymethane	ND	c	5.00	15.0	µg/L	1	5/30/03 5:52 pm
n-Butanol	ND	c	5.00	25.0	µg/L	1	5/30/03 5:52 pm

Qualifiers:

ND - Not Detected at the Method Detection Limit
J - Estimated or analyte detected below quantitation limit
B - Analyte detected in the associated Method Blank
* - Value exceeds Maximum Contaminant Level
c - Analyte not included in our scope of accreditation

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
E - Value above quantitation range
H - Analysis run past method holding time
DF - Dilution Factor



Suburban Laboratories, Inc.

4140 Litt Drive Hillside, IL 60162 (708) 544-3260

Laboratory Results

Client ID: CCL Custom Mfg., Inc.

Workorder #: 03050819

Workorder Name: CCL-Danville 2nd Quarter ground water monito

Date: Wednesday, June 04, 2003

Lab Sample #: 03050819-08A

Collection Date: 5/20/03 11:15:00 AM

Client Sample ID: MW-4A

Received Date: 5/22/03 9:00:00 AM

Matrix: GROUNDWATER

Analyses	Result	Qual	MDL	PQL	Units	DF	Date Analyzed
VOLATILE ORGANIC COMPOUNDS			Method:	SW8260B			Analyst: BK
1,1,1-Trichloroethane	ND		22.2	100	µg/L	100	6/1/03 9:42 pm
1,1,2,2-Tetrachloroethane	ND		33.1	100	µg/L	100	6/1/03 9:42 pm
1,1,2-Trichloroethane	ND		69.2	100	µg/L	100	6/1/03 9:42 pm
1,1-Dichloroethane	ND		24.0	100	µg/L	100	6/1/03 9:42 pm
1,1-Dichloroethene	ND		51.4	100	µg/L	100	6/1/03 9:42 pm
1,2-Dibromo-3-chloropropane	ND		100	100	µg/L	100	6/1/03 9:42 pm
1,2-Dichlorobenzene	ND		30.1	100	µg/L	100	6/1/03 9:42 pm
1,2-Dichloroethane	ND		29.2	100	µg/L	100	6/1/03 9:42 pm
1,2-Dichloropropane	ND		44.9	100	µg/L	100	6/1/03 9:42 pm
1,3-Dichlorobenzene	ND		30.4	100	µg/L	100	6/1/03 9:42 pm
1,4-Dichlorobenzene	ND		35.4	100	µg/L	100	6/1/03 9:42 pm
2-Butanone	ND		151	500	µg/L	100	6/1/03 9:42 pm
2-Chloroethyl vinyl ether	ND		44.8	100	µg/L	100	6/1/03 9:42 pm
2-Hexanone	ND		74.5	100	µg/L	100	6/1/03 9:42 pm
4-Methyl-2-pentanone	ND		61.0	500	µg/L	100	6/1/03 9:42 pm
Acetone	ND		296	500	µg/L	100	6/1/03 9:42 pm
Acrolein	ND		171	500	µg/L	100	6/1/03 9:42 pm
Acrylonitrile	ND		103	500	µg/L	100	6/1/03 9:42 pm
Benzene	ND		31.7	100	µg/L	100	6/1/03 9:42 pm
Bromodichloromethane	ND		20.2	100	µg/L	100	6/1/03 9:42 pm
Bromoform	ND		50.1	100	µg/L	100	6/1/03 9:42 pm
Bromomethane	ND		245	500	µg/L	100	6/1/03 9:42 pm
Carbon disulfide	ND		39.8	100	µg/L	100	6/1/03 9:42 pm
Carbon tetrachloride	ND		38.3	100	µg/L	100	6/1/03 9:42 pm
Chlorobenzene	ND		36.1	100	µg/L	100	6/1/03 9:42 pm
Chloroethane	ND		402	100	µg/L	100	6/1/03 9:42 pm

Qualifiers:

ND - Not Detected at the Method Detection Limit
J - Estimated or analyte detected below quantitation limit
B - Analyte detected in the associated Method Blank
* - Value exceeds Maximum Contaminant Level
c - Analyte not included in our scope of accreditation

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
E - Value above quantitation range
H - Analysis run past method holding time
DF - Dilution Factor

MDL-Certified Practice 2003



Suburban Laboratories, Inc.

4140 Litt Drive Hillside, IL 60162 (708) 544-3260

Laboratory Results

Client ID:	CCL Custom Mfg., Inc.	Workorder #: 03050819					
Workorder Name:	CCL-Danville 2nd Quarter ground water monitor					Date:	Wednesday, June 04, 2003
Chloroform	ND	22.4	100	µg/L	100	6/1/03	9:42 pm
Chloromethane	ND	110	500	µg/L	100	6/1/03	9:42 pm
cis-1,2-Dichloroethene	ND	28.6	100	µg/L	100	6/1/03	9:42 pm
cis-1,3-Dichloropropene	ND	29.1	100	µg/L	100	6/1/03	9:42 pm
Dibromochloromethane	ND	34.2	100	µg/L	100	6/1/03	9:42 pm
Dichlorodifluoromethane	ND	67.2	100	µg/L	100	6/1/03	9:42 pm
Ethylbenzene	ND	37.6	100	µg/L	100	6/1/03	9:42 pm
m,p-Xylene	ND	85.2	200	µg/L	100	6/1/03	9:42 pm
Methyl tert-butyl ether	ND	26.2	100	µg/L	100	6/1/03	9:42 pm
Methylene chloride	ND	39.4	500	µg/L	100	6/1/03	9:42 pm
o-Xylene	ND	54.5	100	µg/L	100	6/1/03	9:42 pm
Styrene	ND	33.9	100	µg/L	100	6/1/03	9:42 pm
Tetrachloroethene	546	80.3	100	µg/L	100	6/1/03	9:42 pm
Toluene	ND	38.3	100	µg/L	100	6/1/03	9:42 pm
trans-1,2-Dichloroethene	ND	54.2	100	µg/L	100	6/1/03	9:42 pm
trans-1,3-Dichloropropene	ND	35.0	100	µg/L	100	6/1/03	9:42 pm
Trichloroethene	ND	51.8	100	µg/L	100	6/1/03	9:42 pm
Trichlorofluoromethane	2,740	33.7	100	µg/L	100	6/1/03	9:42 pm
Vinyl chloride	ND	42.3	100	µg/L	100	6/1/03	9:42 pm
Surr: 4-Bromofluorobenzene	97.5	0	67.9-119	%REC	100	6/1/03	9:42 pm
Surr: Dibromofluoromethane	94.3	0	62.3-122	%REC	100	6/1/03	9:42 pm
Surr: Toluene-d8	102	0	68.2-119	%REC	100	6/1/03	9:42 pm
VOCS, EXTENDED ANALYTE LIST		Method:	SW8260B			Analyst:	BK
1,4-Dioxane	ND	486	1,460	µg/L	100	6/1/03	9:42 pm
Dimethoxymethane	ND	c	500	1,500	µg/L	100	6/1/03 9:42 pm
n-Butanol	ND	c	500	2,500	µg/L	100	6/1/03 9:42 pm

Qualifiers:

ND - Not Detected at the Method Detection Limit
 J - Estimated or analyte detected below quantitation limit
 B - Analyte detected in the associated Method Blank
 * - Value exceeds Maximum Contaminant Level
 c - Analyte not included in our scope of accreditation

S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 E - Value above quantitation range
 H - Analysis run past method holding time
 DF - Dilution Factor

MDL Continuous Revision 2003



Suburban Laboratories, Inc.

4140 Litt Drive Hillside, IL 60162 (708) 544-3260

Laboratory Results

Client ID: CCL Custom Mfg., Inc.

Workorder #: 03050819

Workorder Name: CCL-Danville 2nd Quarter ground water monito

Date: Wednesday, June 04, 2003

Lab Sample #: 03050819-09A

Collection Date: 5/20/03 10:45:00 AM

Client Sample ID: MW-4B

Received Date: 5/22/03 9:00:00 AM

Matrix: GROUNDWATER

Analyses	Result	Qual	MDL	PQL	Units	DF	Date Analyzed
VOLATILE ORGANIC COMPOUNDS			Method:	SW8260B			Analyst: BK
1,1,1-Trichloroethane	32.9		2.22	10.0	µg/L	10	6/1/03 10:56 pm
1,1,1-Trichloroethane	29.3		0.222	1.00	µg/L	1	5/30/03 6:26 pm
1,1,2,2-Tetrachloroethane	ND		0.331	1.00	µg/L	1	5/30/03 6:26 pm
1,1,2,2-Tetrachloroethane	ND		3.31	10.0	µg/L	10	6/1/03 10:56 pm
1,1,2-Trichloroethane	ND		0.692	1.00	µg/L	1	5/30/03 6:26 pm
1,1,2-Trichloroethane	ND		6.92	10.0	µg/L	10	6/1/03 10:56 pm
1,1-Dichloroethane	30.4		0.240	1.00	µg/L	1	5/30/03 6:26 pm
1,1-Dichloroethane	34.1		2.40	10.0	µg/L	10	6/1/03 10:56 pm
1,1-Dichloroethene	4.56		0.514	1.00	µg/L	1	5/30/03 6:26 pm
1,1-Dichloroethene	5.9	J	5.14	10.0	µg/L	10	6/1/03 10:56 pm
1,2-Dibromo-3-chloropropane	ND		10.0	10.0	µg/L	10	6/1/03 10:56 pm
1,2-Dibromo-3-chloropropane	ND		1.00	1.00	µg/L	1	5/30/03 6:26 pm
1,2-Dichlorobenzene	ND		0.301	1.00	µg/L	1	5/30/03 6:26 pm
1,2-Dichlorobenzene	ND		3.01	10.0	µg/L	10	6/1/03 10:56 pm
1,2-Dichloroethane	ND		0.292	1.00	µg/L	1	5/30/03 6:26 pm
1,2-Dichloroethane	ND		2.92	10.0	µg/L	10	6/1/03 10:56 pm
1,2-Dichloropropane	ND		0.449	1.00	µg/L	1	5/30/03 6:26 pm
1,2-Dichloropropane	ND		4.49	10.0	µg/L	10	6/1/03 10:56 pm
1,3-Dichlorobenzene	ND		0.304	1.00	µg/L	1	5/30/03 6:26 pm
1,3-Dichlorobenzene	ND		3.04	10.0	µg/L	10	6/1/03 10:56 pm
1,4-Dichlorobenzene	ND		0.354	1.00	µg/L	1	5/30/03 6:26 pm
1,4-Dichlorobenzene	ND		3.54	10.0	µg/L	10	6/1/03 10:56 pm
2-Butanone	ND		1.51	5.00	µg/L	1	5/30/03 6:26 pm
2-Butanone	ND		15.1	50.0	µg/L	10	6/1/03 10:56 pm
2-Chloroethyl vinyl ether	ND		0.448	1.00	µg/L	1	5/30/03 6:26 pm
2-Chloroethyl vinyl ether	ND		4.48	10.0	µg/L	10	6/1/03 10:56 pm

Qualifiers:
 ND - Not Detected at the Method Detection Limit
 J - Estimated or analyte detected below quantitation limit
 B - Analyte detected in the associated Method Blank
 * - Value exceeds Maximum Contaminant Level
 c - Analyte not included in our scope of accreditation

S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 E - Value above quantitation range
 H - Analysis run past method holding time
 DF - Dilution Factor

MDL-Certified
Practice2003



Suburban Laboratories, Inc.

4140 Litt Drive Hillside, IL 60162 (708) 544-3260

Laboratory Results

Client ID: CCL Custom Mfg., Inc. **Workorder #:** 03050819
Workorder Name: CCL-Danville 2nd Quarter ground water monito **Date:** Wednesday, June 04, 2003

2-Hexanone	ND	0.745	1.00	µg/L	1	5/30/03 6:26 pm	
2-Hexanone	ND	7.45	10.0	µg/L	10	6/1/03 10:56 pm	
4-Methyl-2-pentanone	ND	0.610	5.00	µg/L	1	5/30/03 6:26 pm	
4-Methyl-2-pentanone	ND	6.10	50.0	µg/L	10	6/1/03 10:56 pm	
Acetone	ND	2.96	5.00	µg/L	1	5/30/03 6:26 pm	
Acetone	ND	29.6	50.0	µg/L	10	6/1/03 10:56 pm	
Acrolein	ND	1.71	5.00	µg/L	1	5/30/03 6:26 pm	
Acrolein	ND	17.1	50.0	µg/L	10	6/1/03 10:56 pm	
Acrylonitrile	ND	1.03	5.00	µg/L	1	5/30/03 6:26 pm	
Acrylonitrile	ND	10.3	50.0	µg/L	10	6/1/03 10:56 pm	
Benzene	ND	0.317	1.00	µg/L	1	5/30/03 6:26 pm	
Benzene	ND	3.17	10.0	µg/L	10	6/1/03 10:56 pm	
Bromodichloromethane	ND	2.02	10.0	µg/L	10	6/1/03 10:56 pm	
Bromodichloromethane	ND	0.202	1.00	µg/L	1	5/30/03 6:26 pm	
Bromoform	ND	0.501	1.00	µg/L	1	5/30/03 6:26 pm	
Bromoform	ND	5.01	10.0	µg/L	10	6/1/03 10:56 pm	
Bromomethane	ND	2.45	5.00	µg/L	1	5/30/03 6:26 pm	
Bromomethane	ND	24.5	50.0	µg/L	10	6/1/03 10:56 pm	
Carbon disulfide	ND	0.398	1.00	µg/L	1	5/30/03 6:26 pm	
Carbon disulfide	ND	3.98	10.0	µg/L	10	6/1/03 10:56 pm	
Carbon tetrachloride	ND	0.383	1.00	µg/L	1	5/30/03 6:26 pm	
Carbon tetrachloride	ND	3.83	10.0	µg/L	10	6/1/03 10:56 pm	
Chlorobenzene	ND	0.361	1.00	µg/L	1	5/30/03 6:26 pm	
Chlorobenzene	ND	3.61	10.0	µg/L	10	6/1/03 10:56 pm	
Chloroethane	ND	40.2	10.0	µg/L	10	6/1/03 10:56 pm	
Chloroethane	ND	4.02	1.00	µg/L	1	5/30/03 6:26 pm	
Chloroform	3.86	0.224	1.00	µg/L	1	5/30/03 6:26 pm	
Chloroform	5.0	J	2.24	10.0	µg/L	10	6/1/03 10:56 pm
Chloromethane	ND	1.10	5.00	µg/L	1	5/30/03 6:26 pm	
Chloromethane	ND	11.0	50.0	µg/L	10	6/1/03 10:56 pm	
cis-1,2-Dichloroethene	91.8	0.286	1.00	µg/L	1	5/30/03 6:26 pm	

Qualifiers: ND - Not Detected at the Method Detection Limit
J - Estimated or analyte detected below quantitation limit
B - Analyte detected in the associated Method Blank
* - Value exceeds Maximum Contaminant Level
c - Analyte not included in our scope of accreditation

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
E - Value above quantitation range
H - Analysis run past method holding time
DF - Dilution Factor

MDL-Continuous
Fraction2003



Suburban Laboratories, Inc.

4140 Litt Drive Hillside, IL 60162 (708) 544-3260

Laboratory Results

Client ID: CCL Custom Mfg., Inc.

Workorder #: 03050819

Workorder Name: CCL-Danville 2nd Quarter ground water monito

Date: Wednesday, June 04, 2003

cis-1,2-Dichloroethene	104		2.86	10.0	µg/L	10	6/1/03 10:56 pm
cis-1,3-Dichloropropene	ND		0.291	1.00	µg/L	1	5/30/03 6:26 pm
cis-1,3-Dichloropropene	ND		2.91	10.0	µg/L	10	6/1/03 10:56 pm
Dibromochloromethane	ND		3.42	10.0	µg/L	10	6/1/03 10:56 pm
Dibromochloromethane	ND		0.342	1.00	µg/L	1	5/30/03 6:26 pm
Dichlorodifluoromethane	7.71		0.672	1.00	µg/L	1	5/30/03 6:26 pm
Dichlorodifluoromethane	9.0	J	6.72	10.0	µg/L	10	6/1/03 10:56 pm
Ethylbenzene	ND		0.376	1.00	µg/L	1	5/30/03 6:26 pm
Ethylbenzene	ND		3.76	10.0	µg/L	10	6/1/03 10:56 pm
m,p-Xylene	ND		0.852	2.00	µg/L	1	5/30/03 6:26 pm
m,p-Xylene	ND		8.52	20.0	µg/L	10	6/1/03 10:56 pm
Methyl tert-butyl ether	ND		0.262	1.00	µg/L	1	5/30/03 6:26 pm
Methyl tert-butyl ether	ND		2.62	10.0	µg/L	10	6/1/03 10:56 pm
Methylene chloride	ND		0.394	5.00	µg/L	1	5/30/03 6:26 pm
Methylene chloride	ND		3.94	50.0	µg/L	10	6/1/03 10:56 pm
o-Xylene	ND		0.545	1.00	µg/L	1	5/30/03 6:26 pm
o-Xylene	ND		5.45	10.0	µg/L	10	6/1/03 10:56 pm
Styrene	ND		0.339	1.00	µg/L	1	5/30/03 6:26 pm
Styrene	ND		3.39	10.0	µg/L	10	6/1/03 10:56 pm
Tetrachloroethene	264		8.03	10.0	µg/L	10	6/1/03 10:56 pm
Toluene	ND		0.383	1.00	µg/L	1	5/30/03 6:26 pm
Toluene	ND		3.83	10.0	µg/L	10	6/1/03 10:56 pm
trans-1,2-Dichloroethene	4.38		0.542	1.00	µg/L	1	5/30/03 6:26 pm
trans-1,2-Dichloroethene	ND		5.42	10.0	µg/L	10	6/1/03 10:56 pm
trans-1,3-Dichloropropene	ND		0.350	1.00	µg/L	1	5/30/03 6:26 pm
trans-1,3-Dichloropropene	ND		3.50	10.0	µg/L	10	6/1/03 10:56 pm
Trichloroethene	55.4		0.518	1.00	µg/L	1	5/30/03 6:26 pm
Trichloroethene	58.5		5.18	10.0	µg/L	10	6/1/03 10:56 pm
Trichlorofluoromethane	223		3.37	10.0	µg/L	10	6/1/03 10:56 pm
Vinyl chloride	3.20		0.423	1.00	µg/L	1	5/30/03 6:26 pm
Vinyl chloride	ND		4.23	10.0	µg/L	10	6/1/03 10:56 pm

Qualifiers:
 ND - Not Detected at the Method Detection Limit
 J - Estimated or analyte detected below quantitation limit
 B - Analyte detected in the associated Method Blank
 * - Value exceeds Maximum Contaminant Level
 c - Analyte not included in our scope of accreditation

S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 E - Value above quantitation range
 H - Analysis run past method holding time
 DF - Dilution Factor



Suburban Laboratories, Inc.

4140 Litt Drive Hillside, IL 60162 (708) 544-3260

Laboratory Results

Client ID: CCL Custom Mfg., Inc.

Workorder #: 03050819

Workorder Name: CCL-Danville 2nd Quarter ground water monito

Date: Wednesday, June 04, 2003

Surr: 4-Bromofluorobenzene	97.2	0	67.9-119	%REC	10	6/1/03 10:56 pm
Surr: 4-Bromofluorobenzene	93.0	0	67.9-119	%REC	1	5/30/03 6:26 pm
Surr: Dibromofluoromethane	92.4	0	62.3-122	%REC	1	5/30/03 6:26 pm
Surr: Dibromofluoromethane	94.5	0	62.3-122	%REC	10	6/1/03 10:56 pm
Surr: Toluene-d8	97.8	0	68.2-119	%REC	1	5/30/03 6:26 pm
Surr: Toluene-d8	103	0	68.2-119	%REC	10	6/1/03 10:56 pm

VOCS, EXTENDED ANALYTE LIST

Method: SW8260B Analyst: BK

1,4-Dioxane	ND		4.86	14.6	µg/L	1	5/30/03 6:26 pm
1,4-Dioxane	ND		48.6	146	µg/L	10	6/1/03 10:56 pm
Dimethoxymethane	5.4	J c	5.00	15.0	µg/L	1	5/30/03 6:26 pm
Dimethoxymethane	ND	c	50.0	150	µg/L	10	6/1/03 10:56 pm
n-Butanol	ND	c	50.0	250	µg/L	10	6/1/03 10:56 pm
n-Butanol	ND	c	5.00	25.0	µg/L	1	5/30/03 6:26 pm

Qualifiers:

ND - Not Detected at the Method Detection Limit
J - Estimated or analyte detected below quantitation limit
B - Analyte detected in the associated Method Blank
* - Value exceeds Maximum Contaminant Level
c - Analyte not included in our scope of accreditation

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
E - Value above quantitation range
H - Analysis run past method holding time
DF - Dilution Factor



Suburban Laboratories, Inc.

4140 Litt Drive Hillside, IL 60162 (708) 544-3260

Laboratory Results

Client ID: CCL Custom Mfg., Inc.

Workorder #: 03050819

Workorder Name: CCL-Danville 2nd Quarter ground water monito

Date: Wednesday, June 04, 2003

Lab Sample #: 03050819-10A

Collection Date: 5/19/03 3:30:00 PM

Client Sample ID: MW-5D

Received Date: 5/22/03 9:00:00 AM

Matrix: GROUNDWATER

Analyses	Result	Qual	MDL	PQL	Units	DF	Date Analyzed
VOLATILE ORGANIC COMPOUNDS		Method:	SW8260B				Analyst: BK
1,1,1-Trichloroethane	ND		0.222	1.00	µg/L	1	6/1/03 5:39 pm
1,1,2,2-Tetrachloroethane	ND		0.331	1.00	µg/L	1	6/1/03 5:39 pm
1,1,2-Trichloroethane	ND		0.692	1.00	µg/L	1	6/1/03 5:39 pm
1,1-Dichloroethane	ND		0.240	1.00	µg/L	1	6/1/03 5:39 pm
1,1-Dichloroethene	ND		0.514	1.00	µg/L	1	6/1/03 5:39 pm
1,2-Dibromo-3-chloropropane	ND		1.00	1.00	µg/L	1	6/1/03 5:39 pm
1,2-Dichlorobenzene	ND		0.301	1.00	µg/L	1	6/1/03 5:39 pm
1,2-Dichloroethane	ND		0.292	1.00	µg/L	1	6/1/03 5:39 pm
1,2-Dichloropropane	ND		0.449	1.00	µg/L	1	6/1/03 5:39 pm
1,3-Dichlorobenzene	ND		0.304	1.00	µg/L	1	6/1/03 5:39 pm
1,4-Dichlorobenzene	ND		0.354	1.00	µg/L	1	6/1/03 5:39 pm
2-Butanone	ND		1.51	5.00	µg/L	1	6/1/03 5:39 pm
2-Chloroethyl vinyl ether	ND		0.448	1.00	µg/L	1	6/1/03 5:39 pm
2-Hexanone	ND		0.745	1.00	µg/L	1	6/1/03 5:39 pm
4-Methyl-2-pentanone	ND		0.610	5.00	µg/L	1	6/1/03 5:39 pm
Acetone	ND		2.96	5.00	µg/L	1	6/1/03 5:39 pm
Acrolein	ND		1.71	5.00	µg/L	1	6/1/03 5:39 pm
Acrylonitrile	ND		1.03	5.00	µg/L	1	6/1/03 5:39 pm
Benzene	ND		0.317	1.00	µg/L	1	6/1/03 5:39 pm
Bromodichloromethane	ND		0.202	1.00	µg/L	1	6/1/03 5:39 pm
Bromoform	ND		0.501	1.00	µg/L	1	6/1/03 5:39 pm
Bromomethane	ND		2.45	5.00	µg/L	1	6/1/03 5:39 pm
Carbon disulfide	ND		0.398	1.00	µg/L	1	6/1/03 5:39 pm
Carbon tetrachloride	ND		0.383	1.00	µg/L	1	6/1/03 5:39 pm
Chlorobenzene	ND		0.361	1.00	µg/L	1	6/1/03 5:39 pm
Chloroethane	ND		4.02	1.00	µg/L	1	6/1/03 5:39 pm

Qualifiers:

ND - Not Detected at the Method Detection Limit

S - Spike Recovery outside accepted recovery limits

J - Estimated or analyte detected below quantitation limit

R - RPD outside accepted recovery limits

B - Analyte detected in the associated Method Blank

E - Value above quantitation range

* - Value exceeds Maximum Contaminant Level

H - Analysis run past method holding time

c - Analyte not included in our scope of accreditation

DF - Dilution Factor



Suburban Laboratories, Inc.

4140 Litt Drive Hillside, IL 60162 (708) 544-3260

Laboratory Results

Client ID:	CCL Custom Mfg., Inc.	Workorder #: 03050819					
Workorder Name:	CCL-Danville 2nd Quarter ground water monito	Date: Wednesday, June 04, 2003					
Chloroform	ND	0.224	1.00	µg/L	1	6/1/03 5:39 pm	
Chloromethane	ND	1.10	5.00	µg/L	1	6/1/03 5:39 pm	
cis-1,2-Dichloroethene	ND	0.286	1.00	µg/L	1	6/1/03 5:39 pm	
cis-1,3-Dichloropropene	ND	0.291	1.00	µg/L	1	6/1/03 5:39 pm	
Dibromochloromethane	ND	0.342	1.00	µg/L	1	6/1/03 5:39 pm	
Dichlorodifluoromethane	ND	0.672	1.00	µg/L	1	6/1/03 5:39 pm	
Ethylbenzene	ND	0.376	1.00	µg/L	1	6/1/03 5:39 pm	
m,p-Xylene	ND	0.852	2.00	µg/L	1	6/1/03 5:39 pm	
Methyl tert-butyl ether	ND	0.262	1.00	µg/L	1	6/1/03 5:39 pm	
Methylene chloride	ND	0.394	5.00	µg/L	1	6/1/03 5:39 pm	
o-Xylene	ND	0.545	1.00	µg/L	1	6/1/03 5:39 pm	
Styrene	ND	0.339	1.00	µg/L	1	6/1/03 5:39 pm	
Tetrachloroethene	7.58	0.803	1.00	µg/L	1	6/1/03 5:39 pm	
Toluene	ND	0.383	1.00	µg/L	1	6/1/03 5:39 pm	
trans-1,2-Dichloroethene	ND	0.542	1.00	µg/L	1	6/1/03 5:39 pm	
trans-1,3-Dichloropropene	ND	0.350	1.00	µg/L	1	6/1/03 5:39 pm	
Trichloroethene	ND	0.518	1.00	µg/L	1	6/1/03 5:39 pm	
Trichlorofluoromethane	4.73	0.337	1.00	µg/L	1	6/1/03 5:39 pm	
Vinyl chloride	ND	0.423	1.00	µg/L	1	6/1/03 5:39 pm	
Surr: 4-Bromofluorobenzene	95.7	0	67.9-119	%REC	1	6/1/03 5:39 pm	
Surr: Dibromofluoromethane	93.7	0	62.3-122	%REC	1	6/1/03 5:39 pm	
Surr: Toluene-d8	102	0	68.2-119	%REC	1	6/1/03 5:39 pm	
VOCS, EXTENDED ANALYTE LIST		Method:	SW8260B		Analyst:	BK	
1,4-Dioxane	ND	4.86	14.6	µg/L	1	5/30/03 7:00 pm	
1,4-Dioxane	ND	4.86	14.6	µg/L	1	6/1/03 5:39 pm	
Dimethoxymethane	ND	c	5.00	15.0	µg/L	1	5/30/03 7:00 pm
Dimethoxymethane	ND	c	5.00	15.0	µg/L	1	6/1/03 5:39 pm
n-Butanol	ND	c	5.00	25.0	µg/L	1	6/1/03 5:39 pm
n-Butanol	ND	c	5.00	25.0	µg/L	1	5/30/03 7:00 pm

Qualifiers:
MDL=Minimum Detection Limit

ND - Not Detected at the Method Detection Limit
J - Estimated or analyte detected below quantitation limit
B - Analyte detected in the associated Method Blank
* - Value exceeds Maximum Contaminant Level
c - Analyte not included in our scope of accreditation

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
E - Value above quantitation range
H - Analysis run past method holding time
DF - Dilution Factor



Suburban Laboratories, Inc.

4140 Litt Drive Hillside, IL 60162 (708) 544-3260

Laboratory Results

Client ID: CCL Custom Mfg., Inc.

Workorder #: 03050819

Workorder Name: CCL-Danville 2nd Quarter ground water monito

Date: Wednesday, June 04, 2003

Lab Sample #: 03050819-11A

Collection Date: 5/20/03 8:20:00 AM

Client Sample ID: MW-7A

Received Date: 5/22/03 9:00:00 AM

Matrix: GROUNDWATER

Analyses	Result	Qual	MDL	PQL	Units	DF	Date Analyzed
VOLATILE ORGANIC COMPOUNDS			Method:	SW8260B			Analyst: BK
1,1,1-Trichloroethane	ND		0.222	1.00	µg/L	1	5/30/03 7:33 pm
1,1,2,2-Tetrachloroethane	ND		0.331	1.00	µg/L	1	5/30/03 7:33 pm
1,1,2-Trichloroethane	ND		0.692	1.00	µg/L	1	5/30/03 7:33 pm
1,1-Dichloroethane	ND		0.240	1.00	µg/L	1	5/30/03 7:33 pm
1,1-Dichloroethene	ND		0.514	1.00	µg/L	1	5/30/03 7:33 pm
1,2-Dibromo-3-chloropropane	ND		1.00	1.00	µg/L	1	5/30/03 7:33 pm
1,2-Dichlorobenzene	ND		0.301	1.00	µg/L	1	5/30/03 7:33 pm
1,2-Dichloroethane	ND		0.292	1.00	µg/L	1	5/30/03 7:33 pm
1,2-Dichloropropane	ND		0.449	1.00	µg/L	1	5/30/03 7:33 pm
1,3-Dichlorobenzene	ND		0.304	1.00	µg/L	1	5/30/03 7:33 pm
1,4-Dichlorobenzene	ND		0.354	1.00	µg/L	1	5/30/03 7:33 pm
2-Butanone	ND		1.51	5.00	µg/L	1	5/30/03 7:33 pm
2-Chloroethyl vinyl ether	ND		0.448	1.00	µg/L	1	5/30/03 7:33 pm
2-Hexanone	ND		0.745	1.00	µg/L	1	5/30/03 7:33 pm
4-Methyl-2-pentanone	ND		0.610	5.00	µg/L	1	5/30/03 7:33 pm
Acetone	ND		2.96	5.00	µg/L	1	5/30/03 7:33 pm
Acrolein	ND		1.71	5.00	µg/L	1	5/30/03 7:33 pm
Acrylonitrile	ND		1.03	5.00	µg/L	1	5/30/03 7:33 pm
Benzene	ND		0.317	1.00	µg/L	1	5/30/03 7:33 pm
Bromodichloromethane	ND		0.202	1.00	µg/L	1	5/30/03 7:33 pm
Bromoform	ND		0.501	1.00	µg/L	1	5/30/03 7:33 pm
Bromomethane	ND		2.45	5.00	µg/L	1	5/30/03 7:33 pm
Carbon disulfide	ND		0.398	1.00	µg/L	1	5/30/03 7:33 pm
Carbon tetrachloride	ND		0.383	1.00	µg/L	1	5/30/03 7:33 pm
Chlorobenzene	ND		0.361	1.00	µg/L	1	5/30/03 7:33 pm
Chloroethane	ND		4.02	1.00	µg/L	1	5/30/03 7:33 pm

Qualifiers:
MDL=Method Detection Limit
R=Recovery
 ND - Not Detected at the Method Detection Limit
 J - Estimated or analyte detected below quantitation limit
 B - Analyte detected in the associated Method Blank
 * - Value exceeds Maximum Contaminant Level
 c - Analyte not included in our scope of accreditation

S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 E - Value above quantitation range
 H - Analysis run past method holding time
 DF - Dilution Factor



Suburban Laboratories, Inc.

4140 Litt Drive Hillside, IL 60162 (708) 544-3260

Laboratory Results

Client ID: CCL Custom Mfg., Inc.

Workorder #: 03050819

Workorder Name: CCL-Danville 2nd Quarter ground water monito

Date: Wednesday, June 04, 2003

Chloroform	ND	0.224	1.00	µg/L	1	5/30/03 7:33 pm	
Chloromethane	ND	1.10	5.00	µg/L	1	5/30/03 7:33 pm	
cis-1,2-Dichloroethene	ND	0.286	1.00	µg/L	1	5/30/03 7:33 pm	
cis-1,3-Dichloropropene	ND	0.291	1.00	µg/L	1	5/30/03 7:33 pm	
Dibromochloromethane	ND	0.342	1.00	µg/L	1	5/30/03 7:33 pm	
Dichlorodifluoromethane	ND	0.672	1.00	µg/L	1	5/30/03 7:33 pm	
Ethylbenzene	ND	0.376	1.00	µg/L	1	5/30/03 7:33 pm	
m,p-Xylene	ND	0.852	2.00	µg/L	1	5/30/03 7:33 pm	
Methyl tert-butyl ether	ND	0.262	1.00	µg/L	1	5/30/03 7:33 pm	
Methylene chloride	ND	0.394	5.00	µg/L	1	5/30/03 7:33 pm	
o-Xylene	ND	0.545	1.00	µg/L	1	5/30/03 7:33 pm	
Styrene	ND	0.339	1.00	µg/L	1	5/30/03 7:33 pm	
Tetrachloroethene	ND	0.803	1.00	µg/L	1	5/30/03 7:33 pm	
Toluene	ND	0.383	1.00	µg/L	1	5/30/03 7:33 pm	
trans-1,2-Dichloroethene	ND	0.542	1.00	µg/L	1	5/30/03 7:33 pm	
trans-1,3-Dichloropropene	ND	0.350	1.00	µg/L	1	5/30/03 7:33 pm	
Trichloroethene	ND	0.518	1.00	µg/L	1	5/30/03 7:33 pm	
Trichlorofluoromethane	ND	0.337	1.00	µg/L	1	5/30/03 7:33 pm	
Vinyl chloride	ND	0.423	1.00	µg/L	1	5/30/03 7:33 pm	
Surr: 4-Bromofluorobenzene	95.5	0	67.9-119	%REC	1	5/30/03 7:33 pm	
Surr: Dibromofluoromethane	91.1	0	62.3-122	%REC	1	5/30/03 7:33 pm	
Surr: Toluene-d8	84.6	0	68.2-119	%REC	1	5/30/03 7:33 pm	
VOCS, EXTENDED ANALYTE LIST		Method:	SW8260B		Analyst:	BK	
1,4-Dioxane	ND	4.86	14.6	µg/L	1	5/30/03 7:33 pm	
Dimethoxymethane	ND	c	5.00	15.0	µg/L	1	5/30/03 7:33 pm
n-Butanol	ND	c	5.00	25.0	µg/L	1	5/30/03 7:33 pm

Qualifiers:

ND - Not Detected at the Method Detection Limit

S - Spike Recovery outside accepted recovery limits

J - Estimated or analyte detected below quantitation limit

R - RPD outside accepted recovery limits

B - Analyte detected in the associated Method Blank

E - Value above quantitation range

* - Value exceeds Maximum Contaminant Level

H - Analysis run past method holding time

c - Analyte not included in our scope of accreditation

DF - Dilution Factor

MDL-Continuous
Practice2003



Suburban Laboratories, Inc.

4140 Litt Drive Hillside, IL 60162 (708) 544-3260

Laboratory Results

Client ID: CCL Custom Mfg., Inc.

Workorder #: 03050819

Workorder Name: CCL-Danville 2nd Quarter ground water monito

Date: Wednesday, June 04, 2003

Lab Sample #: 03050819-12A

Collection Date: 5/20/03 10:20:00 AM

Client Sample ID: MW-7

Received Date: 5/22/03 9:00:00 AM

Matrix: GROUNDWATER

Analyses	Result	Qual	MDL	PQL	Units	DF	Date Analyzed
VOLATILE ORGANIC COMPOUNDS		Method:	SW8260B				Analyst: BK
1,1,1-Trichloroethane	24.0		0.222	1.00	µg/L	1	6/1/03 6:46 pm
1,1,2,2-Tetrachloroethane	ND		0.331	1.00	µg/L	1	6/1/03 6:46 pm
1,1,2-Trichloroethane	ND		0.692	1.00	µg/L	1	6/1/03 6:46 pm
1,1-Dichloroethane	2.29		0.240	1.00	µg/L	1	6/1/03 6:46 pm
1,1-Dichloroethene	1.17		0.514	1.00	µg/L	1	6/1/03 6:46 pm
1,2-Dibromo-3-chloropropane	ND		1.00	1.00	µg/L	1	6/1/03 6:46 pm
1,2-Dichlorobenzene	ND		0.301	1.00	µg/L	1	6/1/03 6:46 pm
1,2-Dichloroethane	ND		0.292	1.00	µg/L	1	6/1/03 6:46 pm
1,2-Dichloropropane	ND		0.449	1.00	µg/L	1	6/1/03 6:46 pm
1,3-Dichlorobenzene	ND		0.304	1.00	µg/L	1	6/1/03 6:46 pm
1,4-Dichlorobenzene	ND		0.354	1.00	µg/L	1	6/1/03 6:46 pm
2-Butanone	ND		1.51	5.00	µg/L	1	6/1/03 6:46 pm
2-Chloroethyl vinyl ether	ND		0.448	1.00	µg/L	1	6/1/03 6:46 pm
2-Hexanone	ND		0.745	1.00	µg/L	1	6/1/03 6:46 pm
4-Methyl-2-pentanone	ND		0.610	5.00	µg/L	1	6/1/03 6:46 pm
Acetone	ND		2.96	5.00	µg/L	1	6/1/03 6:46 pm
Acrolein	ND		1.71	5.00	µg/L	1	6/1/03 6:46 pm
Acrylonitrile	ND		1.03	5.00	µg/L	1	6/1/03 6:46 pm
Benzene	ND		0.317	1.00	µg/L	1	6/1/03 6:46 pm
Bromodichloromethane	ND		0.202	1.00	µg/L	1	6/1/03 6:46 pm
Bromoform	ND		0.501	1.00	µg/L	1	6/1/03 6:46 pm
Bromomethane	ND		2.45	5.00	µg/L	1	6/1/03 6:46 pm
Carbon disulfide	ND		0.398	1.00	µg/L	1	6/1/03 6:46 pm
Carbon tetrachloride	ND		0.383	1.00	µg/L	1	6/1/03 6:46 pm
Chlorobenzene	ND		0.361	1.00	µg/L	1	6/1/03 6:46 pm
Chloroethane	ND		4.02	1.00	µg/L	1	6/1/03 6:46 pm

Qualifiers: ND - Not Detected at the Method Detection Limit

S - Spike Recovery outside accepted recovery limits

MDL-Continuous
Tracitor2003

R - RPD outside accepted recovery limits

J - Estimated or analyte detected below quantitation limit

E - Value above quantitation range

B - Analyte detected in the associated Method Blank

H - Analysis run past method holding time

* - Value exceeds Maximum Contaminant Level

DF - Dilution Factor

c - Analyte not included in our scope of accreditation



Suburban Laboratories, Inc.

4140 Litt Drive Hillside, IL 60162 (708) 544-3260

Laboratory Results

Client ID:	CCL Custom Mfg., Inc.	Workorder #: 03050819					
Workorder Name:	CCL-Danville 2nd Quarter ground water monitor					Date: Wednesday, June 04, 2003	
Chloroform	ND	0.224	1.00	µg/L	1	6/1/03 6:46 pm	
Chloromethane	ND	1.10	5.00	µg/L	1	6/1/03 6:46 pm	
cis-1,2-Dichloroethene	14.4	0.286	1.00	µg/L	1	6/1/03 6:46 pm	
cis-1,3-Dichloropropene	ND	0.291	1.00	µg/L	1	6/1/03 6:46 pm	
Dibromochloromethane	ND	0.342	1.00	µg/L	1	6/1/03 6:46 pm	
Dichlorodifluoromethane	15.3	0.672	1.00	µg/L	1	6/1/03 6:46 pm	
Ethylbenzene	ND	0.376	1.00	µg/L	1	6/1/03 6:46 pm	
m,p-Xylene	ND	0.852	2.00	µg/L	1	6/1/03 6:46 pm	
Methyl tert-butyl ether	ND	0.262	1.00	µg/L	1	6/1/03 6:46 pm	
Methylene chloride	ND	0.394	5.00	µg/L	1	6/1/03 6:46 pm	
o-Xylene	ND	0.545	1.00	µg/L	1	6/1/03 6:46 pm	
Styrene	ND	0.339	1.00	µg/L	1	6/1/03 6:46 pm	
Tetrachloroethene	499	80.3	100	µg/L	100	6/2/03 5:33 pm	
Toluene	ND	0.383	1.00	µg/L	1	6/1/03 6:46 pm	
trans-1,2-Dichloroethene	ND	0.542	1.00	µg/L	1	6/1/03 6:46 pm	
trans-1,3-Dichloropropene	ND	0.350	1.00	µg/L	1	6/1/03 6:46 pm	
Trichloroethene	1.70	0.518	1.00	µg/L	1	6/1/03 6:46 pm	
Trichlorofluoromethane	2,500	33.7	100	µg/L	100	6/2/03 5:33 pm	
Vinyl chloride	ND	0.423	1.00	µg/L	1	6/1/03 6:46 pm	
Surr: 4-Bromofluorobenzene	95.7	0	67.9-119	%REC	1	6/1/03 6:46 pm	
Surr: Dibromofluoromethane	94.5	0	62.3-122	%REC	1	6/1/03 6:46 pm	
Surr: Toluene-d8	103	0	68.2-119	%REC	1	6/1/03 6:46 pm	
VOCS, EXTENDED ANALYTE LIST		Method:	SW8260B			Analyst: BK	
1,4-Dioxane	ND	4.86	14.6	µg/L	1	6/1/03 6:46 pm	
Dimethoxymethane	ND	c	5.00	15.0	µg/L	1	6/1/03 6:46 pm
n-Butanol	ND	c	5.00	25.0	µg/L	1	6/1/03 6:46 pm

Qualifiers:
 ND - Not Detected at the Method Detection Limit
 J - Estimated or analyte detected below quantitation limit
 B - Analyte detected in the associated Method Blank
 * - Value exceeds Maximum Contaminant Level
 c - Analyte not included in our scope of accreditation

S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 E - Value above quantitation range
 H - Analysis run past method holding time
 DF - Dilution Factor



Suburban Laboratories, Inc.

4140 Litt Drive Hillside, IL 60162 (708) 544-3260

Laboratory Results

Client ID: CCL Custom Mfg., Inc.

Workorder #: 03050819

Workorder Name: CCL-Danville 2nd Quarter ground water monito

Date: Wednesday, June 04, 2003

Lab Sample #: 03050819-13A

Collection Date: 5/20/03 9:45:00 AM

Client Sample ID: MW-8

Received Date: 5/22/03 9:00:00 AM

Matrix: GROUNDWATER

Analyses	Result	Qual	MDL	PQL	Units	DF	Date Analyzed
VOLATILE ORGANIC COMPOUNDS		Method:	SW8260B				Analyst: BK
1,1,1-Trichloroethane	ND		0.222	1.00	µg/L	1	6/2/03 2:42 pm
1,1,2,2-Tetrachloroethane	ND		0.331	1.00	µg/L	1	6/2/03 2:42 pm
1,1,2-Trichloroethane	ND		0.692	1.00	µg/L	1	6/2/03 2:42 pm
1,1-Dichloroethane	ND		0.240	1.00	µg/L	1	6/2/03 2:42 pm
1,1-Dichloroethene	ND		0.514	1.00	µg/L	1	6/2/03 2:42 pm
1,2-Dibromo-3-chloropropane	ND		1.00	1.00	µg/L	1	6/2/03 2:42 pm
1,2-Dichlorobenzene	ND		0.301	1.00	µg/L	1	6/2/03 2:42 pm
1,2-Dichloroethane	ND		0.292	1.00	µg/L	1	6/2/03 2:42 pm
1,2-Dichloropropane	ND		0.449	1.00	µg/L	1	6/2/03 2:42 pm
1,3-Dichlorobenzene	ND		0.304	1.00	µg/L	1	6/2/03 2:42 pm
1,4-Dichlorobenzene	ND		0.354	1.00	µg/L	1	6/2/03 2:42 pm
2-Butanone	ND		1.51	5.00	µg/L	1	6/2/03 2:42 pm
2-Chloroethyl vinyl ether	ND		0.448	1.00	µg/L	1	6/2/03 2:42 pm
2-Hexanone	ND		0.745	1.00	µg/L	1	6/2/03 2:42 pm
4-Methyl-2-pentanone	ND		0.610	5.00	µg/L	1	6/2/03 2:42 pm
Acetone	ND		2.96	5.00	µg/L	1	6/2/03 2:42 pm
Acrolein	ND		1.71	5.00	µg/L	1	6/2/03 2:42 pm
Acrylonitrile	ND		1.03	5.00	µg/L	1	6/2/03 2:42 pm
Benzene	ND		0.317	1.00	µg/L	1	6/2/03 2:42 pm
Bromodichloromethane	ND		0.202	1.00	µg/L	1	6/2/03 2:42 pm
Bromoform	ND		0.501	1.00	µg/L	1	6/2/03 2:42 pm
Bromomethane	ND		2.45	5.00	µg/L	1	6/2/03 2:42 pm
Carbon disulfide	ND		0.398	1.00	µg/L	1	6/2/03 2:42 pm
Carbon tetrachloride	ND		0.383	1.00	µg/L	1	6/2/03 2:42 pm
Chlorobenzene	ND		0.361	1.00	µg/L	1	6/2/03 2:42 pm
Chloroethane	ND		4.02	1.00	µg/L	1	6/2/03 2:42 pm

Qualifiers: ND - Not Detected at the Method Detection Limit

S - Spike Recovery outside accepted recovery limits

J - Estimated or analyte detected below quantitation limit

R - RPD outside accepted recovery limits

B - Analyte detected in the associated Method Blank

E - Value above quantitation range

* - Value exceeds Maximum Contaminant Level

H - Analysis run past method holding time

c - Analyte not included in our scope of accreditation

DF - Dilution Factor

MDL-Certified
Results2003



Suburban Laboratories, Inc.

4140 Litt Drive Hillside, IL 60162 (708) 544-3260

Laboratory Results

Client ID:	CCL Custom Mfg., Inc.	Workorder #:	03050819				
Workorder Name:	CCL-Danville 2nd Quarter ground water monito					Date:	Wednesday, June 04, 2003
Chloroform	ND	0.224	1.00	µg/L	1	6/2/03	2:42 pm
Chloromethane	ND	1.10	5.00	µg/L	1	6/2/03	2:42 pm
cis-1,2-Dichloroethene	ND	0.286	1.00	µg/L	1	6/2/03	2:42 pm
cis-1,3-Dichloropropene	ND	0.291	1.00	µg/L	1	6/2/03	2:42 pm
Dibromochloromethane	ND	0.342	1.00	µg/L	1	6/2/03	2:42 pm
Dichlorodifluoromethane	ND	0.672	1.00	µg/L	1	6/2/03	2:42 pm
Ethylbenzene	ND	0.376	1.00	µg/L	1	6/2/03	2:42 pm
m,p-Xylene	ND	0.852	2.00	µg/L	1	6/2/03	2:42 pm
Methyl tert-butyl ether	ND	0.262	1.00	µg/L	1	6/2/03	2:42 pm
Methylene chloride	ND	0.394	5.00	µg/L	1	6/2/03	2:42 pm
o-Xylene	ND	0.545	1.00	µg/L	1	6/2/03	2:42 pm
Styrene	ND	0.339	1.00	µg/L	1	6/2/03	2:42 pm
Tetrachloroethene	ND	0.803	1.00	µg/L	1	6/2/03	2:42 pm
Toluene	ND	0.383	1.00	µg/L	1	6/2/03	2:42 pm
trans-1,2-Dichloroethene	ND	0.542	1.00	µg/L	1	6/2/03	2:42 pm
trans-1,3-Dichloropropene	ND	0.350	1.00	µg/L	1	6/2/03	2:42 pm
Trichloroethene	ND	0.518	1.00	µg/L	1	6/2/03	2:42 pm
Trichlorofluoromethane	ND	0.337	1.00	µg/L	1	6/2/03	2:42 pm
Vinyl chloride	ND	0.423	1.00	µg/L	1	6/2/03	2:42 pm
Surr: 4-Bromofluorobenzene	94.6	0	67.9-119	%REC	1	6/2/03	2:42 pm
Surr: Dibromofluoromethane	94.2	0	62.3-122	%REC	1	6/2/03	2:42 pm
Surr: Toluene-d8	91.7	0	68.2-119	%REC	1	6/2/03	2:42 pm
VOCS, EXTENDED ANALYTE LIST		Method:	SW8260B			Analyst:	BK
1,4-Dioxane	ND	4.86	14.6	µg/L	1	6/2/03	2:42 pm
Dimethoxymethane	ND	c	5.00	15.0	µg/L	1	6/2/03 2:42 pm
n-Butanol	ND	c	5.00	25.0	µg/L	1	6/2/03 2:42 pm

Qualifiers:

ND - Not Detected at the Method Detection Limit
J - Estimated or analyte detected below quantitation limit
B - Analyte detected in the associated Method Blank
* - Value exceeds Maximum Contaminant Level
c - Analyte not included in our scope of accreditation

MDL-Certified
Reacted2003

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
E - Value above quantitation range
H - Analysis run past method holding time
DF - Dilution Factor



Suburban Laboratories, Inc.

4140 Litt Drive Hillside, IL 60162 (708) 544-3260

Laboratory Results

Client ID: CCL Custom Mfg., Inc.

Workorder #: 03050819

Workorder Name: CCL-Danville 2nd Quarter ground water monito

Date: Wednesday, June 04, 2003

Lab Sample #: 03050819-14A

Collection Date: 5/20/03 9:00:00 AM

Client Sample ID: MW-9A

Received Date: 5/22/03 9:00:00 AM

Matrix: GROUNDWATER

Analyses	Result	Qual	MDL	PQL	Units	DF	Date Analyzed
VOLATILE ORGANIC COMPOUNDS			Method:	SW8260B			Analyst: BK
1,1,1-Trichloroethane	ND		0.222	1.00	µg/L	1	6/2/03 3:15 pm
1,1,2,2-Tetrachloroethane	ND		0.331	1.00	µg/L	1	6/2/03 3:15 pm
1,1,2-Trichloroethane	ND		0.692	1.00	µg/L	1	6/2/03 3:15 pm
1,1-Dichloroethane	ND		0.240	1.00	µg/L	1	6/2/03 3:15 pm
1,1-Dichloroethene	ND		0.514	1.00	µg/L	1	6/2/03 3:15 pm
1,2-Dibromo-3-chloropropane	ND		1.00	1.00	µg/L	1	6/2/03 3:15 pm
1,2-Dichlorobenzene	ND		0.301	1.00	µg/L	1	6/2/03 3:15 pm
1,2-Dichloroethane	ND		0.292	1.00	µg/L	1	6/2/03 3:15 pm
1,2-Dichloropropane	ND		0.449	1.00	µg/L	1	6/2/03 3:15 pm
1,3-Dichlorobenzene	ND		0.304	1.00	µg/L	1	6/2/03 3:15 pm
1,4-Dichlorobenzene	ND		0.354	1.00	µg/L	1	6/2/03 3:15 pm
2-Butanone	ND		1.51	5.00	µg/L	1	6/2/03 3:15 pm
2-Chloroethyl vinyl ether	ND		0.448	1.00	µg/L	1	6/2/03 3:15 pm
2-Hexanone	ND		0.745	1.00	µg/L	1	6/2/03 3:15 pm
4-Methyl-2-pentanone	ND		0.610	5.00	µg/L	1	6/2/03 3:15 pm
Acetone	ND		2.96	5.00	µg/L	1	6/2/03 3:15 pm
Acrolein	ND		1.71	5.00	µg/L	1	6/2/03 3:15 pm
Acrylonitrile	ND		1.03	5.00	µg/L	1	6/2/03 3:15 pm
Benzene	ND		0.317	1.00	µg/L	1	6/2/03 3:15 pm
Bromodichloromethane	ND		0.202	1.00	µg/L	1	6/2/03 3:15 pm
Bromoform	ND		0.501	1.00	µg/L	1	6/2/03 3:15 pm
Bromomethane	ND		2.45	5.00	µg/L	1	6/2/03 3:15 pm
Carbon disulfide	ND		0.398	1.00	µg/L	1	6/2/03 3:15 pm
Carbon tetrachloride	ND		0.383	1.00	µg/L	1	6/2/03 3:15 pm
Chlorobenzene	ND		0.361	1.00	µg/L	1	6/2/03 3:15 pm
Chloroethane	ND		4.02	1.00	µg/L	1	6/2/03 3:15 pm

Qualifiers:

ND - Not Detected at the Method Detection Limit

S - Spike Recovery outside accepted recovery limits

J - Estimated or analyte detected below quantitation limit

R - RPD outside accepted recovery limits

B - Analyte detected in the associated Method Blank

E - Value above quantitation range

* - Value exceeds Maximum Contaminant Level

H - Analysis run past method holding time

c - Analyte not included in our scope of accreditation

DF - Dilution Factor



Suburban Laboratories, Inc.

4140 Litt Drive Hillside, IL 60162 (708) 544-3260

Laboratory Results

Client ID: CCL Custom Mfg., Inc.

Workorder #: 03050819

Workorder Name: CCL-Danville 2nd Quarter ground water monito

Date: Wednesday, June 04, 2003

Lab Sample #: 03050819-15A	Collection Date: 5/20/03 7:00:00 AM
Client Sample ID: MW-9B	Received Date: 5/22/03 9:00:00 AM
Matrix: GROUNDWATER	

Analyses	Result	Qual	MDL	PQL	Units	DF	Date Analyzed
VOLATILE ORGANIC COMPOUNDS			Method:	SW8260B			Analyst: BK
1,1,1-Trichloroethane	ND		0.222	1.00	µg/L	1	5/30/03 8:07 pm
1,1,2,2-Tetrachloroethane	ND		0.331	1.00	µg/L	1	5/30/03 8:07 pm
1,1,2-Trichloroethane	ND		0.692	1.00	µg/L	1	5/30/03 8:07 pm
1,1-Dichloroethane	ND		0.240	1.00	µg/L	1	5/30/03 8:07 pm
1,1-Dichloroethene	ND		0.514	1.00	µg/L	1	5/30/03 8:07 pm
1,2-Dibromo-3-chloropropane	ND		1.00	1.00	µg/L	1	5/30/03 8:07 pm
1,2-Dichlorobenzene	ND		0.301	1.00	µg/L	1	5/30/03 8:07 pm
1,2-Dichloroethane	ND		0.292	1.00	µg/L	1	5/30/03 8:07 pm
1,2-Dichloropropane	ND		0.449	1.00	µg/L	1	5/30/03 8:07 pm
1,3-Dichlorobenzene	ND		0.304	1.00	µg/L	1	5/30/03 8:07 pm
1,4-Dichlorobenzene	ND		0.354	1.00	µg/L	1	5/30/03 8:07 pm
2-Butanone	ND		1.51	5.00	µg/L	1	5/30/03 8:07 pm
2-Chloroethyl vinyl ether	ND		0.448	1.00	µg/L	1	5/30/03 8:07 pm
2-Hexanone	ND		0.745	1.00	µg/L	1	5/30/03 8:07 pm
4-Methyl-2-pentanone	ND		0.610	5.00	µg/L	1	5/30/03 8:07 pm
Acetone	ND		2.96	5.00	µg/L	1	5/30/03 8:07 pm
Acrolein	ND		1.71	5.00	µg/L	1	5/30/03 8:07 pm
Acrylonitrile	ND		1.03	5.00	µg/L	1	5/30/03 8:07 pm
Benzene	ND		0.317	1.00	µg/L	1	5/30/03 8:07 pm
Bromodichloromethane	ND		0.202	1.00	µg/L	1	5/30/03 8:07 pm
Bromoform	ND		0.501	1.00	µg/L	1	5/30/03 8:07 pm
Bromomethane	ND		2.45	5.00	µg/L	1	5/30/03 8:07 pm
Carbon disulfide	ND		0.398	1.00	µg/L	1	5/30/03 8:07 pm
Carbon tetrachloride	ND		0.383	1.00	µg/L	1	5/30/03 8:07 pm
Chlorobenzene	ND		0.361	1.00	µg/L	1	5/30/03 8:07 pm
Chloroethane	ND		4.02	1.00	µg/L	1	5/30/03 8:07 pm

Qualifiers: ND - Not Detected at the Method Detection Limit
 MDL-Continuous Fraction2003
 J - Estimated or analyte detected below quantitation limit
 B - Analyte detected in the associated Method Blank
 * - Value exceeds Maximum Contaminant Level
 c - Analyte not included in our scope of accreditation

S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 E - Value above quantitation range
 H - Analysis run past method holding time
 DF - Dilution Factor



Suburban Laboratories, Inc.

4140 Litt Drive Hillside, IL 60162 (708) 544-3260

Laboratory Results

Client ID: CCL Custom Mfg., Inc.

Workorder #: 03050819

Workorder Name: CCL-Danville 2nd Quarter ground water monito

Date: Wednesday, June 04, 2003

Chloroform	ND	0.224	1.00	µg/L	1	5/30/03 8:07 pm
Chloromethane	ND	1.10	5.00	µg/L	1	5/30/03 8:07 pm
cis-1,2-Dichloroethene	ND	0.286	1.00	µg/L	1	5/30/03 8:07 pm
cis-1,3-Dichloropropene	ND	0.291	1.00	µg/L	1	5/30/03 8:07 pm
Dibromochloromethane	ND	0.342	1.00	µg/L	1	5/30/03 8:07 pm
Dichlorodifluoromethane	ND	0.672	1.00	µg/L	1	5/30/03 8:07 pm
Ethylbenzene	ND	0.376	1.00	µg/L	1	5/30/03 8:07 pm
m,p-Xylene	ND	0.852	2.00	µg/L	1	5/30/03 8:07 pm
Methyl tert-butyl ether	ND	0.262	1.00	µg/L	1	5/30/03 8:07 pm
Methylene chloride	ND	0.394	5.00	µg/L	1	5/30/03 8:07 pm
o-Xylene	ND	0.545	1.00	µg/L	1	5/30/03 8:07 pm
Styrene	ND	0.339	1.00	µg/L	1	5/30/03 8:07 pm
Tetrachloroethene	ND	0.803	1.00	µg/L	1	5/30/03 8:07 pm
Toluene	ND	0.383	1.00	µg/L	1	5/30/03 8:07 pm
trans-1,2-Dichloroethene	ND	0.542	1.00	µg/L	1	5/30/03 8:07 pm
trans-1,3-Dichloropropene	ND	0.350	1.00	µg/L	1	5/30/03 8:07 pm
Trichloroethene	ND	0.518	1.00	µg/L	1	5/30/03 8:07 pm
Trichlorofluoromethane	ND	0.337	1.00	µg/L	1	5/30/03 8:07 pm
Vinyl chloride	ND	0.423	1.00	µg/L	1	5/30/03 8:07 pm
Surr: 4-Bromofluorobenzene	95.1	0	67.9-119	%REC	1	5/30/03 8:07 pm
Surr: Dibromofluoromethane	92.4	0	62.3-122	%REC	1	5/30/03 8:07 pm
Surr: Toluene-d8	89.2	0	68.2-119	%REC	1	5/30/03 8:07 pm

VOCS, EXTENDED ANALYTE LIST

Method: SW8260B Analyst: BK

1,4-Dioxane	ND	4.86	14.6	µg/L	1	5/30/03 8:07 pm	
Dimethoxymethane	ND	c	5.00	15.0	µg/L	1	5/30/03 8:07 pm
n-Butanol	ND	c	5.00	25.0	µg/L	1	5/30/03 8:07 pm

Qualifiers:
 ND - Not Detected at the Method Detection Limit
 J - Estimated or analyte detected below quantitation limit
 B - Analyte detected in the associated Method Blank
 * - Value exceeds Maximum Contaminant Level
 c - Analyte not included in our scope of accreditation

S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 E - Value above quantitation range
 H - Analysis run past method holding time
 DF - Dilution Factor

MDL-Certified
Printed 2003



Suburban Laboratories, Inc.

4140 Litt Drive Hillside, IL 60162 (708) 544-3260

Laboratory Results

Client ID: CCL Custom Mfg., Inc.

Workorder #: 03050819

Workorder Name: CCL-Danville 2nd Quarter ground water monito

Date: Wednesday, June 04, 2003

Lab Sample #: 03050819-16A	Collection Date: 5/19/03 9:40:00 AM
Client Sample ID: MW-9C	Received Date: 5/22/03 9:00:00 AM
Matrix: GROUNDWATER	

Analyses	Result	Qual	MDL	PQL	Units	DF	Date Analyzed
VOLATILE ORGANIC COMPOUNDS		Method:	SW8260B				Analyst: BK
1,1,1-Trichloroethane	ND		0.222	1.00	µg/L	1	5/30/03 8:41 pm
1,1,2,2-Tetrachloroethane	ND		0.331	1.00	µg/L	1	5/30/03 8:41 pm
1,1,2-Trichloroethane	ND		0.692	1.00	µg/L	1	5/30/03 8:41 pm
1,1-Dichloroethane	ND		0.240	1.00	µg/L	1	5/30/03 8:41 pm
1,1-Dichloroethene	ND		0.514	1.00	µg/L	1	5/30/03 8:41 pm
1,2-Dibromo-3-chloropropane	ND		1.00	1.00	µg/L	1	5/30/03 8:41 pm
1,2-Dichlorobenzene	ND		0.301	1.00	µg/L	1	5/30/03 8:41 pm
1,2-Dichloroethane	ND		0.292	1.00	µg/L	1	5/30/03 8:41 pm
1,2-Dichloropropane	ND		0.449	1.00	µg/L	1	5/30/03 8:41 pm
1,3-Dichlorobenzene	ND		0.304	1.00	µg/L	1	5/30/03 8:41 pm
1,4-Dichlorobenzene	ND		0.354	1.00	µg/L	1	5/30/03 8:41 pm
2-Butanone	ND		1.51	5.00	µg/L	1	5/30/03 8:41 pm
2-Chloroethyl vinyl ether	ND		0.448	1.00	µg/L	1	5/30/03 8:41 pm
2-Hexanone	ND		0.745	1.00	µg/L	1	5/30/03 8:41 pm
4-Methyl-2-pentanone	ND		0.610	5.00	µg/L	1	5/30/03 8:41 pm
Acetone	ND		2.96	5.00	µg/L	1	5/30/03 8:41 pm
Acrolein	ND		1.71	5.00	µg/L	1	5/30/03 8:41 pm
Acrylonitrile	ND		1.03	5.00	µg/L	1	5/30/03 8:41 pm
Benzene	ND		0.317	1.00	µg/L	1	5/30/03 8:41 pm
Bromodichloromethane	ND		0.202	1.00	µg/L	1	5/30/03 8:41 pm
Bromoform	ND		0.501	1.00	µg/L	1	5/30/03 8:41 pm
Bromomethane	ND		2.45	5.00	µg/L	1	5/30/03 8:41 pm
Carbon disulfide	ND		0.398	1.00	µg/L	1	5/30/03 8:41 pm
Carbon tetrachloride	ND		0.383	1.00	µg/L	1	5/30/03 8:41 pm
Chlorobenzene	ND		0.361	1.00	µg/L	1	5/30/03 8:41 pm
Chloroethane	ND		4.02	1.00	µg/L	1	5/30/03 8:41 pm

Qualifiers:

- ND - Not Detected at the Method Detection Limit
- J - Estimated or analyte detected below quantitation limit
- B - Analyte detected in the associated Method Blank
- * - Value exceeds Maximum Contaminant Level
- c - Analyte not included in our scope of accreditation

MDL-Captions
Practice2003

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
E - Value above quantitation range
H - Analysis run past method holding time
DF - Dilution Factor



Suburban Laboratories, Inc.

4140 Litt Drive Hillside, IL 60162 (708) 544-3260

Laboratory Results

Client ID: CCL Custom Mfg., Inc.

Workorder #: 03050819

Workorder Name: CCL-Danville 2nd Quarter ground water monito

Date: Wednesday, June 04, 2003

Chloroform	ND	0.224	1.00	µg/L	1	5/30/03 8:41 pm
Chloromethane	ND	1.10	5.00	µg/L	1	5/30/03 8:41 pm
cis-1,2-Dichloroethene	ND	0.286	1.00	µg/L	1	5/30/03 8:41 pm
cis-1,3-Dichloropropene	ND	0.291	1.00	µg/L	1	5/30/03 8:41 pm
Dibromochloromethane	ND	0.342	1.00	µg/L	1	5/30/03 8:41 pm
Dichlorodifluoromethane	ND	0.672	1.00	µg/L	1	5/30/03 8:41 pm
Ethylbenzene	ND	0.376	1.00	µg/L	1	5/30/03 8:41 pm
m,p-Xylene	ND	0.852	2.00	µg/L	1	5/30/03 8:41 pm
Methyl tert-butyl ether	ND	0.262	1.00	µg/L	1	5/30/03 8:41 pm
Methylene chloride	ND	0.394	5.00	µg/L	1	5/30/03 8:41 pm
o-Xylene	ND	0.545	1.00	µg/L	1	5/30/03 8:41 pm
Styrene	ND	0.339	1.00	µg/L	1	5/30/03 8:41 pm
Tetrachloroethene	ND	0.803	1.00	µg/L	1	5/30/03 8:41 pm
Toluene	ND	0.383	1.00	µg/L	1	5/30/03 8:41 pm
trans-1,2-Dichloroethene	ND	0.542	1.00	µg/L	1	5/30/03 8:41 pm
trans-1,3-Dichloropropene	ND	0.350	1.00	µg/L	1	5/30/03 8:41 pm
Trichloroethene	ND	0.518	1.00	µg/L	1	5/30/03 8:41 pm
Trichlorofluoromethane	ND	0.337	1.00	µg/L	1	5/30/03 8:41 pm
Vinyl chloride	ND	0.423	1.00	µg/L	1	5/30/03 8:41 pm
Surr: 4-Bromofluorobenzene	95.3	0	67.9-119	%REC	1	5/30/03 8:41 pm
Surr: Dibromofluoromethane	93.1	0	62.3-122	%REC	1	5/30/03 8:41 pm
Surr: Toluene-d8	100	0	68.2-119	%REC	1	5/30/03 8:41 pm

VOCS, EXTENDED ANALYTE LIST

Method: SW8260B

Analyst: BK

1,4-Dioxane	ND	4.86	14.6	µg/L	1	5/30/03 8:41 pm	
Dimethoxymethane	ND	c	5.00	15.0	µg/L	1	5/30/03 8:41 pm
n-Butanol	ND	c	5.00	25.0	µg/L	1	5/30/03 8:41 pm

Qualifiers:

ND - Not Detected at the Method Detection Limit

S - Spike Recovery outside accepted recovery limits

J - Estimated or analyte detected below quantitation limit

R - RPD outside accepted recovery limits

B - Analyte detected in the associated Method Blank

E - Value above quantitation range

* - Value exceeds Maximum Contaminant Level

H - Analysis run past method holding time

c - Analyte not included in our scope of accreditation

DF - Dilution Factor



Suburban Laboratories, Inc.

4140 Litt Drive Hillside, IL 60162 (708) 544-3260

Laboratory Results

Client ID: CCL Custom Mfg., Inc.

Workorder #: 03050819

Workorder Name: CCL-Danville 2nd Quarter ground water monito

Date: Wednesday, June 04, 2003

Lab Sample #: 03050819-17A

Collection Date: 5/20/03 10:15:00 AM

Client Sample ID: AS-1

Received Date: 5/22/03 9:00:00 AM

Matrix: GROUNDWATER

Analyses	Result	Qual	MDL	PQL	Units	DF	Date Analyzed
VOLATILE ORGANIC COMPOUNDS			Method:	SW8260B			Analyst: BK
1,1,1-Trichloroethane	ND		22.2	100	µg/L	100	6/1/03 10:19 pm
1,1,2,2-Tetrachloroethane	ND		33.1	100	µg/L	100	6/1/03 10:19 pm
1,1,2-Trichloroethane	ND		69.2	100	µg/L	100	6/1/03 10:19 pm
1,1-Dichloroethane	82	J	24.0	100	µg/L	100	6/1/03 10:19 pm
1,1-Dichloroethene	ND		51.4	100	µg/L	100	6/1/03 10:19 pm
1,2-Dibromo-3-chloropropane	ND		100	100	µg/L	100	6/1/03 10:19 pm
1,2-Dichlorobenzene	ND		30.1	100	µg/L	100	6/1/03 10:19 pm
1,2-Dichloroethane	ND		29.2	100	µg/L	100	6/1/03 10:19 pm
1,2-Dichloropropane	ND		44.9	100	µg/L	100	6/1/03 10:19 pm
1,3-Dichlorobenzene	ND		30.4	100	µg/L	100	6/1/03 10:19 pm
1,4-Dichlorobenzene	ND		35.4	100	µg/L	100	6/1/03 10:19 pm
2-Butanone	ND		151	500	µg/L	100	6/1/03 10:19 pm
2-Chloroethyl vinyl ether	ND		44.8	100	µg/L	100	6/1/03 10:19 pm
2-Hexanone	ND		74.5	100	µg/L	100	6/1/03 10:19 pm
4-Methyl-2-pentanone	ND		61.0	500	µg/L	100	6/1/03 10:19 pm
Acetone	ND		296	500	µg/L	100	6/1/03 10:19 pm
Acrolein	ND		171	500	µg/L	100	6/1/03 10:19 pm
Acrylonitrile	ND		103	500	µg/L	100	6/1/03 10:19 pm
Benzene	ND		31.7	100	µg/L	100	6/1/03 10:19 pm
Bromodichloromethane	ND		20.2	100	µg/L	100	6/1/03 10:19 pm
Bromoform	ND		50.1	100	µg/L	100	6/1/03 10:19 pm
Bromomethane	ND		245	500	µg/L	100	6/1/03 10:19 pm
Carbon disulfide	ND		39.8	100	µg/L	100	6/1/03 10:19 pm
Carbon tetrachloride	ND		38.3	100	µg/L	100	6/1/03 10:19 pm
Chlorobenzene	ND		36.1	100	µg/L	100	6/1/03 10:19 pm
Chloroethane	ND		402	100	µg/L	100	6/1/03 10:19 pm

Qualifiers:

ND - Not Detected at the Method Detection Limit

S - Spike Recovery outside accepted recovery limits

J - Estimated or analyte detected below quantitation limit

R - RPD outside accepted recovery limits

B - Analyte detected in the associated Method Blank

E - Value above quantitation range

* - Value exceeds Maximum Contaminant Level

H - Analysis run past method holding time

c - Analyte not included in our scope of accreditation

DF - Dilution Factor



Suburban Laboratories, Inc.

4140 Litt Drive Hillside, IL 60162 (708) 544-3260

Laboratory Results

Client ID: CCL Custom Mfg., Inc.

Workorder #: 03050819

Workorder Name: CCL-Danville 2nd Quarter ground water monito

Date: Wednesday, June 04, 2003

Chloroform	ND	22.4	100	µg/L	100	6/1/03 10:19 pm	
Chloromethane	ND	110	500	µg/L	100	6/1/03 10:19 pm	
cis-1,2-Dichloroethene	1,980	28.6	100	µg/L	100	6/1/03 10:19 pm	
cis-1,3-Dichloropropene	ND	29.1	100	µg/L	100	6/1/03 10:19 pm	
Dibromochloromethane	ND	34.2	100	µg/L	100	6/1/03 10:19 pm	
Dichlorodifluoromethane	142	67.2	100	µg/L	100	6/1/03 10:19 pm	
Ethylbenzene	ND	37.6	100	µg/L	100	6/1/03 10:19 pm	
m,p-Xylene	ND	85.2	200	µg/L	100	6/1/03 10:19 pm	
Methyl tert-butyl ether	ND	26.2	100	µg/L	100	6/1/03 10:19 pm	
Methylene chloride	260	J	39.4	500	µg/L	100	6/1/03 10:19 pm
o-Xylene	ND	54.5	100	µg/L	100	6/1/03 10:19 pm	
Styrene	ND	33.9	100	µg/L	100	6/1/03 10:19 pm	
Tetrachloroethene	816	80.3	100	µg/L	100	6/1/03 10:19 pm	
Toluene	ND	38.3	100	µg/L	100	6/1/03 10:19 pm	
trans-1,2-Dichloroethene	ND	54.2	100	µg/L	100	6/1/03 10:19 pm	
trans-1,3-Dichloropropene	ND	35.0	100	µg/L	100	6/1/03 10:19 pm	
Trichloroethene	494	51.8	100	µg/L	100	6/1/03 10:19 pm	
Trichlorofluoromethane	4,840	33.7	100	µg/L	100	6/1/03 10:19 pm	
Vinyl chloride	149	42.3	100	µg/L	100	6/1/03 10:19 pm	
Surr: 4-Bromofluorobenzene	98.1	0	67.9-119	%REC	100	6/1/03 10:19 pm	
Surr: Dibromofluoromethane	95.7	0	62.3-122	%REC	100	6/1/03 10:19 pm	
Surr: Toluene-d8	101	0	68.2-119	%REC	100	6/1/03 10:19 pm	
VOCS, EXTENDED ANALYTE LIST		Method:	SW8260B		Analyst:	BK	
1,4-Dioxane	ND	486	1,460	µg/L	100	6/1/03 10:19 pm	
Dimethoxymethane	ND	c	500	1,500	µg/L	100	6/1/03 10:19 pm
n-Butanol	ND	c	500	2,500	µg/L	100	6/1/03 10:19 pm

Qualifiers:

ND - Not Detected at the Method Detection Limit

S - Spike Recovery outside accepted recovery limits

J - Estimated or analyte detected below quantitation limit

R - RPD outside accepted recovery limits

B - Analyte detected in the associated Method Blank

E - Value above quantitation range

* - Value exceeds Maximum Contaminant Level

H - Analysis run past method holding time

c - Analyte not included in our scope of accreditation

DF - Dilution Factor

MDL-Continuous
Practice2003



Suburban Laboratories, Inc.

4140 Litt Drive Hillside, IL 60162 (708) 544-3260

Laboratory Results

Client ID: CCL Custom Mfg., Inc.

Workorder #: 03050819

Workorder Name: CCL-Danville 2nd Quarter ground water monito

Date: Wednesday, June 04, 2003

Lab Sample #: 03050819-18A	Collection Date: 5/20/03 10:00:00 AM
Client Sample ID: 1PS-2	Received Date: 5/22/03 9:00:00 AM
Matrix: GROUNDWATER	

Analyses	Result	Qual	MDL	PQL	Units	DF	Date Analyzed
VOLATILE ORGANIC COMPOUNDS		Method:	SW8260B				Analyst: BK
1,1,1-Trichloroethane	58.7		0.222	1.00	µg/L	1	5/30/03 9:14 pm
1,1,2,2-Tetrachloroethane	ND		0.331	1.00	µg/L	1	5/30/03 9:14 pm
1,1,2-Trichloroethane	ND		0.692	1.00	µg/L	1	5/30/03 9:14 pm
1,1-Dichloroethane	72.1		0.240	1.00	µg/L	1	5/30/03 9:14 pm
1,1-Dichloroethene	6.38		0.514	1.00	µg/L	1	5/30/03 9:14 pm
1,2-Dibromo-3-chloropropane	ND		1.00	1.00	µg/L	1	5/30/03 9:14 pm
1,2-Dichlorobenzene	ND		0.301	1.00	µg/L	1	5/30/03 9:14 pm
1,2-Dichloroethane	ND		0.292	1.00	µg/L	1	5/30/03 9:14 pm
1,2-Dichloropropane	ND		0.449	1.00	µg/L	1	5/30/03 9:14 pm
1,3-Dichlorobenzene	ND		0.304	1.00	µg/L	1	5/30/03 9:14 pm
1,4-Dichlorobenzene	ND		0.354	1.00	µg/L	1	5/30/03 9:14 pm
2-Butanone	ND		1.51	5.00	µg/L	1	5/30/03 9:14 pm
2-Chloroethyl vinyl ether	ND		0.448	1.00	µg/L	1	5/30/03 9:14 pm
2-Hexanone	ND		0.745	1.00	µg/L	1	5/30/03 9:14 pm
4-Methyl-2-pentanone	ND		0.610	5.00	µg/L	1	5/30/03 9:14 pm
Acetone	ND		2.96	5.00	µg/L	1	5/30/03 9:14 pm
Acrolein	ND		1.71	5.00	µg/L	1	5/30/03 9:14 pm
Acrylonitrile	ND		1.03	5.00	µg/L	1	5/30/03 9:14 pm
Benzene	ND		0.317	1.00	µg/L	1	5/30/03 9:14 pm
Bromodichloromethane	ND		0.202	1.00	µg/L	1	5/30/03 9:14 pm
Bromoform	ND		0.501	1.00	µg/L	1	5/30/03 9:14 pm
Bromomethane	ND		2.45	5.00	µg/L	1	5/30/03 9:14 pm
Carbon disulfide	ND		0.398	1.00	µg/L	1	5/30/03 9:14 pm
Carbon tetrachloride	ND		0.383	1.00	µg/L	1	5/30/03 9:14 pm
Chlorobenzene	ND		0.361	1.00	µg/L	1	5/30/03 9:14 pm
Chloroethane	ND		4.02	1.00	µg/L	1	5/30/03 9:14 pm

Qualifiers:
 ND - Not Detected at the Method Detection Limit
 J - Estimated or analyte detected below quantitation limit
 B - Analyte detected in the associated Method Blank
 * - Value exceeds Maximum Contaminant Level
 c - Analyte not included in our scope of accreditation

S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 E - Value above quantitation range
 H - Analysis run past method holding time
 DF - Dilution Factor

MDL-Continuous
Sampling2003



Suburban Laboratories, Inc.

4140 Litt Drive Hillside, IL 60162 (708) 544-3260

Laboratory Results

Client ID: CCL Custom Mfg., Inc.

Workorder #: 03050819

Workorder Name: CCL-Danville 2nd Quarter ground water monito

Date: Wednesday, June 04, 2003

Chloroform	ND	0.224	1.00	µg/L	1	5/30/03 9:14 pm
Chloromethane	ND	1.10	5.00	µg/L	1	5/30/03 9:14 pm
cis-1,2-Dichloroethene	192	0.286	1.00	µg/L	1	5/30/03 9:14 pm
cis-1,3-Dichloropropene	ND	0.291	1.00	µg/L	1	5/30/03 9:14 pm
Dibromochloromethane	ND	0.342	1.00	µg/L	1	5/30/03 9:14 pm
Dichlorodifluoromethane	ND	0.672	1.00	µg/L	1	5/30/03 9:14 pm
Ethylbenzene	ND	0.376	1.00	µg/L	1	5/30/03 9:14 pm
m,p-Xylene	ND	0.852	2.00	µg/L	1	5/30/03 9:14 pm
Methyl tert-butyl ether	ND	0.262	1.00	µg/L	1	5/30/03 9:14 pm
Methylene chloride	ND	0.394	5.00	µg/L	1	5/30/03 9:14 pm
o-Xylene	ND	0.545	1.00	µg/L	1	5/30/03 9:14 pm
Styrene	ND	0.339	1.00	µg/L	1	5/30/03 9:14 pm
Tetrachloroethene	25.2	0.803	1.00	µg/L	1	5/30/03 9:14 pm
Toluene	ND	0.383	1.00	µg/L	1	5/30/03 9:14 pm
trans-1,2-Dichloroethene	6.06	0.542	1.00	µg/L	1	5/30/03 9:14 pm
trans-1,3-Dichloropropene	ND	0.350	1.00	µg/L	1	5/30/03 9:14 pm
Trichloroethene	61.0	0.518	1.00	µg/L	1	5/30/03 9:14 pm
Trichlorofluoromethane	8.25	0.337	1.00	µg/L	1	5/30/03 9:14 pm
Vinyl chloride	12.7	0.423	1.00	µg/L	1	5/30/03 9:14 pm
Surr: 4-Bromofluorobenzene	95.2	0	67.9-119	%REC	1	5/30/03 9:14 pm
Surr: Dibromofluoromethane	93.5	0	62.3-122	%REC	1	5/30/03 9:14 pm
Surr: Toluene-d8	94.4	0	68.2-119	%REC	1	5/30/03 9:14 pm

VOCS, EXTENDED ANALYTE LIST

Method: SW8260B Analyst: BK

1,4-Dioxane	ND	4.86	14.6	µg/L	1	5/30/03 9:14 pm	
Dimethoxymethane	10	J c	5.00	15.0	µg/L	1	5/30/03 9:14 pm
n-Butanol	ND	c	5.00	25.0	µg/L	1	5/30/03 9:14 pm

Qualifiers:

ND - Not Detected at the Method Detection Limit

S - Spike Recovery outside accepted recovery limits

J - Estimated or analyte detected below quantitation limit

R - RPD outside accepted recovery limits

B - Analyte detected in the associated Method Blank

E - Value above quantitation range

* - Value exceeds Maximum Contaminant Level

H - Analysis run past method holding time

c - Analyte not included in our scope of accreditation

DF - Dilution Factor

MDL-Certified
Results 2003



Suburban Laboratories, Inc.

4140 Litt Drive Hillside, IL 60162 (708) 544-3260

Laboratory Results

Client ID: CCL Custom Mfg., Inc.

Workorder #: 03050819

Workorder Name: CCL-Danville 2nd Quarter ground water monito

Date: Wednesday, June 04, 2003

Lab Sample #: 03050819-19A

Collection Date: 5/19/03 2:30:00 PM

Client Sample ID: MW-5E

Received Date: 5/22/03 9:00:00 AM

Matrix: GROUNDWATER

Analyses	Result	Qual	MDL	PQL	Units	DF	Date Analyzed
VOLATILE ORGANIC COMPOUNDS			Method:	SW8260B			Analyst: BK
1,1,1-Trichloroethane	ND		0.222	1.00	µg/L	1	6/2/03 3:49 pm
1,1,2,2-Tetrachloroethane	ND		0.331	1.00	µg/L	1	6/2/03 3:49 pm
1,1,2-Trichloroethane	ND		0.692	1.00	µg/L	1	6/2/03 3:49 pm
1,1-Dichloroethane	ND		0.240	1.00	µg/L	1	6/2/03 3:49 pm
1,1-Dichloroethene	ND		0.514	1.00	µg/L	1	6/2/03 3:49 pm
1,2-Dibromo-3-chloropropane	ND		1.00	1.00	µg/L	1	6/2/03 3:49 pm
1,2-Dichlorobenzene	ND		0.301	1.00	µg/L	1	6/2/03 3:49 pm
1,2-Dichloroethane	ND		0.292	1.00	µg/L	1	6/2/03 3:49 pm
1,2-Dichloropropane	ND		0.449	1.00	µg/L	1	6/2/03 3:49 pm
1,3-Dichlorobenzene	ND		0.304	1.00	µg/L	1	6/2/03 3:49 pm
1,4-Dichlorobenzene	ND		0.354	1.00	µg/L	1	6/2/03 3:49 pm
2-Butanone	ND		1.51	5.00	µg/L	1	6/2/03 3:49 pm
2-Chloroethyl vinyl ether	ND		0.448	1.00	µg/L	1	6/2/03 3:49 pm
2-Hexanone	ND		0.745	1.00	µg/L	1	6/2/03 3:49 pm
4-Methyl-2-pentanone	ND		0.610	5.00	µg/L	1	6/2/03 3:49 pm
Acetone	ND		2.96	5.00	µg/L	1	6/2/03 3:49 pm
Acrolein	ND		1.71	5.00	µg/L	1	6/2/03 3:49 pm
Acrylonitrile	ND		1.03	5.00	µg/L	1	6/2/03 3:49 pm
Benzene	ND		0.317	1.00	µg/L	1	6/2/03 3:49 pm
Bromodichloromethane	ND		0.202	1.00	µg/L	1	6/2/03 3:49 pm
Bromoform	ND		0.501	1.00	µg/L	1	6/2/03 3:49 pm
Bromomethane	ND		2.45	5.00	µg/L	1	6/2/03 3:49 pm
Carbon disulfide	ND		0.398	1.00	µg/L	1	6/2/03 3:49 pm
Carbon tetrachloride	ND		0.383	1.00	µg/L	1	6/2/03 3:49 pm
Chlorobenzene	ND		0.361	1.00	µg/L	1	6/2/03 3:49 pm
Chloroethane	ND		4.02	1.00	µg/L	1	6/2/03 3:49 pm

Qualifiers:

ND - Not Detected at the Method Detection Limit

S - Spike Recovery outside accepted recovery limits

J - Estimated or analyte detected below quantitation limit

R - RPD outside accepted recovery limits

B - Analyte detected in the associated Method Blank

E - Value above quantitation range

* - Value exceeds Maximum Contaminant Level

H - Analysis run past method holding time

c - Analyte not included in our scope of accreditation

DF - Dilution Factor



Suburban Laboratories, Inc.

4140 Litt Drive Hillside, IL 60162 (708) 544-3260

Laboratory Results

Client ID: CCL Custom Mfg., Inc. **Workorder #:** 03050819
Workorder Name: CCL-Danville 2nd Quarter ground water monito **Date:** Wednesday, June 04, 2003

Chloroform	ND	0.224	1.00	µg/L	1	6/2/03 3:49 pm
Chloromethane	ND	1.10	5.00	µg/L	1	6/2/03 3:49 pm
cis-1,2-Dichloroethene	ND	0.286	1.00	µg/L	1	6/2/03 3:49 pm
cis-1,3-Dichloropropene	ND	0.291	1.00	µg/L	1	6/2/03 3:49 pm
Dibromochloromethane	ND	0.342	1.00	µg/L	1	6/2/03 3:49 pm
Dichlorodifluoromethane	ND	0.672	1.00	µg/L	1	6/2/03 3:49 pm
Ethylbenzene	ND	0.376	1.00	µg/L	1	6/2/03 3:49 pm
m,p-Xylene	ND	0.852	2.00	µg/L	1	6/2/03 3:49 pm
Methyl tert-butyl ether	ND	0.262	1.00	µg/L	1	6/2/03 3:49 pm
Methylene chloride	ND	0.394	5.00	µg/L	1	6/2/03 3:49 pm
o-Xylene	ND	0.545	1.00	µg/L	1	6/2/03 3:49 pm
Styrene	ND	0.339	1.00	µg/L	1	6/2/03 3:49 pm
Tetrachloroethene	ND	0.803	1.00	µg/L	1	6/2/03 3:49 pm
Toluene	ND	0.383	1.00	µg/L	1	6/2/03 3:49 pm
trans-1,2-Dichloroethene	ND	0.542	1.00	µg/L	1	6/2/03 3:49 pm
trans-1,3-Dichloropropene	ND	0.350	1.00	µg/L	1	6/2/03 3:49 pm
Trichloroethene	ND	0.518	1.00	µg/L	1	6/2/03 3:49 pm
Trichlorofluoromethane	ND	0.337	1.00	µg/L	1	6/2/03 3:49 pm
Vinyl chloride	ND	0.423	1.00	µg/L	1	6/2/03 3:49 pm
Surr: 4-Bromofluorobenzene	96.8	0	67.9-119	%REC	1	6/2/03 3:49 pm
Surr: Dibromofluoromethane	94.6	0	62.3-122	%REC	1	6/2/03 3:49 pm
Surr: Toluene-d8	100	0	68.2-119	%REC	1	6/2/03 3:49 pm

VOCS, EXTENDED ANALYTE LIST

1,4-Dioxane	ND	Method:	SW8260B	Analyst:	BK
Dimethoxymethane	ND	c	4.86	14.6	µg/L
n-Butanol	ND	c	5.00	15.0	µg/L
			5.00	25.0	µg/L

Qualifiers:
 ND - Not Detected at the Method Detection Limit
 J - Estimated or analyte detected below quantitation limit
 B - Analyte detected in the associated Method Blank
 * - Value exceeds Maximum Contaminant Level
 c - Analyte not included in our scope of accreditation

S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 E - Value above quantitation range
 H - Analysis run past method holding time
 DF - Dilution Factor

MDL-Certified
Fraction2003



Suburban Laboratories, Inc.

4140 Litt Drive Hillside, IL 60162 (708) 544-3260

Laboratory Results

Client ID: CCL Custom Mfg., Inc.

Workorder #: 03050819

Workorder Name: CCL-Danville 2nd Quarter ground water monito

Date: Wednesday, June 04, 2003

Lab Sample #: 03050819-20A

Collection Date: 5/19/03 1:05:00 PM

Client Sample ID: MW-5

Received Date: 5/22/03 9:00:00 AM

Matrix: GROUNDWATER

Analyses	Result	Qual	MDL	PQL	Units	DF	Date Analyzed
VOLATILE ORGANIC COMPOUNDS			Method:	SW8260B			Analyst: BK
1,1,1-Trichloroethane	4.27		0.222	1.00	µg/L	1	6/2/03 4:23 pm
1,1,2,2-Tetrachloroethane	ND		0.331	1.00	µg/L	1	6/2/03 4:23 pm
1,1,2-Trichloroethane	ND		0.692	2.08	µg/L	1	6/2/03 4:23 pm
1,1-Dichloroethane	9.03		0.240	1.00	µg/L	1	6/2/03 4:23 pm
1,1-Dichloroethene	ND		0.514	1.00	µg/L	1	6/2/03 4:23 pm
1,2-Dibromo-3-chloropropane	ND		1.00	1.00	µg/L	1	6/2/03 4:23 pm
1,2-Dichlorobenzene	ND		0.301	1.00	µg/L	1	6/2/03 4:23 pm
1,2-Dichloroethane	ND		0.292	1.00	µg/L	1	6/2/03 4:23 pm
1,2-Dichloropropane	ND		0.449	1.00	µg/L	1	6/2/03 4:23 pm
1,3-Dichlorobenzene	ND		0.304	1.00	µg/L	1	6/2/03 4:23 pm
1,4-Dichlorobenzene	ND		0.354	1.00	µg/L	1	6/2/03 4:23 pm
2-Butanone	ND		1.51	5.00	µg/L	1	6/2/03 4:23 pm
2-Chloroethyl vinyl ether	ND		0.448	1.00	µg/L	1	6/2/03 4:23 pm
2-Hexanone	ND		0.745	1.00	µg/L	1	6/2/03 4:23 pm
4-Methyl-2-pentanone	ND		0.610	5.00	µg/L	1	6/2/03 4:23 pm
Acetone	ND		2.96	5.00	µg/L	1	6/2/03 4:23 pm
Acrolein	ND		1.71	5.00	µg/L	1	6/2/03 4:23 pm
Acrylonitrile	ND		1.03	5.00	µg/L	1	6/2/03 4:23 pm
Benzene	ND		0.317	1.00	µg/L	1	6/2/03 4:23 pm
Bromodichloromethane	ND		0.202	1.00	µg/L	1	6/2/03 4:23 pm
Bromoform	ND		0.501	1.00	µg/L	1	6/2/03 4:23 pm
Bromomethane	ND		2.45	5.00	µg/L	1	6/2/03 4:23 pm
Carbon disulfide	ND		0.398	1.00	µg/L	1	6/2/03 4:23 pm
Carbon tetrachloride	ND		0.383	1.00	µg/L	1	6/2/03 4:23 pm
Chlorobenzene	ND		0.361	1.00	µg/L	1	6/2/03 4:23 pm
Chloroethane	ND		4.02	1.00	µg/L	1	6/2/03 4:23 pm

Qualifiers:

ND - Not Detected at the Method Detection Limit

S - Spike Recovery outside accepted recovery limits

J - Estimated or analyte detected below quantitation limit

R - RPD outside accepted recovery limits

B - Analyte detected in the associated Method Blank

E - Value above quantitation range

* - Value exceeds Maximum Contaminant Level

H - Analysis run past method holding time

c - Analyte not included in our scope of accreditation

DF - Dilution Factor

MDL-Continuous
Fractions2003



Suburban Laboratories, Inc.

4140 Litt Drive Hillside, IL 60162 (708) 544-3260

Laboratory Results

Client ID: CCL Custom Mfg., Inc.

Workorder #: 03050819

Workorder Name: CCL-Danville 2nd Quarter ground water monito

Date: Wednesday, June 04, 2003

Chloroform	0.52	J	0.224	1.00	µg/L	1	6/2/03 4:23 pm
Chloromethane	ND		1.10	5.00	µg/L	1	6/2/03 4:23 pm
cis-1,2-Dichloroethene	10.5		0.286	1.00	µg/L	1	6/2/03 4:23 pm
cis-1,3-Dichloropropene	ND		0.291	1.00	µg/L	1	6/2/03 4:23 pm
Dibromochloromethane	ND		0.342	1.00	µg/L	1	6/2/03 4:23 pm
Dichlorodifluoromethane	ND		0.672	1.00	µg/L	1	6/2/03 4:23 pm
Ethylbenzene	ND		0.376	1.00	µg/L	1	6/2/03 4:23 pm
m,p-Xylene	ND		0.852	2.00	µg/L	1	6/2/03 4:23 pm
Methyl tert-butyl ether	ND		0.262	1.00	µg/L	1	6/2/03 4:23 pm
Methylene chloride	ND		0.394	5.00	µg/L	1	6/2/03 4:23 pm
o-Xylene	ND		0.545	1.00	µg/L	1	6/2/03 4:23 pm
Styrene	ND		0.339	1.00	µg/L	1	6/2/03 4:23 pm
tert-Butylbenzene	ND		0.253	0.758	µg/L	1	6/2/03 4:23 pm
Tetrachloroethene	22.1		0.803	2.41	µg/L	1	6/2/03 4:23 pm
Tetrahydrofuran	ND	c	0.835	2.50	µg/L	1	6/2/03 4:23 pm
Toluene	ND		0.383	1.15	µg/L	1	6/2/03 4:23 pm
trans-1,2-Dichloroethene	ND		0.542	1.63	µg/L	1	6/2/03 4:23 pm
trans-1,3-Dichloropropene	ND		0.350	1.05	µg/L	1	6/2/03 4:23 pm
Trichloroethene	6.16		0.518	1.55	µg/L	1	6/2/03 4:23 pm
Trichlorofluoromethane	1.53		0.337	1.01	µg/L	1	6/2/03 4:23 pm
Vinyl acetate	ND		1.00	3.00	µg/L	1	6/2/03 4:23 pm
Vinyl chloride	ND		0.423	1.27	µg/L	1	6/2/03 4:23 pm
Surr: 4-Bromofluorobenzene	96.7		0	67.9-119	%REC	1	6/2/03 4:23 pm
Surr: Dibromofluoromethane	96.4		0	62.3-122	%REC	1	6/2/03 4:23 pm
Surr: Toluene-d8	99.9		0	68.2-119	%REC	1	6/2/03 4:23 pm

VOCS, EXTENDED ANALYTE LIST

Method: SW8260B Analyst: BK

1,4-Dioxane	ND		4.86	14.6	µg/L	1	6/2/03 4:23 pm
Dimethoxymethane	ND	c	5.00	15.0	µg/L	1	6/2/03 4:23 pm
n-Butanol	ND	c	5.00	25.0	µg/L	1	6/2/03 4:23 pm

Qualifiers:

ND - Not Detected at the Method Detection Limit

S - Spike Recovery outside accepted recovery limits

J - Estimated or analyte detected below quantitation limit

R - RPD outside accepted recovery limits

B - Analyte detected in the associated Method Blank

E - Value above quantitation range

* - Value exceeds Maximum Contaminant Level

H - Analysis run past method holding time

c - Analyte not included in our scope of accreditation

DF - Dilution Factor

MDL-Certified
Precision2003



Suburban Laboratories, Inc.

4140 Litt Drive Hillside, IL 60162 (708) 544-3260

Laboratory Results

Client ID: CCL Custom Mfg., Inc.

Workorder #: 03050819

Workorder Name: CCL-Danville 2nd Quarter ground water monito

Date: Wednesday, June 04, 2003

Lab Sample #: 03050819-21A	Collection Date: 5/19/03 1:35:00 PM
Client Sample ID: MW-5B	Received Date: 5/22/03 9:00:00 AM
Matrix: GROUNDWATER	

Analyses	Result	Qual	MDL	PQL	Units	DF	Date Analyzed
VOLATILE ORGANIC COMPOUNDS							
1,1,1-Trichloroethane	31.7		0.222	1.00	µg/L	1	6/2/03 4:56 pm
1,1,2,2-Tetrachloroethane	ND		0.331	1.00	µg/L	1	6/2/03 4:56 pm
1,1,2-Trichloroethane	ND		0.692	1.00	µg/L	1	6/2/03 4:56 pm
1,1-Dichloroethane	12.5		0.240	1.00	µg/L	1	6/2/03 4:56 pm
1,1-Dichloroethene	3.00		0.514	1.00	µg/L	1	6/2/03 4:56 pm
1,2-Dibromo-3-chloropropane	ND		1.00	1.00	µg/L	1	6/2/03 4:56 pm
1,2-Dichlorobenzene	ND		0.301	1.00	µg/L	1	6/2/03 4:56 pm
1,2-Dichloroethane	ND		0.292	1.00	µg/L	1	6/2/03 4:56 pm
1,2-Dichloropropane	ND		0.449	1.00	µg/L	1	6/2/03 4:56 pm
1,3-Dichlorobenzene	ND		0.304	1.00	µg/L	1	6/2/03 4:56 pm
1,4-Dichlorobenzene	ND		0.354	1.00	µg/L	1	6/2/03 4:56 pm
2-Butanone	ND		1.51	5.00	µg/L	1	6/2/03 4:56 pm
2-Chloroethyl vinyl ether	ND		0.448	1.00	µg/L	1	6/2/03 4:56 pm
2-Hexanone	ND		0.745	1.00	µg/L	1	6/2/03 4:56 pm
4-Methyl-2-pentanone	ND		0.610	5.00	µg/L	1	6/2/03 4:56 pm
Acetone	ND		2.96	5.00	µg/L	1	6/2/03 4:56 pm
Acrolein	ND		1.71	5.00	µg/L	1	6/2/03 4:56 pm
Acrylonitrile	ND		1.03	5.00	µg/L	1	6/2/03 4:56 pm
Benzene	ND		0.317	1.00	µg/L	1	6/2/03 4:56 pm
Bromodichloromethane	ND		0.202	1.00	µg/L	1	6/2/03 4:56 pm
Bromoform	ND		0.501	1.00	µg/L	1	6/2/03 4:56 pm
Bromomethane	ND		2.45	5.00	µg/L	1	6/2/03 4:56 pm
Carbon disulfide	ND		0.398	1.00	µg/L	1	6/2/03 4:56 pm
Carbon tetrachloride	ND		0.383	1.00	µg/L	1	6/2/03 4:56 pm
Chlorobenzene	ND		0.361	1.00	µg/L	1	6/2/03 4:56 pm
Chloroethane	ND		4.02	1.00	µg/L	1	6/2/03 4:56 pm

Qualifiers:
ND - Not Detected at the Method Detection Limit
J - Estimated or analyte detected below quantitation limit
B - Analyte detected in the associated Method Blank
* - Value exceeds Maximum Contaminant Level
c - Analyte not included in our scope of accreditation

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
E - Value above quantitation range
H - Analysis run past method holding time
DF - Dilution Factor

MDL-Continuous
Fraction2003



Suburban Laboratories, Inc.

4140 Litt Drive Hillside, IL 60162 (708) 544-3260

Laboratory Results

Client ID: CCL Custom Mfg., Inc.

Workorder #: 03050819

Workorder Name: CCL-Danville 2nd Quarter ground water monito

Date: Wednesday, June 04, 2003

Chloroform	0.68	J	0.224	1.00	µg/L	1	6/2/03 4:56 pm
Chloromethane	ND		1.10	5.00	µg/L	1	6/2/03 4:56 pm
cis-1,2-Dichloroethene	42.6		0.286	1.00	µg/L	1	6/2/03 4:56 pm
cis-1,3-Dichloropropene	ND		0.291	1.00	µg/L	1	6/2/03 4:56 pm
Dibromochloromethane	ND		0.342	1.00	µg/L	1	6/2/03 4:56 pm
Dichlorodifluoromethane	ND		0.672	1.00	µg/L	1	6/2/03 4:56 pm
Ethylbenzene	ND		0.376	1.00	µg/L	1	6/2/03 4:56 pm
m,p-Xylene	ND		0.852	2.00	µg/L	1	6/2/03 4:56 pm
Methyl tert-butyl ether	ND		0.262	1.00	µg/L	1	6/2/03 4:56 pm
Methylene chloride	ND		0.394	5.00	µg/L	1	6/2/03 4:56 pm
o-Xylene	ND		0.545	1.00	µg/L	1	6/2/03 4:56 pm
Styrene	ND		0.339	1.00	µg/L	1	6/2/03 4:56 pm
Tetrachloroethene	84.1		0.803	1.00	µg/L	1	6/2/03 4:56 pm
Toluene	ND		0.383	1.00	µg/L	1	6/2/03 4:56 pm
trans-1,2-Dichloroethene	1.61		0.542	1.00	µg/L	1	6/2/03 4:56 pm
trans-1,3-Dichloropropene	ND		0.350	1.00	µg/L	1	6/2/03 4:56 pm
Trichloroethene	46.2		0.518	1.00	µg/L	1	6/2/03 4:56 pm
Trichlorofluoromethane	47.0		0.337	1.00	µg/L	1	6/2/03 4:56 pm
Vinyl chloride	1.55		0.423	1.00	µg/L	1	6/2/03 4:56 pm
Surr: 4-Bromofluorobenzene	96.9		0	67.9-119	%REC	1	6/2/03 4:56 pm
Surr: Dibromofluoromethane	95.9		0	62.3-122	%REC	1	6/2/03 4:56 pm
Surr: Toluene-d8	98.1		0	68.2-119	%REC	1	6/2/03 4:56 pm

VOCS, EXTENDED ANALYTE LIST

Method: SW8260B Analyst: BK

1,4-Dioxane	ND		4.86	14.6	µg/L	1	6/2/03 4:56 pm
Dimethoxymethane	ND	c	5.00	15.0	µg/L	1	6/2/03 4:56 pm
n-Butanol	ND	c	5.00	25.0	µg/L	1	6/2/03 4:56 pm

Qualifiers:

ND - Not Detected at the Method Detection Limit

S - Spike Recovery outside accepted recovery limits

J - Estimated or analyte detected below quantitation limit

R - RPD outside accepted recovery limits

B - Analyte detected in the associated Method Blank

E - Value above quantitation range

* - Value exceeds Maximum Contaminant Level

H - Analysis run past method holding time

c - Analyte not included in our scope of accreditation

DF - Dilution Factor

MDL-Continuous
Fraction2003



Suburban Laboratories, Inc.

4140 Litt Drive Hillside, IL 60162 (708) 544-3260

Laboratory Results

Client ID: CCL Custom Mfg., Inc.

Workorder #: 03050819

Workorder Name: CCL-Danville 2nd Quarter ground water monito

Date: Wednesday, June 04, 2003

Lab Sample #: 03050819-22A

Collection Date: 5/19/03

Client Sample ID: Field Blank

Received Date: 5/22/03 9:00:00 AM

Matrix: GROUNDWATER

Analyses	Result	Qual	MDL	PQL	Units	DF	Date Analyzed
VOLATILE ORGANIC COMPOUNDS		Method:	SW8260B				Analyst: BK
1,1,1-Trichloroethane	ND		0.222	1.00	µg/L	1	5/30/03 3:37 pm
1,1,2,2-Tetrachloroethane	ND		0.331	1.00	µg/L	1	5/30/03 3:37 pm
1,1,2-Trichloroethane	ND		0.692	2.08	µg/L	1	5/30/03 3:37 pm
1,1-Dichloroethane	ND		0.240	1.00	µg/L	1	5/30/03 3:37 pm
1,1-Dichloroethene	ND		0.514	1.00	µg/L	1	5/30/03 3:37 pm
1,2-Dibromo-3-chloropropane	ND		1.00	1.00	µg/L	1	5/30/03 3:37 pm
1,2-Dichlorobenzene	ND		0.301	1.00	µg/L	1	5/30/03 3:37 pm
1,2-Dichloroethane	ND		0.292	1.00	µg/L	1	5/30/03 3:37 pm
1,2-Dichloropropane	ND		0.449	1.00	µg/L	1	5/30/03 3:37 pm
1,3-Dichlorobenzene	ND		0.304	1.00	µg/L	1	5/30/03 3:37 pm
1,4-Dichlorobenzene	ND		0.354	1.00	µg/L	1	5/30/03 3:37 pm
2-Butanone	ND		1.51	5.00	µg/L	1	5/30/03 3:37 pm
2-Chloroethyl vinyl ether	ND		0.448	1.00	µg/L	1	5/30/03 3:37 pm
2-Hexanone	ND		0.745	1.00	µg/L	1	5/30/03 3:37 pm
4-Methyl-2-pentanone	ND		0.610	5.00	µg/L	1	5/30/03 3:37 pm
Acetone	ND		2.96	5.00	µg/L	1	5/30/03 3:37 pm
Acrolein	ND		1.71	5.00	µg/L	1	5/30/03 3:37 pm
Acrylonitrile	ND		1.03	5.00	µg/L	1	5/30/03 3:37 pm
Benzene	ND		0.317	1.00	µg/L	1	5/30/03 3:37 pm
Bromodichloromethane	ND		0.202	1.00	µg/L	1	5/30/03 3:37 pm
Bromoform	ND		0.501	1.00	µg/L	1	5/30/03 3:37 pm
Bromomethane	ND		2.45	5.00	µg/L	1	5/30/03 3:37 pm
Carbon disulfide	ND		0.398	1.00	µg/L	1	5/30/03 3:37 pm
Carbon tetrachloride	ND		0.383	1.00	µg/L	1	5/30/03 3:37 pm
Chlorobenzene	ND		0.361	1.00	µg/L	1	5/30/03 3:37 pm
Chloroethane	ND		4.02	1.00	µg/L	1	5/30/03 3:37 pm

Qualifiers:
 ND - Not Detected at the Method Detection Limit
 J - Estimated or analyte detected below quantitation limit
 B - Analyte detected in the associated Method Blank
 * - Value exceeds Maximum Contaminant Level
 c - Analyte not included in our scope of accreditation

S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 E - Value above quantitation range
 H - Analysis run past method holding time
 DF - Dilution Factor

MDL-Certified
Results2003



Suburban Laboratories, Inc.

4140 Litt Drive Hillside, IL 60162 (708) 544-3260

Laboratory Results

Client ID: CCL Custom Mfg., Inc.

Workorder #: 03050819

Workorder Name: CCL-Danville 2nd Quarter ground water monito

Date: Wednesday, June 04, 2003

Chloroform	ND	0.224	1.00	µg/L	1	5/30/03 3:37 pm	
Chloromethane	ND	1.10	5.00	µg/L	1	5/30/03 3:37 pm	
cis-1,2-Dichloroethene	ND	0.286	1.00	µg/L	1	5/30/03 3:37 pm	
cis-1,3-Dichloropropene	ND	0.291	1.00	µg/L	1	5/30/03 3:37 pm	
Dibromochloromethane	ND	0.342	1.00	µg/L	1	5/30/03 3:37 pm	
Dichlorodifluoromethane	ND	0.672	1.00	µg/L	1	5/30/03 3:37 pm	
Ethylbenzene	ND	0.376	1.00	µg/L	1	5/30/03 3:37 pm	
m,p-Xylene	ND	0.852	2.00	µg/L	1	5/30/03 3:37 pm	
Methyl tert-butyl ether	ND	0.262	1.00	µg/L	1	5/30/03 3:37 pm	
Methylene chloride	2.9	J	0.394	5.00	µg/L	1	5/30/03 3:37 pm
o-Xylene	ND	0.545	1.00	µg/L	1	5/30/03 3:37 pm	
Styrene	ND	0.339	1.00	µg/L	1	5/30/03 3:37 pm	
tert-Butylbenzene	ND	0.253	0.758	µg/L	1	5/30/03 3:37 pm	
Tetrachloroethene	ND	0.803	2.41	µg/L	1	5/30/03 3:37 pm	
Tetrahydrofuran	5.75	c	0.835	2.50	µg/L	1	5/30/03 3:37 pm
Toluene	ND	0.383	1.15	µg/L	1	5/30/03 3:37 pm	
trans-1,2-Dichloroethene	ND	0.542	1.63	µg/L	1	5/30/03 3:37 pm	
trans-1,3-Dichloropropene	ND	0.350	1.05	µg/L	1	5/30/03 3:37 pm	
Trichloroethene	ND	0.518	1.55	µg/L	1	5/30/03 3:37 pm	
Trichlorofluoromethane	ND	0.337	1.01	µg/L	1	5/30/03 3:37 pm	
Vinyl acetate	ND	1.00	3.00	µg/L	1	5/30/03 3:37 pm	
Vinyl chloride	ND	0.423	1.27	µg/L	1	5/30/03 3:37 pm	
Surr: 4-Bromofluorobenzene	96.1	0	67.9-119	%REC	1	5/30/03 3:37 pm	
Surr: Dibromofluoromethane	91.6	0	62.3-122	%REC	1	5/30/03 3:37 pm	
Surr: Toluene-d8	102	0	68.2-119	%REC	1	5/30/03 3:37 pm	
VOCS, EXTENDED ANALYTE LIST		Method:	SW8260B			Analyst: BK	
1,4-Dioxane	ND	4.86	14.6	µg/L	1	5/30/03 3:37 pm	
Dimethoxymethane	ND	c	5.00	15.0	µg/L	1	5/30/03 3:37 pm
n-Butanol	ND	c	5.00	25.0	µg/L	1	5/30/03 3:37 pm

Qualifiers:

ND - Not Detected at the Method Detection Limit

S - Spike Recovery outside accepted recovery limits

J - Estimated or analyte detected below quantitation limit

R - RPD outside accepted recovery limits

B - Analyte detected in the associated Method Blank

E - Value above quantitation range

* - Value exceeds Maximum Contaminant Level

H - Analysis run past method holding time

c - Analyte not included in our scope of accreditation

DF - Dilution Factor

MDL-Certified
Practice2003



Suburban Laboratories, Inc.

4140 Litt Drive Hillside, IL 60162 (708) 544-3260

Laboratory Results

Client ID: CCL Custom Mfg., Inc.

Workorder #: 03050819

Workorder Name: CCL-Danville 2nd Quarter ground water monito

Date: Wednesday, June 04, 2003

Lab Sample #: 03050819-23A

Collection Date: 5/20/03

Client Sample ID: Field Blank

Received Date: 5/22/03 9:00:00 AM

Matrix: GROUNDWATER

Analyses	Result	Qual	MDL	PQL	Units	DF	Date Analyzed
VOLATILE ORGANIC COMPOUNDS		Method:	SW8260B				Analyst: BK
1,1,1-Trichloroethane	ND		0.222	1.00	µg/L	1	5/30/03 4:11 pm
1,1,2,2-Tetrachloroethane	ND		0.331	1.00	µg/L	1	5/30/03 4:11 pm
1,1,2-Trichloroethane	ND		0.692	2.08	µg/L	1	5/30/03 4:11 pm
1,1-Dichloroethane	ND		0.240	1.00	µg/L	1	5/30/03 4:11 pm
1,1-Dichloroethene	ND		0.514	1.00	µg/L	1	5/30/03 4:11 pm
1,2-Dibromo-3-chloropropane	ND		1.00	1.00	µg/L	1	5/30/03 4:11 pm
1,2-Dichlorobenzene	ND		0.301	1.00	µg/L	1	5/30/03 4:11 pm
1,2-Dichloroethane	ND		0.292	1.00	µg/L	1	5/30/03 4:11 pm
1,2-Dichloropropane	ND		0.449	1.00	µg/L	1	5/30/03 4:11 pm
1,3-Dichlorobenzene	ND		0.304	1.00	µg/L	1	5/30/03 4:11 pm
1,4-Dichlorobenzene	ND		0.354	1.00	µg/L	1	5/30/03 4:11 pm
2-Butanone	ND		1.51	5.00	µg/L	1	5/30/03 4:11 pm
2-Chloroethyl vinyl ether	ND		0.448	1.00	µg/L	1	5/30/03 4:11 pm
2-Hexanone	ND		0.745	1.00	µg/L	1	5/30/03 4:11 pm
4-Methyl-2-pentanone	ND		0.610	5.00	µg/L	1	5/30/03 4:11 pm
Acetone	ND		2.96	5.00	µg/L	1	5/30/03 4:11 pm
Acrolein	ND		1.71	5.00	µg/L	1	5/30/03 4:11 pm
Acrylonitrile	ND		1.03	5.00	µg/L	1	5/30/03 4:11 pm
Benzene	ND		0.317	1.00	µg/L	1	5/30/03 4:11 pm
Bromodichloromethane	ND		0.202	1.00	µg/L	1	5/30/03 4:11 pm
Bromoform	ND		0.501	1.00	µg/L	1	5/30/03 4:11 pm
Bromomethane	ND		2.45	5.00	µg/L	1	5/30/03 4:11 pm
Carbon disulfide	ND		0.398	1.00	µg/L	1	5/30/03 4:11 pm
Carbon tetrachloride	ND		0.383	1.00	µg/L	1	5/30/03 4:11 pm
Chlorobenzene	ND		0.361	1.00	µg/L	1	5/30/03 4:11 pm
Chloroethane	ND		4.02	1.00	µg/L	1	5/30/03 4:11 pm

Qualifiers:

ND - Not Detected at the Method Detection Limit

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

J - Estimated or analyte detected below quantitation limit

E - Value above quantitation range

B - Analyte detected in the associated Method Blank

H - Analysis run past method holding time

* - Value exceeds Maximum Contaminant Level

DF - Dilution Factor

c - Analyte not included in our scope of accreditation



Suburban Laboratories, Inc.

4140 Litt Drive Hillside, IL 60162 (708) 544-3260

Laboratory Results

Client ID: CCL Custom Mfg., Inc.

Workorder #: 03050819

Workorder Name: CCL-Danville 2nd Quarter ground water monito

Date: Wednesday, June 04, 2003

Chloroform	ND		0.224	1.00	µg/L	1	5/30/03 4:11 pm
Chloromethane	ND		1.10	5.00	µg/L	1	5/30/03 4:11 pm
cis-1,2-Dichloroethene	ND		0.286	1.00	µg/L	1	5/30/03 4:11 pm
cis-1,3-Dichloropropene	ND		0.291	1.00	µg/L	1	5/30/03 4:11 pm
Dibromochloromethane	ND		0.342	1.00	µg/L	1	5/30/03 4:11 pm
Dichlorodifluoromethane	ND		0.672	1.00	µg/L	1	5/30/03 4:11 pm
Ethylbenzene	ND		0.376	1.00	µg/L	1	5/30/03 4:11 pm
m,p-Xylene	ND		0.852	2.00	µg/L	1	5/30/03 4:11 pm
Methyl tert-butyl ether	ND		0.262	1.00	µg/L	1	5/30/03 4:11 pm
Methylene chloride	2.7	J	0.394	5.00	µg/L	1	5/30/03 4:11 pm
o-Xylene	ND		0.545	1.00	µg/L	1	5/30/03 4:11 pm
Styrene	ND		0.339	1.00	µg/L	1	5/30/03 4:11 pm
tert-Butylbenzene	ND		0.253	0.758	µg/L	1	5/30/03 4:11 pm
Tetrachloroethene	ND		0.803	2.41	µg/L	1	5/30/03 4:11 pm
Tetrahydrofuran	5.55	c	0.835	2.50	µg/L	1	5/30/03 4:11 pm
Toluene	ND		0.383	1.15	µg/L	1	5/30/03 4:11 pm
trans-1,2-Dichloroethene	ND		0.542	1.63	µg/L	1	5/30/03 4:11 pm
trans-1,3-Dichloropropene	ND		0.350	1.05	µg/L	1	5/30/03 4:11 pm
Trichloroethene	ND		0.518	1.55	µg/L	1	5/30/03 4:11 pm
Trichlorofluoromethane	ND		0.337	1.01	µg/L	1	5/30/03 4:11 pm
Vinyl acetate	ND		1.00	3.00	µg/L	1	5/30/03 4:11 pm
Vinyl chloride	ND		0.423	1.27	µg/L	1	5/30/03 4:11 pm
Surr: 4-Bromofluorobenzene	95.4		0	67.9-119	%REC	1	5/30/03 4:11 pm
Surr: Dibromofluoromethane	92.4		0	62.3-122	%REC	1	5/30/03 4:11 pm
Surr: Toluene-d8	101		0	68.2-119	%REC	1	5/30/03 4:11 pm
VOCS, EXTENDED ANALYTE LIST			Method:	SW8260B			Analyst: BK
1,4-Dioxane	ND		4.86	14.6	µg/L	1	5/30/03 4:11 pm
Dimethoxymethane	ND	c	5.00	15.0	µg/L	1	5/30/03 4:11 pm
n-Butanol	ND	c	5.00	25.0	µg/L	1	5/30/03 4:11 pm

Qualifiers:

ND - Not Detected at the Method Detection Limit

S - Spike Recovery outside accepted recovery limits

J - Estimated or analyte detected below quantitation limit

R - RPD outside accepted recovery limits

B - Analyte detected in the associated Method Blank

E - Value above quantitation range

* - Value exceeds Maximum Contaminant Level

H - Analysis run past method holding time

c - Analyte not included in our scope of accreditation

DF - Dilution Factor

MDL-Certified
Reaction2003



Suburban Laboratories, Inc.

4140 Litt Drive Hillside, IL 60162 (708) 544-3260

Laboratory Results

Client ID: CCL Custom Mfg., Inc.

Workorder #: 03050819

Workorder Name: CCL-Danville 2nd Quarter ground water monito

Date: Wednesday, June 04, 2003

Lab Sample #: 03050819-24A

Collection Date:

Client Sample ID: Trip Blank #1

Received Date: 5/22/03 9:00:00 AM

Matrix: GROUNDWATER

Analyses	Result	Qual	MDL	PQL	Units	DF	Date Analyzed
VOLATILE ORGANIC COMPOUNDS		Method:	SW8260B				Analyst: BK
1,1,1-Trichloroethane	ND		0.222	1.00	µg/L	1	5/30/03 2:31 pm
1,1,2,2-Tetrachloroethane	ND		0.331	1.00	µg/L	1	5/30/03 2:31 pm
1,1,2-Trichloroethane	ND		0.692	2.08	µg/L	1	5/30/03 2:31 pm
1,1-Dichloroethane	ND		0.240	1.00	µg/L	1	5/30/03 2:31 pm
1,1-Dichloroethene	ND		0.514	1.00	µg/L	1	5/30/03 2:31 pm
1,2-Dibromo-3-chloropropane	ND		1.00	1.00	µg/L	1	5/30/03 2:31 pm
1,2-Dichlorobenzene	ND		0.301	1.00	µg/L	1	5/30/03 2:31 pm
1,2-Dichloroethane	ND		0.292	1.00	µg/L	1	5/30/03 2:31 pm
1,2-Dichloropropane	ND		0.449	1.00	µg/L	1	5/30/03 2:31 pm
1,3-Dichlorobenzene	ND		0.304	1.00	µg/L	1	5/30/03 2:31 pm
1,4-Dichlorobenzene	ND		0.354	1.00	µg/L	1	5/30/03 2:31 pm
2-Butanone	ND		1.51	5.00	µg/L	1	5/30/03 2:31 pm
2-Chloroethyl vinyl ether	ND		0.448	1.00	µg/L	1	5/30/03 2:31 pm
2-Hexanone	ND		0.745	1.00	µg/L	1	5/30/03 2:31 pm
4-Methyl-2-pentanone	ND		0.610	5.00	µg/L	1	5/30/03 2:31 pm
Acetone	ND		2.96	5.00	µg/L	1	5/30/03 2:31 pm
Acrolein	ND		1.71	5.00	µg/L	1	5/30/03 2:31 pm
Acrylonitrile	ND		1.03	5.00	µg/L	1	5/30/03 2:31 pm
Benzene	ND		0.317	1.00	µg/L	1	5/30/03 2:31 pm
Bromodichloromethane	ND		0.202	1.00	µg/L	1	5/30/03 2:31 pm
Bromoform	ND		0.501	1.00	µg/L	1	5/30/03 2:31 pm
Bromomethane	ND		2.45	5.00	µg/L	1	5/30/03 2:31 pm
Carbon disulfide	ND		0.398	1.00	µg/L	1	5/30/03 2:31 pm
Carbon tetrachloride	ND		0.383	1.00	µg/L	1	5/30/03 2:31 pm
Chlorobenzene	ND		0.361	1.00	µg/L	1	5/30/03 2:31 pm
Chloroethane	ND		4.02	1.00	µg/L	1	5/30/03 2:31 pm

Qualifiers:

ND - Not Detected at the Method Detection Limit

S - Spike Recovery outside accepted recovery limits

MDL-Continuous
Fraction2003

J - Estimated or analyte detected below quantitation limit

R - RPD outside accepted recovery limits

B - Analyte detected in the associated Method Blank

E - Value above quantitation range

* - Value exceeds Maximum Contaminant Level

H - Analysis run past method holding time

c - Analyte not included in our scope of accreditation

DF - Dilution Factor



Suburban Laboratories, Inc.

4140 Litt Drive Hillside, IL 60162 (708) 544-3260

Laboratory Results

Client ID: CCL Custom Mfg., Inc.

Workorder #: 03050819

Workorder Name: CCL-Danville 2nd Quarter ground water monito

Date: Wednesday, June 04, 2003

Chloroform	ND	0.224	1.00	µg/L	1	5/30/03 2:31 pm	
Chloromethane	ND	1.10	5.00	µg/L	1	5/30/03 2:31 pm	
cis-1,2-Dichloroethene	ND	0.286	1.00	µg/L	1	5/30/03 2:31 pm	
cis-1,3-Dichloropropene	ND	0.291	1.00	µg/L	1	5/30/03 2:31 pm	
Dibromochloromethane	ND	0.342	1.00	µg/L	1	5/30/03 2:31 pm	
Dichlorodifluoromethane	ND	0.672	1.00	µg/L	1	5/30/03 2:31 pm	
Ethylbenzene	ND	0.376	1.00	µg/L	1	5/30/03 2:31 pm	
m,p-Xylene	ND	0.852	2.00	µg/L	1	5/30/03 2:31 pm	
Methyl tert-butyl ether	ND	0.262	1.00	µg/L	1	5/30/03 2:31 pm	
Methylene chloride	ND	0.394	5.00	µg/L	1	5/30/03 2:31 pm	
o-Xylene	ND	0.545	1.00	µg/L	1	5/30/03 2:31 pm	
Styrene	ND	0.339	1.00	µg/L	1	5/30/03 2:31 pm	
tert-Butylbenzene	ND	0.253	0.758	µg/L	1	5/30/03 2:31 pm	
Tetrachloroethene	ND	0.803	2.41	µg/L	1	5/30/03 2:31 pm	
Tetrahydrofuran	ND	c	0.835	2.50	µg/L	1	5/30/03 2:31 pm
Toluene	ND	0.383	1.15	µg/L	1	5/30/03 2:31 pm	
trans-1,2-Dichloroethene	ND	0.542	1.63	µg/L	1	5/30/03 2:31 pm	
trans-1,3-Dichloropropene	ND	0.350	1.05	µg/L	1	5/30/03 2:31 pm	
Trichloroethene	ND	0.518	1.55	µg/L	1	5/30/03 2:31 pm	
Trichlorofluoromethane	ND	0.337	1.01	µg/L	1	5/30/03 2:31 pm	
Vinyl acetate	ND	1.00	3.00	µg/L	1	5/30/03 2:31 pm	
Vinyl chloride	ND	0.423	1.27	µg/L	1	5/30/03 2:31 pm	
Surr: 4-Bromofluorobenzene	94.9	0	67.9-119	%REC	1	5/30/03 2:31 pm	
Surr: Dibromofluoromethane	92.5	0	62.3-122	%REC	1	5/30/03 2:31 pm	
Surr: Toluene-d8	101	0	68.2-119	%REC	1	5/30/03 2:31 pm	
VOCS, EXTENDED ANALYTE LIST		Method:	SW8260B			Analyst: BK	
1,4-Dioxane	ND	4.86	14.6	µg/L	1	5/30/03 2:31 pm	
Dimethoxymethane	ND	c	5.00	15.0	µg/L	1	5/30/03 2:31 pm
n-Butanol	ND	c	5.00	25.0	µg/L	1	5/30/03 2:31 pm

Qualifiers:

ND - Not Detected at the Method Detection Limit

S - Spike Recovery outside accepted recovery limits

MDL-Certified Practice 2005

J - Estimated or analyte detected below quantitation limit

R - RPD outside accepted recovery limits

B - Analyte detected in the associated Method Blank

E - Value above quantitation range

* - Value exceeds Maximum Contaminant Level

H - Analysis run past method holding time

c - Analyte not included in our scope of accreditation

DF - Dilution Factor



Suburban Laboratories, Inc.

4140 Litt Drive Hillside, IL 60162 (708) 544-3260

Laboratory Results

Client ID: CCL Custom Mfg., Inc.

Workorder #: 03050819

Workorder Name: CCL-Danville 2nd Quarter ground water monito

Date: Wednesday, June 04, 2003

Lab Sample #: 03050819-25A	Collection Date:
Client Sample ID: Trip Blank #2	Received Date: 5/22/03 9:00:00 AM
Matrix: GROUNDWATER	

Analyses	Result	Qual	MDL	PQL	Units	DF	Date Analyzed
VOLATILE ORGANIC COMPOUNDS		Method:	SW8260B				Analyst: BK
1,1,1-Trichloroethane	ND		0.222	1.00	µg/L	1	5/30/03 3:04 pm
1,1,2,2-Tetrachloroethane	ND		0.331	1.00	µg/L	1	5/30/03 3:04 pm
1,1,2-Trichloroethane	ND		0.692	2.08	µg/L	1	5/30/03 3:04 pm
1,1-Dichloroethane	ND		0.240	1.00	µg/L	1	5/30/03 3:04 pm
1,1-Dichloroethene	ND		0.514	1.00	µg/L	1	5/30/03 3:04 pm
1,2-Dibromo-3-chloropropane	ND		1.00	1.00	µg/L	1	5/30/03 3:04 pm
1,2-Dichlorobenzene	ND		0.301	1.00	µg/L	1	5/30/03 3:04 pm
1,2-Dichloroethane	ND		0.292	1.00	µg/L	1	5/30/03 3:04 pm
1,2-Dichloropropane	ND		0.449	1.00	µg/L	1	5/30/03 3:04 pm
1,3-Dichlorobenzene	ND		0.304	1.00	µg/L	1	5/30/03 3:04 pm
1,4-Dichlorobenzene	ND		0.354	1.00	µg/L	1	5/30/03 3:04 pm
2-Butanone	ND		1.51	5.00	µg/L	1	5/30/03 3:04 pm
2-Chloroethyl vinyl ether	ND		0.448	1.00	µg/L	1	5/30/03 3:04 pm
2-Hexanone	ND		0.745	1.00	µg/L	1	5/30/03 3:04 pm
4-Methyl-2-pentanone	ND		0.610	5.00	µg/L	1	5/30/03 3:04 pm
Acetone	ND		2.96	5.00	µg/L	1	5/30/03 3:04 pm
Acrolein	ND		1.71	5.00	µg/L	1	5/30/03 3:04 pm
Acrylonitrile	ND		1.03	5.00	µg/L	1	5/30/03 3:04 pm
Benzene	ND		0.317	1.00	µg/L	1	5/30/03 3:04 pm
Bromodichloromethane	ND		0.202	1.00	µg/L	1	5/30/03 3:04 pm
Bromoform	ND		0.501	1.00	µg/L	1	5/30/03 3:04 pm
Bromomethane	ND		2.45	5.00	µg/L	1	5/30/03 3:04 pm
Carbon disulfide	ND		0.398	1.00	µg/L	1	5/30/03 3:04 pm
Carbon tetrachloride	ND		0.383	1.00	µg/L	1	5/30/03 3:04 pm
Chlorobenzene	ND		0.361	1.00	µg/L	1	5/30/03 3:04 pm
Chloroethane	ND		4.02	1.00	µg/L	1	5/30/03 3:04 pm

Qualifiers:

- ND - Not Detected at the Method Detection Limit
- J - Estimated or analyte detected below quantitation limit
- B - Analyte detected in the associated Method Blank
- * - Value exceeds Maximum Contaminant Level
- c - Analyte not included in our scope of accreditation

MDL=Method Detection Limit
PQL=Performance Quantitation Limit

S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 E - Value above quantitation range
 H - Analysis run past method holding time
 DF - Dilution Factor



Suburban Laboratories, Inc.

4140 Litt Drive Hillside, IL 60162 (708) 544-3260

Laboratory Results

Client ID:	CCL Custom Mfg., Inc.		Workorder #:	03050819			
Workorder Name:	CCL-Danville 2nd Quarter ground water monitor		Date:	Wednesday, June 04, 2003			
Chloroform	ND		0.224	1.00	µg/L	1	5/30/03 3:04 pm
Chloromethane	ND		1.10	5.00	µg/L	1	5/30/03 3:04 pm
cis-1,2-Dichloroethene	ND		0.286	1.00	µg/L	1	5/30/03 3:04 pm
cis-1,3-Dichloropropene	ND		0.291	1.00	µg/L	1	5/30/03 3:04 pm
Dibromochloromethane	ND		0.342	1.00	µg/L	1	5/30/03 3:04 pm
Dichlorodifluoromethane	ND		0.672	1.00	µg/L	1	5/30/03 3:04 pm
Ethylbenzene	ND		0.376	1.00	µg/L	1	5/30/03 3:04 pm
m,p-Xylene	ND		0.852	2.00	µg/L	1	5/30/03 3:04 pm
Methyl tert-butyl ether	ND		0.262	1.00	µg/L	1	5/30/03 3:04 pm
Methylene chloride	ND		0.394	5.00	µg/L	1	5/30/03 3:04 pm
o-Xylene	ND		0.545	1.00	µg/L	1	5/30/03 3:04 pm
Styrene	ND		0.339	1.00	µg/L	1	5/30/03 3:04 pm
tert-Butylbenzene	ND		0.253	0.758	µg/L	1	5/30/03 3:04 pm
Tetrachloroethene	ND		0.803	2.41	µg/L	1	5/30/03 3:04 pm
Tetrahydrofuran	ND	c	0.835	2.50	µg/L	1	5/30/03 3:04 pm
Toluene	ND		0.383	1.15	µg/L	1	5/30/03 3:04 pm
trans-1,2-Dichloroethene	ND		0.542	1.63	µg/L	1	5/30/03 3:04 pm
trans-1,3-Dichloropropene	ND		0.350	1.05	µg/L	1	5/30/03 3:04 pm
Trichloroethene	ND		0.518	1.55	µg/L	1	5/30/03 3:04 pm
Trichlorofluoromethane	ND		0.337	1.01	µg/L	1	5/30/03 3:04 pm
Vinyl acetate	ND		1.00	3.00	µg/L	1	5/30/03 3:04 pm
Vinyl chloride	ND		0.423	1.27	µg/L	1	5/30/03 3:04 pm
Surr: 4-Bromofluorobenzene	94.6		0	67.9-119	%REC	1	5/30/03 3:04 pm
Surr: Dibromofluoromethane	91.6		0	62.3-122	%REC	1	5/30/03 3:04 pm
Surr: Toluene-d8	101		0	68.2-119	%REC	1	5/30/03 3:04 pm
VOCS, EXTENDED ANALYTE LIST			Method:	SW8260B		Analyst:	BK
1,4-Dioxane	ND		4.86	14.6	µg/L	1	5/30/03 3:04 pm
Dimethoxymethane	ND	c	5.00	15.0	µg/L	1	5/30/03 3:04 pm
n-Butanol	ND	c	5.00	25.0	µg/L	1	5/30/03 3:04 pm

Qualifiers:

ND - Not Detected at the Method Detection Limit

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

J - Estimated or analyte detected below quantitation limit

E - Value above quantitation range

B - Analyte detected in the associated Method Blank

H - Analysis run past method holding time

* - Value exceeds Maximum Contaminant Level

DF - Dilution Factor

MDL-Continuous
Reaction2003

c - Analyte not included in our scope of accreditation



SUBURBAN LABORATORIES, Inc.

4140 Litt Drive Hillside, Illinois 60162 (708) 544-3260

PREP DATES REPORT


lient ID:

Workorder #:

Project Name:

Date: Wednesday, June 04, 2003

Lab Sample ID	Collection Date	Batch #	Prep Method	Prep Name	Prep Date
---------------	-----------------	---------	-------------	-----------	-----------



SUBURE

LABORATORIES, Inc.

4140 Litt Drive Hillside, IL 60162

Tel. 708.544.3260

Fax: 708.544.8587

Toll Free: 800.783.LABS

CHAIN OF CUSTODY RECORD

#

2232

Company Name: CCI Geotechnology, Inc. Company Address: 850 Vandalia St, Suite 230 City: Collinsville State: IL Zip: 62234 Phone: 618-345-4811 Fax: 618-345-5108 Email Address: alimmler@geotechnology-il.com Project ID / Location: CCI - Danville, IL Project Manager (Report to): Andy Limmler Sample Collector(s): Amanda Pond				TURNAROUND TIME REQUESTED <input checked="" type="checkbox"/> Normal <input type="checkbox"/> RUSH* *Additional Charges Approved. *Date & Time Needed: Normal TAT is 7-10 work days for most tests. Rush work must be pre-approved and additional charges apply. REPORT VIA: <input type="checkbox"/> US Mail <input type="checkbox"/> Fax <input checked="" type="checkbox"/> Email <input type="checkbox"/> FedEx* *Additional Charges Approved. Are any of the samples for compliance monitoring purposes or being reported to a regulatory agency? <input checked="" type="checkbox"/> Yes* <input type="checkbox"/> No *If Yes, please specify in comment section below.				ANALYSIS & METHOD REQUESTED Enter an "X" in box below to indicate request VOC				Page 1 of 23 PO No. Shipping Method QC Reporting Level (Please Circle) 1 2 3 LAB USE ONLY SLI ORDER NO: 03060819 QC sample(s) provided? <input type="checkbox"/> Yes <input type="checkbox"/> No Temperature/Preservation Check: 10.5°C		
SAMPLE IDENTIFICATION (Please use 1 line per container type)		COLLECTION		MATRIX	GRAB/ COMP.	CONTAINERS		PRESERVATIVE	VOC	A/R	CONDITION	LAB #		
DATE	TIME	Qty	SIZE & TYPE											
1 MW-3B	5/19/03	1020	H ₂ O	Grab	3	40ml glass	HCl	X				1A		
2 MW-3F	5/19/03	1230	/	/	3			X				2A		
3 MW-3F	5/19/03	1230	/	/	3			X				3A		
4 MW-3E	5/19/03	1045	/	/	3			X				4A		
5 MW-3K	5/19/03	1130	/	/	3			X				5A		
6 MW-3L (3L) AIP	5/19/03	1150	/	/	3			X				6A		
7 MW-4	5/19/03	255	/	/	3			X				7A		
8 MW-4A	5/20/03	1115	/	/	3			X				8A		
9 MW-4B	5/20/03	1045	/	/	3			X				9A		
10 MW-5D	5/19/03	330	↓	↓	3			X				10A		
GLOSSARY: MATRIX = Drinking Water(DW), Waste Water (WW), Sludge (U), Ground Water (GW), Surface Water (SW), Soil (S), Wipe (P), Solid Waste (WA). CONTAINER = 40ml Vial (A), 2oz (B), 4oz (C), 8oz(D), 500ml(E), 1Liter(F), Glass(G) Plastic(P), Tube(T) PRESERVATION = HCl(1), HNO ₃ (2), H ₂ SO ₄ (3), NaOH(4), MeOH(5), Sodium Bisulfate (6), Sodium Thiosulfate(7) TEMPERATURE = Celsius(C) Received on Ice (ROI) GENERAL = Not Applicable(N/A), Accept(A), Reject(R) CONDITION = Improper container/cap (1), Improper preservation (2), Damaged container/cap (3), Insufficient sample volume (4), Headspace/air bubbles for VOCs (5), Received past holding time (6), Received frozen (7), Label conflicts with COC (8)														
COMMENTS & SPECIAL INSTRUCTIONS:														
If evidentiary chain of custody procedures are needed, prior arrangements should be made with the lab.														
1. Relinquished By	Date	2. Relinquished By	Date	3. Relinquished By	Date	4. Relinquished By	Date							
<i>Amanda Pond</i>	5/20/03													
Received By	Time	Received By	Time	Received By	Time	Received By	Time							
<i>FedEx</i>		<i>John</i>												
Ice?		Ice?		Ice?		Ice?								

PLEASE FILL OUT COMPLETELY!

SUBURE LABORATORIES, Inc.

4140 Litt Drive Hillside, IL 60162

Tel. 708.544.3260

Fax: 708.544.8587

Toll Free: 800.783.LABS

Email: Info@SuburbanLabs.com

CHAIN OF CUSTODY RECORD

2003

Company Name <i>GeoTechnology Inc / CCL</i>		ANALYSIS & METHOD REQUESTED Enter an "X" in box below to indicate request											
Company Address <i>850 Vandalia St. Suite 230</i>		TURNAROUND TIME REQUESTED											
City <i>Collinsville</i> State <i>IL</i> Zip <i>62234</i>		<input checked="" type="checkbox"/> Normal <input type="checkbox"/> RUSH* *Additional Charges Approved.											
Phone <i>(618) 315-4811</i> Fax <i>(618) 345-5108</i>		Date & Time Needed:											
Email Address <i>alimmeier@geotechnology-il.com</i>		Normal TAT is 7-10 work days for most tests. Rush work must be pre-approved and additional charges apply.											
Project ID / Location <i>CCL - Danville, IL</i>		REPORT VIA: <input type="checkbox"/> US Mail <input type="checkbox"/> Fax											
Project Manager (Report to) <i>Andy Limmer</i>		<input checked="" type="checkbox"/> Email <input type="checkbox"/> FedEx* *Additional Charges Approved.											
Sample Collector(s) <i>Amanda Pond</i>		Are any of the samples for compliance monitoring purposes or being reported to a regulatory agency?											
SAMPLE IDENTIFICATION (Please use 1 line per container type)		COLLECTION		MATRIX	GRAB/ COMP.	CONTAINERS		PRESERVATIVE	VOC	AIR	CONDITION	LAB #	
		DATE	TIME			Qty	SIZE & TYPE						
1	MW - 7A	5/20/03	820	H ₂ O	Grab	3	40ml gas	HCl	X				11A
2	MW - 7	5/20/03	1020		/	3			X				12A
3	MW - 8	5/20/03	945		/	3			X				13A
4	MW - 9A	5/20/03	900		/	3			X				14A
5	MW-9B	5/20/03	700		/	3			X				15A
6	MW-9C	5/19/03	940		/	3			X				16A
7	AS - 1	5/20/03	1015		/	3			X				17A
8	IPS-2	5/20/03	1000		/	3			X				18A
9	108 MW-9B	11			/	3			X				
10	MW-5E	5/19/03	230		/	3			X				19A
GLOSSARY: MATRIX = Drinking Water(DW), Waste Water (WW), Sludge (U), Ground Water (GW), Surface Water (SW), Soil (S), Wipe (P), Solid Waste (WA). CONTAINER = 40ml Vial (A), 2oz (B), 4oz (C), 8oz(D), 500ml(E), 1Liter(F), Glass(G) Plastic(P), Tube(T) PRESERVATION = HCl(1), HNO ₃ (2), H ₂ SO ₄ (3), NaOH(4), MeOH(5), Sodium Bisulfite (6), Sodium Thiosulfate(7) TEMPERATURE = Celsius(C) Received on Ice (ROI) GENERAL = Not Applicable(N/A), Accept(A), Reject(R) CONDITION = Improper container/cap (1), Improper preservation (2), Damaged container/cap (3), Insufficient sample volume (4), Headspace/air bubbles for VOCs (5), Received past holding time (6), Received frozen (7), Label conflicts with COC (8)													
COMMENTS & SPECIAL INSTRUCTIONS:													
If evidentiary chain of custody procedures are needed, prior arrangements should be made with the lab.													
1. Relinquished By <i>Amanda Pond 5/20/03</i>	Date 5/20/03	2. Relinquished By	Date	3. Relinquished By	Date	4. Relinquished By	Date						
Received By <i>FedEx</i>	Time ice?	Received By	Time ice?	Received By	Time ice?	Received By	Time ice?						

PLEASE FILL OUT COMPLETELY!

Rev. 6/5/01

White - Original (Return with report), Yellow - Lab Copy, Pink - Sampler Copy

SUBURE LABORATORIES, Inc.

4140 Litt Drive Hillside, IL 60162

Tel. 708.544.3260

Fax: 708.544.8587

Toll Free: 800.783.LABS Email: Info@SuburbanLabs.com

CHAIN OF CUSTODY RECORD # 224

Company Name Geotechnology Inc. Company Address 850 Vandalia St. Suite 230 City Collinsville State IL Zip 62234 Phone 618 345 4811 Fax 618 345 5508 Email Address Altimmer@geotechnology-il.com Project ID / Location CCF - Darien, IL Project Manager (Report to) Andy Altimmer Sample Collector(s) Amanda Pond				TURNAROUND TIME REQUESTED <input checked="" type="checkbox"/> Normal <input type="checkbox"/> RUSH* *Additional Charges Approved. *Date & Time Needed: Nomal TAT is 7-10 work days for most tests. Rush work must be pre-approved and additional charges apply. REPORT VIA: <input type="checkbox"/> US Mail <input type="checkbox"/> Fax <input checked="" type="checkbox"/> Email <input type="checkbox"/> FedEx* *Additional Charges Approved.			ANALYSIS & METHOD REQUESTED Enter an "X" in box below to indicate request VOC			Page 3 of 3 PO No. Shipping Method QC Reporting Level (Please Circle) 1 2 3 LAB USE ONLY SL# ORDER No. 02050819 QC sample(s) provided? <input type="checkbox"/> Yes <input type="checkbox"/> No Temperature/Preservation Check				
SAMPLE IDENTIFICATION (Please use 1 line per container type)				COLLECTION		MATRIX	GRAB/ COMP.	CONTAINERS		PRESERVATIVE	VOC	A/R	CONDITION	LAB #
DATE	TIME	Qty	SIZE & TYPE											
1 MW-5	5/9/03 05	100	6 340ml	HCl	X									2A
2 MW-5B	5/9/03 135	100	6 340ml	HCl	X									2A
3	/ /													
4	/ /													
5	/ /													
6	/ /													
7	/ /													
8	/ /													
9	/ /													
10	/ /													

GLOSSARY: MATRIX = Drinking Water(DW), Waste Water (WW), Sludge (U),

Ground Water (GW), Surface Water (SW), Soil (S), Wipe (P), Solid Waste (WA).

CONTAINER = 40ml Vial (A), 2oz (B), 4oz (C), 8oz(D), 500ml(E), 1Liter(F), Glass(G)

Plastic(P), Tube(T) PRESERVATION = HCl(1), HNO₃(2), H₂SO₄(3), NaOH(4),

MeOH(5), Sodium Bisulfate(6), Sodium Thiosulfate(7) TEMPERATURE = Celsius(C)

Received on Ice (ROI) GENERAL = Not Applicable(N/A), Accept(A), Reject(R)

CONDITION = Improper container/cap (1), Improper preservation (2), Damaged

container/cap (3), Insufficient sample volume (4), Headspace/air bubbles for VOCs (5),

Received past holding time (6), Received frozen (7), Label conflicts with COC (8)

COMMENTS & SPECIAL INSTRUCTIONS:

If evidentiary chain of custody procedures are needed, prior arrangements should be made with the lab.

1. Relinquished By <i>Amanda Pond</i>	Date <i>5/12/03</i>	2. Relinquished By	Date	3. Relinquished By	Date	4. Relinquished By	Date
Received By <i>FedEx</i>	Time <i>ice?</i>	Received By	Time <input type="checkbox"/> ice?	Received By	Time <input type="checkbox"/> ice?	Received By	Time <input type="checkbox"/> ice?

PLEASE FILL OUT COMPLETELY!

Rev. 6/5/01

White - Original (Return with report), Yellow - Lab Copy, Pink - Sampler Copy

TERMS &

CONDITIONS

1. General: A. Suburban Laboratories, Inc. "Suburban" will provide Client with written reports containing analytical results. In performing these services, Suburban will use that degree of care and skill ordinarily exercised under similar circumstances by reputable members of the commercial laboratory profession practicing in the same locality.
B. Tests and observations will be conducted using test procedures and laboratory protocols as specified in accepted Chain of Custody Documents "COC". If Client directs a manner of performing tests that varies from Suburban's standard or recommended procedures, Client agrees to hold Suburban harmless from all claims, damages, and expenses arising out of Client's direction.
C. Suburban will not release test results or information that Suburban receives from Client to others, except as directed by Client or as Suburban is required by law.
D. For each COC, Client will either provide Suburban with the exact method references for analysis or will identify the regulations and agency under which or for which analyses are to be prepared. When exact methods are not specified, Client agrees to hold Suburban harmless from all claims, damages, and expenses arising out of Suburban's discretion.
2. Subcontracting: A. Suburban reserves the right to subcontract any portion of the services. Suburban will notify Client in writing prior to the subcontracting of any portion of the service. Analyses which have been subcontracted will be clearly identified on the laboratory's final report.
3. Reports and Records: A. Suburban will furnish copies of each report to Client as specified in the COC. Suburban will retain analytical data and reports for at least 5 years after final report date.
B. Suburban will agree to provide reports for Client's use only for the purposes disclosed to Suburban at the time of contracting. Reports may not be reproduced, except in full, without the prior written approval of Suburban. At Suburban's sole discretion, Preliminary Results may be given in advance of the written report of results. Such Preliminary Results are tentative results only, subject to confirmation or change based on final review. Unless otherwise agreed to in writing, Preliminary Results will satisfy turnaround time requirements.
C. If Client does not pay for Suburban's services as agreed, Client agrees that Suburban may retain all reports and work not yet delivered to Client. Client also agrees that Suburban's work will not be used by Client for any purpose whatsoever unless it is paid for in full in accordance herewith.
4. Delivery of Samples and Sample Acceptance Policy "SAP": A. Until Suburban accepts delivery of samples by notation on COC, Client is responsible for loss of or damage to samples.
B. All turnaround times will be calculated from the point in time when Suburban has determined that it can proceed with work following receipt, sample inspection, and resolution of discrepancies.
C. Normal turnaround time for routine samples and analytes is 7-10 working days. Working days do not include weekends or holidays. When a holiday falls on a Saturday, Suburban is closed the preceding Friday and when a holiday falls on a Sunday, Suburban is closed the following Monday. Rush orders are charged at a rate of 10-250% the listed price depending on time requirements.
D. In order to meet method holding times and turnaround times, samples should be submitted to Suburban immediately after collection. Samples with holding times of 48 hours to 14 days received with less than 75% of their holding time remaining will incur rush charges. Samples requiring rush extraction due to holding times will be charged at a rate of 50% the standard rush charge.
E. As to any samples that are suspected of containing hazardous substances, Client will specify the suspected or known substances. This information will be given to Suburban in writing and will precede or accompany samples. Under no circumstances will Suburban accept delivery of samples containing levels of radioactivity. Regardless of a prior acceptance, Suburban reserves the right to refuse acceptance or revoke acceptance of samples. If Suburban revokes acceptance of samples, Client will have samples removed from Suburban's facilities within 48 hours at Client's expense.
F. Samples submitted for regulatory compliance purposes must be (1) accompanied by complete documentation, which shall include sample identification, the location, date and time of collection, collector's name, preservative added, sample type and any special remarks concerning the sample; (2) be properly labeled with durable labels and the use of indelible markings; (3) contain a unique identification of the sample and each sample container that can be traced back to field sampling records; (4) be accompanied by complete documentation of use of preservation and sample containers as required by the approved test methods; (5) adhere to the maximum allowable holding time prior to

analyses as specified by the approved test methods; and (6) be of adequate size or volume to perform the necessary analyses. Data from any samples which do not meet this SAP will be flagged in an unambiguous manner clearly defining the nature and substance of the variation.

G. Samples accepted by Suburban remain Client's property while in Suburban's custody. Suburban will retain samples for at least 30 days following the date of Suburban's report. Suburban will extend the retention period if Client so directs, in writing, and if Client agrees to pay for additional storage in the amount \$10.00 per sample per month. Following the retention period Suburban will dispose of or return samples to Client. Any samples for work that is canceled, or not accepted will be returned to Client at Client's expense.

H. Suburban will notify Client promptly if Suburban identifies any activity that Suburban regards as a change to the scope of the work as described in the COC. Suburban will specify the particular elements of project performance for which Suburban may seek an equitable adjustment of Suburban's compensation. Client will respond to such notice promptly. Until agreement is reached concerning the proposed change, Suburban may regard the situation as a suspension directed by Client. Client will be invoiced for all work performed prior to the receipt of a change in scope of work as indicated on an Approval Form and as appropriate.

5. Compensation: A. Client agrees to pay for services as stated in Suburban's price proposal or according to Suburban's then current standard pricing documents if there is no other written agreement as to price. An estimate is not a firm figure unless stated as such.

B. Client agrees to pay invoices within 30 days of receipt. Client agrees to pay interest on unpaid balances beginning 31 days after receipt of invoice at the rate of 1.5% per month. Client agrees to compensate Suburban for Suburban's services and expenses, including attorney fees, if Suburban is required to respond to legal process related to Suburban's services for Client.

C. If Client directs Suburban to invoice another party, Suburban will do so, but Client agrees to be ultimately responsible for Suburban's compensation until Client provides Suburban with that third party's written acceptance of all terms and conditions and Suburban agrees to the change.

D. If Suburban is delayed, or the period of performance is materially extended because of factors beyond Suburban's control, or if project conditions or the scope or amount of work change, or if the standards or methods of testing change, Suburban will give Client timely notice of the change and Suburban may seek an equitable adjustment of Suburban's compensation.

E. If Client requests a re-test, Client will be invoiced for original and re-test analyses. If Suburban determines that re-test results are significantly different, Client need only pay for re-test analyses.
F. All laboratory and related services are subject to a minimum billing of \$50.00.

6. Liabilities and Indemnities: A. Suburban will not be liable to Client for special, incidental, consequential, or punitive losses or damages, including but not limited to those arising from delay, loss of use, loss of profits or revenue, or the cost of capital.

B. If it is claimed by a third party that Suburban did not complete an acceptable analysis, as Suburban's request, Client will seek further review and acceptance of the completed work by a third party and use Client's best efforts to obtain that acceptance. Furthermore, under no circumstances will Suburban's right to independently defend Suburban's data be denied.

C. Suburban will have no liability to Client for nonperformance caused in whole or in part by causes beyond Suburban's reasonable control. Such causes include, but are not limited to, acts of God, civil unrest, war, labor unrest/strikes, power/equipment failures, analytical method limitations, acts of authorities, and failures of subcontractors that could not be reasonably anticipated.

D. Suburban will indemnify and hold Client harmless from and against demands, damages, and expenses caused by Suburban's negligent acts and omissions and breach of contract and by the negligent acts and omissions and breach of contract of persons for whom Suburban are legally responsible. Client will indemnify and hold Suburban harmless from and against demands, damages, and expenses caused by Client's negligent acts and omissions and breach of contract and by the negligent acts and omissions and breach of contracts of persons for whom Client is legally responsible.

APPENDIX B
FIELD WELL GAUGING LOGS

4



5



6



7



8



9



10



11



12



13



14



WELL GAUGING SAMPLING LOG

Page 1Job No. 165D023521

GEOTECHNOLOGY, INC.
ENGINEERING AND ENVIRONMENTAL SERVICES
SAINT LOUIS • COLLINSVILLE

Location DANVILLE, ILJob Name CCl ManufacturingPersonnel AMPCalibrated 930 5/9, 20° 5/20

Well No.	Date	Time	Desc. of Meas. Point	Casing Dia. (in)	Depth to Water (ft)	Total Depth (ft)	Water Column (ft)	Gal/Ft of Water	One Well Vol (gal)	3 Well Vols (gal)	Purged Volume (gal)	Odor, color, etc.	pH readings	Temp. readings	S.C. readings	Remarks, containers, analysis, equip. used, etc.	
																A	B
8	5/20	945	TOC	2	12.60	22.93	10.33	0.16	1.65	4.96	5.0	clear	6.94	12.6	1137	VOC	X
9C	5/19	940	TOC	2	10.88	19.85	12.97	0.16	2.07	6.22	6.5	H.brn	7.29	13.8	1393	VOC	X
9B	5/19	940	TOC	2	7.58	20.60	13.02	0.16	2.08	6.25	6.25	H.brn	7.62	12.5	893	VOC	X
9A	5/20	900	TOC	2	8.40	19.25	8.85	0.16	1.42	4.25	4.25	H.brn	7.29	12.6	1181	VOC	X
9	5/20	910	TOC	2	12.87	20.67	7.80	0.16	-	-	-	-	-	-	-	SEE LEVELS	
4	5/19	1255	TOC	2	5.10	19.55	14.45	0.16	2.31	6.94	7.0	Clear	7.17	16.8	947	VOC	X
3B	5/19	1020	TOC	2	4.75	19.85	15.10	0.16	2.41	7.25	7.25	H.brn	7.36	14.5	642	VOC	X
3E	5/19	1045	TOC	2	7.30	20.80	13.50	0.16	2.16	6.48	6.50	Clear	7.23	12.3	516	VOC	X
3G	5/19	1232	TOC	2	7.15	19.60	12.45	0.16	-	-	-	-	-	-	-	LEVELS	
3K	5/19	1130	TOC	2	5.39	19.15	13.76	0.16	2.20	6.60	6.75	H.brn	7.38	12.3	634	VOC ANS! X	
3L	5/19	1150	TOC	2	5.50	21.00	16.50	0.16	2.64	7.92	8.00	H.brn	7.30	12.1	626	VOC	X
7A	5/20	920	TOC	2	10.83	20.80	9.97	0.16	1.59	4.78	5.00	clear	7.34	11.3	1967	VOC	X
7	5/20	1020	TOC	2	4.10	16.84	12.74	0.16	2.04	6.12	6.57	H.brn	7.35	11.7	1695	VOC	X

Well Casing Volumes (Gal/Ft of Water) = $7.5 * \pi * r^2$
 1 1/4" = 0.06 2" = 0.16 3" = 0.37 4" = 0.65

Formulas

$$\begin{aligned} B - A &= C \\ C * D &= E \\ E * 3 &= F \end{aligned}$$

Completion of Purge

- Well goes dry, or
- Consecutive well volume S.C. and Temp readings within $\pm 10\%$
- Consecutive well volume pH readings within ± 0.20 S.U.

WELL GAUGING SAMPLING LOG

Page 2Job No. 6650073521

GEOTECHNOLOGY, INC.
ENGINEERING AND ENVIRONMENTAL SERVICES
SAINT LOUIS • COLLINSVILLE

Job Name CCL ManufacturingLocation Danville, ILPersonnel AJP

Well No.	Date	Time	Desc. of Meas. Point	Casing Dia. (in)	Depth to Water (ft)	Total Depth (ft)	Water Column (ft)	Gal/Ft of Water	One Well Vol (gal)	3 Well Vols (gal)	Purged Volume (gal)	Odor, color, etc.	pH readings	Temp. readings	S.C. readings	Remarks, containers, analysis, equip. used, etc.
3H	5/19/94	7 TOC	2	7.60	20.53	12.93	0.16									Levels
5E	5/19	230 TOC	2	8.80	27.23	18.43	0.16	2.95	8.85	9.0	Clear	7.28	13.9	3.14 mb VOC	X	
4F	5/20	950 TOC	2	5.36	20.11	14.75	0.16									Levels
3I	5/19	1235 TOC	2	3.93	21.80	17.87	0.16									Levels
3D	5/19	1100 TOC	2	8.47	17.55	8.16	0.16									Levels
3	5/19	1050 TOC	2	6.42	21.56	15.14	0.16									Levels
3A	5/19	1000 TOC	2	5.25	18.28	13.03	0.16									Levels - Dry casting broken at ground surface
R2	5/20	952 TOC	2	10.03	20.76	10.72	0.16									Levels
5G	5/19	302 TOC	2	8.42	21.81	13.39	0.16									Levels
1A	5/20	955 TOC	2	13.47	22.43	8.96	0.16									Levels
6	5/20	956 TOC	2	3.74	19.45	15.71	0.16									VOC Levels
1B	5/20	958 TOC	2	7.51	17.14	9.63	0.16									Levels
5C	5/19	250 TOC	2	6.43	18.96	12.53	0.16									Levels

Well Casing Volumes (Gal/Ft of Water) = $7.5 * \pi * r^2$

1 1/4" = 0.06 2" = 0.16 3" = 0.37 4" = 0.65

Formulas

$$\begin{aligned} B - A &= C \\ C * D &= E \\ E * 3 &= F \end{aligned}$$

Completion of Purge

1. Well goes dry, or
2. Consecutive well volume S.C. and Temp readings within $\pm 10\%$
3. Consecutive well volume pH readings within ± 0.20 S.U.

WELL GAUGING SAMPLING LOG

Page 301

Job No. 16650023531



Job Name CCL Manufacturing

Location Danville, IL

Personnel ADP

Well No.	Date	Time	Desc. of Meas. Point	Casing Dia. (in)	Depth to Water (ft)	Total Depth (ft)	Water Column (ft)	Gal/Ft of Water	One Well Vol (gal)	3 Well Vols (gal)	Purged Volume (gal)	Odor, color, etc.	pH readings	Temp. readings	S.C. readings	Remarks, containers, analysis, equip. used, etc.
1	5/20/02	1026	TOC	2	6.50	15.00	8.50	0.16	—	—	—	Clear	6.89	11.3	1834	Levels VOC + DRY X
5F	5/20/02	1025	TOC	2	7.12	16.94	9.82	0.16	—	—	—	—	—	—	—	Levels
3F	5/19/02	330	TOC	2	8.95	19.90	10.95	0.16	1.75	5.25	5.25	Clear	7.089	12.3	1834	VOC + DRY X
5D	5/19	330	TOC	2	6.95	16.99	10.04	0.16	1.60	4.82	5.00	14 brn.	6.93	15.5	526	VOC X
4A	5/20	1115	TOC	2	6.55	22.00	15.45	0.16	2.47	7.42	7.50	14 brn.	7.20	12.3	546	VOC X
4B	5/20	1045	TOC	2	8.30	22.43	14.13	0.16	2.20	6.78	7.0	Clear	7.18	12.6	1088	VOC X
4H	5/19	1205	TOC	2	12.89	21.52	8.63	0.16	—	—	—	—	—	—	—	Levels
5	5/19	105	TOC	2	9.00	18.47	9.47	0.16	1.52	4.55	4.75	14 brn.	6.39	11.9	2.51m	VOC X
5F	5/19	105	TOC	2	—	—	—	0.16	—	—	—	—	—	—	—	Levels
5B	5/19	135	TOC	2	5.94	20.11	14.57	0.16	2.27	6.80	7.00	Clear	6.89	12.7	2.96m	VOC X
5A	5/19	200	TOC	2	3.15	—	—	0.16	—	—	—	—	—	—	—	VOC DRY at 3.15 dirt
PS2	5/20	1000	—	—	—	—	—	—	—	—	—	—	—	—	—	VOC X
AS	5/20	1015	—	—	—	—	—	—	—	—	—	—	—	—	—	VOC X

$$\text{Well Casing Volumes (Gal/Ft of Water)} = 7.5 * \pi * r^2$$

$$1\frac{1}{4}'' = 0.06 \quad 2'' = 0.16 \quad 3'' = 0.37 \quad 4'' = 0.65$$

Formulas

$$\begin{aligned} B - A &= C \\ C * D &= E \\ E * 3 &= F \end{aligned}$$

Completion of Purge

1. Well goes dry, or
2. Consecutive well volume S.C. and Temp readings within $\pm 10\%$
3. Consecutive well volume pH readings within ± 0.20 S.U.

See page 1

Collection order: VOCs, SVOCs, diss. metals, total metals

WELL GAUGING SAMPLING LOG

Page 44

Job No. (665D02352)

Job Name CCL Manufacturing



GEOTECHNOLOGY, INC.
ENGINEERING AND ENVIRONMENTAL SERVICES
SAINT LOUIS • COLLINSVILLE

Location Danville, IL

Personnel AJP

Well No.	Date	Time	Desc. of Meas. Point	Casing Dia. (in)	Depth to Water (ft)	Total Depth (ft)	Water Column (ft)	Gal/Ft of Water	A	B	C	D	E	F	Remarks, containers, analysis, equip. used, etc.	
									One Well Vol (gal)	3 Well Vols (gal)	Purged Volume (gal)	Odor, color, etc.	pH readings	Temp. readings	S.C. readings	
4G	5/19	340	TOC	2	9.40	20.14	10.74	0.16								Levels
20	5/19	400	TOC	4	13.54	19.89	6.26	0.15								Levels
4E	5/19	345	TOC	2	8.84	24.62	15.78	0.16								Levels
3C	5/19	410	TOC	2	8.56	18.05	9.49	0.16								Levels
4C	5/19	350	TOC	2	8.32	18.98	10.46	0.16								Levels
4D	5/19	355	TOC	2	7.14	24.27	17.13	0.16								Levels
3T	5/19	1200	TOC	2	10.67	19.95	9.28	0.16								Levels

$$\text{Well Casing Volumes (Gal/Ft of Water)} = 7.5 * \pi * r^2$$

$$1\frac{1}{4}'' = 0.06 \quad 2'' = 0.16 \quad 3'' = 0.37 \quad 4'' = 0.65$$

Formulas

$$B - A = C$$

$$C * D = E$$

$$E * 3 = F$$

Completion of Purge

- Well goes dry, or
- Consecutive well volume S.C. and Temp readings within $\pm 10\%$
- Consecutive well volume pH readings within ± 0.20 S.U.

APPENDIX C

STORET DATA

3B (G110), 3E (G111), 4(G104), AND 7 (G107)



8

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21


LPCSM01A1838040031G110051903	071503	1020 C	light brown, no odor
LPCSM01A1838040031G111051903	071503	1045 C	colorless, no odor
LPCSM01A1838040031G104051903	071503	1455 C	colorless, no odor
LPCSM01A1838040031G107052003	071503	1020 C	light brown, no odor

LPCSM02A1838040031G110051903	00400	0000736000
LPCSM02A1838040031G110051903	00094	0000064200
LPCSM02A1838040031G110051903	00010	0001450000
LPCSM02A1838040031G110051903	34516	<0000033100
LPCSM02A1838040031G110051903	34541	<0000044900
LPCSM02A1838040031G110051903	34668	<0000067200
LPCSM02A1838040031G110051903	34311	<0000402000
LPCSM02A1838040031G110051903	81552	<0000296000
LPCSM02A1838040031G110051903	34501	<0000051400
LPCSM02A1838040031G110051903	39175	<0000042300
LPCSM02A1838040031G110051903	34413	<0000245000
LPCSM02A1838040031G110051903	71993	0064687000
LPCSM02A1838040031G110051903	34496	<0000024000
LPCSM02A1838040031G110051903	34488	<0000033700
LPCSM02A1838040031G110051903	34546	<0000054200
LPCSM02A1838040031G110051903	32106	<0000022400
LPCSM02A1838040031G110051903	34531	<0000029200
LPCSM02A1838040031G110051903	32104	<0000050100
LPCSM02A1838040031G110051903	34301	<0000036100
LPCSM02A1838040031G110051903	34506	<0000022200
LPCSM02A1838040031G111051903	00010	0001230000
LPCSM02A1838040031G111051903	00094	0000051600
LPCSM02A1838040031G111051903	00400	0000723000
LPCSM02A1838040031G111051903	71993	0064627000
LPCSM02A1838040031G111051903	72110	0065357000
LPCSM02A1838040031G111051903	72109	0000730000
LPCSM02A1838040031G111051903	72020	0063277000
LPCSM02A1838040031G111051903	34418	<0000110000
LPCSM02A1838040031G111051903	34413	<0000245000
LPCSM02A1838040031G111051903	39175	<0000042300
LPCSM02A1838040031G111051903	34311	<0000402000
LPCSM02A1838040031G111051903	34541	<0000044900
LPCSM02A1838040031G111051903	39180	<0000051800
LPCSM02A1838040031G111051903	32101	<0000034200
LPCSM02A1838040031G111051903	34511	<0000069200
LPCSM02A1838040031G111051903	34030	<0000031700
LPCSM02A1838040031G111051903	34704	<0000029100
LPCSM02A1838040031G111051903	34576	<0000044800
LPCSM02A1838040031G111051903	32104	<0000050100
LPCSM02A1838040031G111051903	77103	<0000074500
LPCSM02A1838040031G111051903	34475	<0000080300
LPCSM02A1838040031G111051903	34010	<0000038300
LPCSM02A1838040031G111051903	34301	<0000036100
LPCSM02A1838040031G111051903	78113	<0000037600
LPCSM02A1838040031G111051903	34668	<0000067200
LPCSM02A1838040031G111051903	34488	<0000033700
LPCSM02A1838040031G111051903	34536	<0000030100
LPCSM02A1838040031G111051903	34566	<0000030400
LPCSM02A1838040031G111051903	34571	<0000035400
LPCSM02A1838040031G104051903	00010	0001680000
LPCSM02A1838040031G104051903	00094	0000094700
LPCSM02A1838040031G104051903	00400	0000717000
LPCSM02A1838040031G104051903	71993	0065810000
LPCSM02A1838040031G104051903	72110	0066320000
LPCSM02A1838040031G104051903	72109	0000510000
LPCSM02A1838040031G104051903	72020	0064365000
LPCSM02A1838040031G104051903	34418	<0000110000

LPCSM02A1838040031G104051903 34413 <0000245000
LPCSM02A1838040031G104051903 39175 <0000042300
LPCSM02A1838040031G104051903 34311 <0000402000
LPCSM02A1838040031G104051903 34423 <0000394000
LPCSM02A1838040031G104051903 81552 <0000296000
LPCSM02A1838040031G104051903 34501 <0000051400
LPCSM02A1838040031G104051903 34496 <0000024000
LPCSM02A1838040031G104051903 34546 <0000054200
LPCSM02A1838040031G104051903 32106 <0000022400
LPCSM02A1838040031G104051903 34531 <0000029200
LPCSM02A1838040031G104051903 34506 <0000022200
LPCSM02A1838040031G104051903 32102 <0000038300
LPCSM02A1838040031G104051903 32101 <0000020200
LPCSM02A1838040031G104051903 34516 <0000033100
LPCSM02A1838040031G104051903 34541 <0000044900
LPCSM02A1838040031G104051903 39180 <0000051800
LPCSM02A1838040031G104051903 32101 <0000034200
LPCSM02A1838040031G104051903 34511 <0000069200
LPCSM02A1838040031G104051903 34030 <0000031700
LPCSM02A1838040031G104051903 34704 <0000029100
LPCSM02A1838040031G104051903 34576 <0000044800
LPCSM02A1838040031G104051903 32104 <0000050100
LPCSM02A1838040031G104051903 77103 <0000074500
LPCSM02A1838040031G104051903 34475 <0000080300
LPCSM02A1838040031G104051903 34010 <0000038300
LPCSM02A1838040031G104051903 34301 <0000036100
LPCSM02A1838040031G104051903 78113 <0000037600
LPCSM02A1838040031G104051903 34668 <0000067200
LPCSM02A1838040031G104051903 34488 <0000033700
LPCSM02A1838040031G104051903 34536 <0000030100
LPCSM02A1838040031G104051903 34566 <0000030400
LPCSM02A1838040031G104051903 34571 <0000035400
LPCSM02A1838040031G107052003 00010 0001170000
LPCSM02A1838040031G107052003 00094 0000109500
LPCSM02A1838040031G107052003 00400 0000735000
LPCSM02A1838040031G107052003 71993 0064716000
LPCSM02A1838040031G107052003 72110 0065126000
LPCSM02A1838040031G107052003 72109 0000410000
LPCSM02A1838040031G107052003 72020 0063442000
LPCSM02A1838040031G107052003 34418 <0000110000
LPCSM02A1838040031G107052003 34413 <0000245000
LPCSM02A1838040031G107052003 39175 <0000042300
LPCSM02A1838040031G107052003 34311 <0000402000
LPCSM02A1838040031G107052003 34423 <0000394000
LPCSM02A1838040031G107052003 81552 <0000296000
LPCSM02A1838040031G107052003 34501 0000117000
LPCSM02A1838040031G107052003 34496 0000229000
LPCSM02A1838040031G107052003 34546 <0000054200
LPCSM02A1838040031G107052003 32106 <0000022400
LPCSM02A1838040031G107052003 34531 <0000029200
LPCSM02A1838040031G107052003 34506 0002400000
LPCSM02A1838040031G107052003 32102 <0000038300
LPCSM02A1838040031G107052003 32101 <0000020200
LPCSM02A1838040031G107052003 34516 <0000033100
LPCSM02A1838040031G107052003 34541 <0000044900
LPCSM02A1838040031G107052003 39180 0000170000
LPCSM02A1838040031G107052003 32101 <0000034200

LPCSM02A1838040031G107052003 34511 <0000069200
LPCSM02A1838040031G107052003 34030 <0000031700
LPCSM02A1838040031G107052003 34704 <0000029100
LPCSM02A1838040031G107052003 34576 <0000044800
LPCSM02A1838040031G107052003 32104 <0000050100
LPCSM02A1838040031G107052003 77103 <0000074500
LPCSM02A1838040031G107052003 34475 0049900000
LPCSM02A1838040031G107052003 34010 <0000038300
LPCSM02A1838040031G107052003 34301 <0000036100
LPCSM02A1838040031G107052003 78113 <0000037600
LPCSM02A1838040031G107052003 34668 0001530000
LPCSM02A1838040031G107052003 34488 0250000000
LPCSM02A1838040031G107052003 34536 <0000030100
LPCSM02A1838040031G107052003 34566 <0000030400
LPCSM02A1838040031G107052003 34571 <0000035400
LPCSM02A1838040031G110051903 34536 <0000030100
LPCSM02A1838040031G110051903 34511 <0000069200
LPCSM02A1838040031G110051903 34566 <0000030400
LPCSM02A1838040031G110051903 32101 <0000034200
LPCSM02A1838040031G110051903 39180 <0000051800
LPCSM02A1838040031G110051903 34571 <0000035400
LPCSM02A1838040031G110051903 77103 <0000074500
LPCSM02A1838040031G110051903 34030 <0000031700
LPCSM02A1838040031G110051903 34475 <0000080300
LPCSM02A1838040031G110051903 34576 <0000044800
LPCSM02A1838040031G110051903 34704 <0000029100
LPCSM02A1838040031G110051903 72110 0065162000
LPCSM02A1838040031G110051903 72109 0000475000
LPCSM02A1838040031G110051903 34418 <0000110000
LPCSM02A1838040031G110051903 34423 <0000394000
LPCSM02A1838040031G110051903 72020 0063177000
LPCSM02A1838040031G110051903 34010 <0000038300
LPCSM02A1838040031G110051903 78113 <0000037600
LPCSM02A1838040031G110051903 32102 <0000038300
LPCSM02A1838040031G110051903 32101 <0000020200
LPCSM02A1838040031G111051903 34423 <0000394000
LPCSM02A1838040031G111051903 81552 <0000296000
LPCSM02A1838040031G111051903 34501 <0000051400
LPCSM02A1838040031G111051903 34496 <0000024000
LPCSM02A1838040031G111051903 34546 <0000054200
LPCSM02A1838040031G111051903 32106 <0000022400
LPCSM02A1838040031G111051903 34531 <0000029200
LPCSM02A1838040031G111051903 34506 <0000022200
LPCSM02A1838040031G111051903 32102 <0000038300
LPCSM02A1838040031G111051903 32101 <0000020200
LPCSM02A1838040031G111051903 34516 <0000033100

APPENDIX D
LIMITATIONS OF REPORT



QUARTERLY REPORT **LIMITATIONS OF REPORT**

1. This report has been prepared on behalf of and for the exclusive use of the addressee, solely for use in assessing conditions at the site. This report and the findings contained herein shall not, in whole or in part, be disseminated or conveyed to any other party, nor used by any other party in whole or in part, without the prior written consent of Geotechnology. However, Geotechnology acknowledges and agrees that the report may be conveyed to the state environmental regulatory agency as necessary.
2. The quarterly activities were performed in general accordance with appropriate state guidelines and generally accepted practices of other consultants undertaking similar remediation/monitoring projects at the same time and in the same geographical area, and Geotechnology endeavored to observe that degree of care and skill ordinarily exercised by other consultants under similar circumstances and conditions. The findings and conclusions stated herein must be considered not as scientific certainties, but rather as professional opinions concerning the significance of the limited data gathered during the course of the sampling. No other warranty, express or implied, is made. Specifically, Geotechnology does not and cannot represent that the site contains no hazardous waste or material, oil (including petroleum products) or other latent condition beyond that observed by Geotechnology.
3. The observations described in the Report were made under the conditions stated therein. The conclusions presented in the Report were based solely upon the services described therein, and not on scientific tasks or procedure beyond the scope of described services. Unless other contractual agreements were made, the services described in this report were carried out in accordance with the Terms for Geotechnology's Environmental Services which accompanied the proposal.
4. In the event that information is developed relative to environmental or hazardous waste or material issues at the site and not contained in this report, such information shall be brought to Geotechnology's attention. Geotechnology will evaluate such information and, on the basis of this evaluation, may modify the conclusions stated in this Report.
5. The conclusions and recommendations contained in this Report are based in part upon the data obtained from a limited number of soil and/or groundwater samples obtained from widely spaced sampling. The identified presence of contaminated soil and/or groundwater is limited to the extent that they could be identified by color, smell, instrumentation and sampling and testing. There is a potential for contaminated soil and/or groundwater above the indicated concentrations to occur elsewhere on the site. The nature and extent of variations between these explorations may not become evident until further exploration. If variations or other latent conditions then appear evident, and/or if changes are made in regulations, it will be necessary to reevaluate the conclusions and recommendations of this report.
6. Quantitative laboratory testing was performed as part of the quarterly activities by an outside laboratory, Geotechnology has relied upon the data provided, and has not conducted an

independent evaluation of the reliability of these data.

7. Chemical analyses have been performed for specific parameters during the course of the quarterly activities as described in the text. Do not assume that a given chemical is not present at the site simply because it was not present at test locations. The chemical may exist on the site where testing was not performed. In addition, it should be noted that additional chemical constituents not tested for during the assessment could be present in soil and/or groundwater at the site.

